

## Author Index, Volume 50, (1995)

c = correspondence; f = forum; S = Supplement

- ABHAY, K. *See* LITTLEJOHN, I.H., 499
- ACKERMAN, W.E. *See* ANDREWS, P.J.D., 9
- ADAMS, G.L. *See* BEEBE, D.S., 470 (c)
- AITKENHEAD, A.R. *See* BAUM, J.A., 37 (S)
- AITKENHEAD, A.R. *See* LEESON-PAYNE, C.G., 383
- AITKENHEAD, A.R. *See* DENNIS, A.R., 400
- AITKENHEAD, A.R. *See* WALDER, A.D., 654 (f)
- AITKENHEAD, A.R. *See* WALDER, A.D., 1007 (c)
- AITKENHEAD, A.R. *See* LEESON-PAYNE, C.G., 1090 (c)
- ALEXANDER, R., HOLLAND, S. & TAYLOR, B.L. Misplacement of a mini-tracheostomy, 1012 (c)
- ALEXANDER, R., LOVELL, A.T., SEINGRY, D. & JONES, R.M. Comparison of ondansetron and droperidol in reducing postoperative nausea and vomiting associated with patient-controlled analgesia, 1086 (f)
- ALEXANDER, R.J.T. *See* DONNELLY, J.A., 703
- ALFONSI, P., HONGNAT, J.-M., LEBRAULT, C. & CHAUVIN, M. The effects of pethidine, fentanyl and lignocaine on postanaesthetic shivering, 214
- ALFONSI, P. & CHAUVIN, M. The treatment of postoperative shivering: a reply, 1010 (c)
- ALI, P.B. & GRAHAM, S.G. Metocloramide and prochlorperazine do not decrease propofol hypnotic requirements, 990 (f)
- ALLEN, R.W. *See* BUNTING, H.E., 374 (c)
- ALLEN, R.W. *See* KELLY, M.C., 1077
- ALLMAN, K.G. *See* MILLETT, S.V., 746 (c)
- AL-SAADY, N.M. *See* PETROS, A.J., 601
- AL-SAADY, N.M., FERNANDO, S.S.D., PETROS, A.J., CUMMIN, A.R.C., SIDHU, V.S. & BENNETT, E.D. External high frequency oscillation in normal subjects and in patients with acute respiratory failure, 1031
- ANANDACIVA, S. *See* JAYASURIYA, J.P., 846
- ANDEL, H. *See* MÜLLER, C.M., 229
- ANDREWS, P.J.D., ACKERMAN, W.E., JUNEJA, M.J. & VOGEL, R. Facial sensory evoked muscle potentials during labour. A continuous objective monitor of adequacy of analgesia?, 9
- ANDRZEJOWSKI, J. Pain during injection of propofol, 186 (c)
- APIAH-ANANE, S. *See* HARRISON, J.C., 88 (c)
- ARFEEN, Z. *See* OWEN, H., 855
- ARMSTRONG, J.R. *See* DIGBY, S.J., 93 (c)
- ARNOLD, A., TOVEY, J., MANGAT, P., PENNY, W. & JACOBS, S. Magnesium deficiency in critically ill patients, 203
- AROSIO, E.M. & CONCI, F. Use of the laryngeal mask airway for respiratory distress in the intensive care unit, 635
- ASAI, T. The oesophageal detector device is not useful for the laryngeal mask, 175 (c)
- ASAI, T. Difficult tracheal extubation in a patient with an unsuspected congenital subglottic stenosis, 243
- ASAI, T. *See* STACEY, M., 917 (c)
- ASAI, T. *See* STACEY, M.R.W., 933
- ASANO, M., MIKAWA, K., NISHINA, K., MAEKAWA, N. & OBARA, H. The accuracy of references in *Anaesthesia*, 1080 (f)
- ASBURY, A.J. *See* PEARSALE, F.J., 649 (f)
- ATKINS, N. *See* O'BRIEN, E., 743 (c)
- ATKINSON, I. *See* RAPHAEL, J.H., 611
- ATKINSON, R.E. *See* MURRAY, P., 633
- AUSTIN, B.A. *See* MCCOY, E.P., 139
- AVIDAN, A. A pouch for use in emergency situations, 179 (c)
- AZIZ, E.S., THOMPSON, A.R. & BAER, S. Difficult laryngeal mask insertion in a patient with Forestier's disease, 370 (c)
- BADCOCK, N.R. *See* MOFFAT, A.C., 3
- BADIER, J.-L. Inability to charge a defibrillator: a reply, 372 (c)
- BAER, G.A. *See* MUSTOLA, S.T., 108
- BAER, S. *See* AZIZ, E.S., 370 (c)
- BAGSHAW, O.N.T. & JARDINE, A. Cardiopulmonary complications during anaesthesia and surgery for severe thoracic lordoscoliosis, 890
- BAILEY, C.R., JONES, R.M. & KELLEHER, A.A. The role of continuous positive airway pressure during weaning from mechanical ventilation in cardiac surgical patients, 677
- BAILEY, P.M. *See* NAIR, I., 174 (c)
- BAILEY, P.M. *See* NAIR, I., 898 (f)
- BAILEY, P.M. *See* WILLIAMS, P.J., 987 (f)
- BALIE, R. *See* HAMILTON-DAVIES, C., 456 (f)
- BALDOCK, G.J. Intensive care medicine in the reformed National Health Service: editorial, 671
- BALDWIN, L.N. Mixed venous oximetry in the diagnosis of tension pneumothorax, 181 (c)
- BALI, I.M. *See* HILL, D.A., 415
- BALL, A.J. An avoidable cause of inadvertent dural puncture, 830 (c)
- BALL, A.J. Paediatric capnography, 833 (c)
- BALL, D.R. Sevoflurane, 95 (c)

- BALLIN, M.S. Gown tie causing difficult ventilation, 96 (c)
- BANNON, C. *See* BHANUMURTHY, S., 473 (c)
- BARAKA, A. Fentanyl-induced laryngospasm following tracheal extubation in a child, 375 (c)
- BARAKA, A., HAROUN-BIZRI, S., KAWAS, N., HAJJAR, A.-M. & KAWKABANI, N. Rocuronium in the myasthenic patient, 1007 (c)
- BARCLAY, K. *See* STACEY, M.R.W., 933
- BARKER, J. & DUCKWORTH, R.A. Ketamine and the cerebral circulation, 751 (c)
- BARNESCHI, M.G. *See* DE GAUDIO, A.R., 810 (f)
- BARRETT, P.J. *See* DEMPSEY, G.A., 573 (c)
- BARRETT, P.J. *See* DEMPSEY, G.A., 660 (c)
- BARRETT, P.J. *See* BRYDON, C.W., 998 (f)
- BASTIANPILLAI, B.A. *See* STANLEY, G.D., 985 (f)
- BAUM, J.A. & AITKENHEAD, A.R. Low-flow anaesthesia, 37 (S)
- BAUMGÄRTEL, M. *See* PETRY, A., 312
- BAWA, G.P.S. *See* PARRY, M., 1095 (c)
- BEARDS, S.C., JACKSON, A., HUNT, L., WOOD, A., FRERK, C.M., BREAR, G., EDWARDS, J.D. & NIGHTINGALE, P. Interobserver variation in the chest radiograph component of the lung injury score, 928
- BECKETT, G.J. *See* RAY, D.C., 1022
- BEDFORTH, N.M. & LOCKEY, D.J. Raynaud's syndrome following intravenous induction of anaesthesia, 248
- BEEBE, D.S., TRAN, P., BELANI, K.G. & ADAMS, G.L. Pretracheal abscess following retrograde tracheal intubation, 470 (c)
- BELANI, K.G. *See* BEEBE, D.S., 470 (c)
- BELL, G.T. *See* TAYLOR, J.C., 454
- BELL, J., SARTAIN, J., WILKINSON, G.A.L. & SHERRY, K.M. Comparison of propofol and fentanyl anaesthesia in coronary artery versus valve surgery, 644 (f)
- BELL, J.H., HARRISON, D.A. & CARR, B. Resuscitation skills of trainee anaesthetists, 692
- BELLAMY, M.C. *See* CHEEMA, S.P.S., 776
- BEMBRIDGE, M. *See* LYONS, G., 964
- BENNETT, E.D. *See* AL-SAADY, N.M., 1031
- BERRY, C.B. *See* CRAIG, G.R., 789
- BEST, C.J. *See* FREEMAN, J.A., 1050
- BEXTON, M.D.R. *See* RAPHAEL, J.H., 611
- BHANUMURTHY, S., MCMURRAY, T.J. & BANNON, C. Early venous catheter blockade: a cause for immediate concern, 473 (c)
- BHANUMURTHY, S. *See* MCMURRAY, T.J., 566 (c)
- BHATT, S. *See* KENDALL, A.P., 286
- BHATT, S.B., CHUI, P.T., GIN, T., TAM, Y.H. & OH, T.E. Pressure support ventilation during isoflurane anaesthesia, 1026
- BHATTACHARYA, A. *See* JAIN, A.K., 23
- BHATTACHARYA, A. *See* KUMAR, A., 411
- BINGHAM, R.M. *See* DAKIN, M.J., 746 (c)
- BINGHAM, W. Balanced anaesthesia for Caesarean section (Classic Paper), 623
- BINGHAM, W. Balanced anaesthesia for Caesarean section. A review of 614 cases (1948-1956) (Classic Paper), 624
- BIRKS, R.J.S. *See* HARRISON, N., 184 (c)
- BLACK, A.E. *See* WRIGLEY, S.R., 709
- BLAND, D. *See* GRAHAM, S.G., 433
- BODENHAM, A.R. *See* CALDICOTT, L.D., 49
- BODIAN, C.A. *See* KEEGAN, N.J., 200
- BOGOD, D.G. *See* MILNER, A.R., 526
- BÖHRER, H. *See* GUST, R., 575 (c)
- BÖHRER, H. *See* SCHÖTER, J., 850 (c)
- BÖHRER, H. & GOERIG, M. Early proponents of cardiac massage, 969
- BÖHRER, H. *See* KUNST, G., 1101 (c)
- BOLDT, J., SCHINDLER, E., WELTERS, I., WITTSTOCK, M., STERTMANN, W.A. & HEMPELMANN, G. The effect of the anticoagulation regimen on endothelial-related coagulation in cardiac surgery patients, 954
- BONKE, B. *See* DE ROODE, A., 191
- BONNER, S.M., HAYNES, S.R. & RYALL, D. The anaesthetic management of Caesarean section for placenta praevia: a questionnaire survey, 992 (f)
- BOOTH, J.V. & BOYLE, A.R. Hazards of oral premedication, 187 (c)
- BÖSENBERG, A.T. Lower limb nerve blocks in children using unsheathed needles and a nerve stimulator, 206
- BÖSENBERG, A.T. & GOUWS, E. Skin-epidural distance in children, 895 (f)
- BÖTTIGER, B.W. *See* SCHÖTER, J., 850 (c)
- BOURNE, T.M., RAPHAEL, J.H. & TORDOFF, S.G. Anaesthesia for a patient with tracheobronchomegaly (Mounier-Kuhn syndrome), 545
- BOVILL, J.G. *See* DE ROODE, A., 191
- BOWER, S. *See* BROOME, I.J., 300
- BAUMGÄRTEL, M. *See* PETRY, A., 312
- BOYLE, A.R. *See* BOOTH, J.V., 187 (c)
- BRAIN, A.I.J., VERGHESE, C., STRUBE, P. & BRIMACOMBE, J. A new laryngeal mask prototype. Preliminary evaluation of seal pressures and glottic isolation, 42
- BRAIN, A.I.J. Course of the hypoglossal nerve in relation to the position of the laryngeal mask airway, 82 (c)
- BRAIN, A.I.J. Course of the hypoglossal nerve in relation to the position of the laryngeal mask airway (Erratum), 484
- BRANDNER, B. *See* BROMLEY, L., 176 (c)
- BRAY, R.J. Fatal myocardial failure associated with a propofol infusion in a child, 94 (c)
- BREAR, G. *See* BEARDS, S.C., 928
- BREE, S.E. *See* STONEHAM, M.D., 464 (f)
- BREMNER, W.G.M. Asanguineous venous cannulation, 576 (c)
- BRIMACOMBE, J. *See* BRAIN, A.I.J., 42
- BRIMACOMBE, J. Neonatal resuscitation and the laryngeal mask, 1003 (c)
- BROADBENT, C.R. Job descriptions—room for improvement?, 368 (c)
- BROADWAY, P.J. & JONES, J.G. A method of costing anaesthetic practice, 56
- BROCK-UTNE, J.G. Incidence of Gram-negative bacteraemia in sepsis syndrome, 267 (c)
- BROMAGE, P.R. Endangered opportunities in acute pain management, 910 (c)

- BROMLEY, L., RICHMOND, C., BRANDNER, B. & WOOLF, C. Pre-emptive analgesia, 176 (c)
- BROOKS, D.K. & FELDMAN, S.A. Metabolic acidosis. A new approach to 'neostigmine resistant curarisation' (Classic Paper), 714
- BROOME, I.J., WRIGHT, B.M., BOWER, S. & REILLY, C.S. Postoperative analgesia with transdermal fentanyl following lower abdominal surgery, 300
- BROOMHEAD, C.J. *See* LITTLEJOHN, I.H., 499
- BROOMHEAD, C.J. *See* MONKS, P.S., 865
- BROSANAN, S. & FILSHIE, J. A complication with a split sheath during a Hickman line insertion, 576 (c)
- BRYDON, C.W. BASLER, M. & KERR, W.J. An evaluation of two concentrations of hyaluronidase for supplementation of peribular anaesthesia, 998 (f)
- BUCKLEY, T. *See* CRITCHLEY, L.A.H., 354 (f)
- BUGG, N. *See* GREEN, M., 85 (c)
- BUNTING, H.E. & ALLEN, R.W. Barotrauma during jet ventilation for microlaryngeal surgery, 374 (c)
- BURROUGH, S.L.M. *See* WILLIAMS, E.M., 427
- BUSH, D. & THICKETT, A. Role of on-call senior registrars, 262 (c)
- CAIN, S. *See* THOMAS, A.N., 185 (c)
- CALDER, I., CALDER, J. & CROCKARD, H.A. Difficult direct laryngoscopy in patients with cervical spine disease, 756
- CALDER, J. *See* CALDER, I., 756
- CALDICOTT, L.D., OLDROYD, G.J. & BODENHAM, A.R. An evaluation of a new percutaneous tracheostomy kit, 49
- CALDICOTT, L.D. *See* O'CONNOR, P.J., 1005 (c)
- CALLAGHAN, L.C., EDWARDS, N.D. & REILLY, C.S. Utilisation of the pre-operative ECG, 488
- CALLEJA, M.A. *See* HARRISON, J.C., 88 (c)
- CAMPBELL, D.J. & MAY, A.E. Lignocaine test doses to detect intravenous injection, 750 (c)
- CAMPKIN, N.T.A. *See* HOOD, J.R., 598
- CAMU, F. *See* IVENS, D., 858
- CARAPIET, D.A. *See* UNCLES, D.R., 175 (c)
- CARR, B. *See* BELL, J.H., 692
- CARSON, D.F. & SERPELL, M.G. Clinical characteristics of commonly used spinal needles, 523
- CARSON, D.F. *See* SERPELL, M.G., 921 (c)
- CARSON, D.F. & SERPELL, M.G. Clinical characteristics of commonly used spinal needles: a reply, 1095 (c)
- CARSON, K.D. & MORIARTY, D.C. Teaching airway management skills—use of a clear PVC face mask, 571 (c)
- CARTWRIGHT, D.P. *See* HARWOOD, R.J., 786
- CASTELLO-CORTES, A. *See* TIMBERLAKE, C.M., 666 (c)
- CERIANA, P., DOMENEGATI, E. & GAZZOLI, F. Cardiomyoplasty and muscle relaxants, 1099 (c)
- CHABÁS, E., SALA, X. & NALDA, M.A. Unilateral spinal analgesia in a neonate, 182 (c)
- CHADWICK, I.S. & MCCLUSKEY, A. Another trachea intubated with the McCoy laryngoscope, 571 (c)
- CHAKRABARTI, M.K. *See* DEVCHAND, D., 491
- CHAKRABARTI, M.K. *See* GOWRIE-MOHAN, S., 706
- CHAMBERS, P. & WAKEFIELD, S. Demand for high dependency units, 1090 (c)
- CHAN, M.S.H. *See* CHAN, M.T.V., 30
- CHAN, M.T.V., CHAN, M.S.H., MUI, K.S.Y. & HO, B.P.Y. Massive lingual swelling following palatoplasty. An unusual cause of upper airway obstruction, 30
- CHAN, S.T. & THAM, C.S. The effects of 2% lignocaine gel on incidence of retching with the use of the laryngeal mask airway, 257 (f)
- CHAUVIN, M. *See* ALFONSI, P., 214
- CHAUVIN, M. *See* ALFONSI, P., 1010 (c)
- CHEAM, E.W.S. & LOCKWOOD, G.G. The use of a portable refractometer to measure desflurane, 607
- CHEAM, E.W.S., DOB, D.P., SKELLY, A.M. & LOCKWOOD, G.G. The effect of nitrous oxide on the performance of psychomotor tests. A dose-response study, 764
- CHEEMA, S.P.S., ILSLEY, D., RICHARDSON, J. & SABANATHAN, S. A thermographic study of paravertebral analgesia, 118
- CHEEMA, S.P.S., HUGHES, A., WEBSTER, N.R. & BELLAMY, M.C. Cardiac function during orthotopic liver transplantation with venovenous bypass, 776
- CHEN, T-G. *See* CHERNG, Y-G., 906 (f)
- CHEONG, K.F. & LOW, T.C. Propofol and postanesthetic shivering, 550 (f)
- CHERNG, Y-G., HUANG, H-H., CHEN, T-G. & HUANG, C-L. The effect of cerebrospinal fluid dilution of isobaric 0.5% bupivacaine used for spinal anaesthesia, 906 (f)
- CHIARI, A. *See* PERNERSTORFER, T., 17
- CHILDS, C. *See* WRIGHT, I.P., 875
- CHILVERS, R. & JENKINS, J. A hidden leak, 920 (c)
- CHISAKUTA, A.M., GEORGE, K.A. & HAWTHORNE, C.T. Postoperative epidural infusion of a mixture of bupivacaine 0.2% with fentanyl for upper abdominal surgery. A comparison of thoracic and lumbar routes, 72 (f)
- CHUI, P.T., JOYNT, G.M. & OH, T.E. Severe hyperventilation and respiratory alkalosis during pressure-support ventilation: report of a hazard, 978
- CHUI, P.T. *See* BHATT, S.B., 1026
- CHURCH, A.B. *See* SATUR, C.M.R., 1102 (c)
- CIAGLIA, P. & MARX, W. Laryngotracheal stenosis after percutaneous tracheostomy, 261 (c)
- CLARK, J.R., SMITH, L.J., KENDALL, B.E., TASKER, R.C. & WILKINSON, K.A. Unexpected brainstem compression following routine surgery in a child with oto-palato-digital syndrome, 641
- CLARK, R.J. *See* EVANS, G.H., 148
- CLARKE, R.S.J. *See* DEVLIN, E.G., 496
- CLAXTON, A.R. Should we keep the anaesthetic room?, 1095 (c)
- CLOOTE, A.H. *See* DAY, C.J.E., 478 (c)
- CLYBURN, P. *See* READ, M.S., 823 (c)
- COHEN, A.T. *See* HAWKINS, W.J., 564 (c)
- COLEMAN, P. *See* LOCKEY, D., 474 (c)
- COLLIER, C.B. Another subdural block, or was it?, 475 (c)
- COLLIER, C.B. Spurious subdural blocks?, 664 (c)
- COLLINS, P. *See* GOULD, T.H., 259 (c)
- COMMINS, D.J. *See* WHITTET, H.B., 892

- CONACHER, I.D. Prolonged interval jet ventilation. An alternative ventilation technique for patients with problematic cardiopulmonary pathophysiology, 518
- CONACHER, I.D. *See* LÖNNQVIST, P.A., 813 (f)
- CONCI, F. *See* AROSIO, E.M., 635
- CONNOLLY, F.M. *See* LOAN, P.B., 699
- CONZEN, P. & PETER, K. Inhalational anaesthesia at the extreme of age: geriatric anaesthesia, 29 (S)
- COOK, B. Resuscitation skills of trainee anaesthetists, 1094 (c)
- COOK, T.M., GAYLORD, D. & WOOD, F. Another site for the pulse oximeter probe, 1096 (c)
- COONEY, C. *See* GRIFFIN, M., 1008 (c)
- COOPER, E.A. On the efficiency of intragastric oxygen (Classic Paper), 535
- COOPER, E.A., SMITH, H. & PASK, E.A. On the efficiency of intragastric oxygen (Classic Paper), 536
- COPE, R.W. The Woolley and Roe case. Woolley and Roe versus Ministry of Health and Others (Classic Paper), 463
- CORIAT, P. Circulatory effects of desflurane, 18 (S)
- COSTELLO, A.S. & O'NEIL, G. Bench test for Vygon disposable PCA device, 268 (c)
- COSTELLO, A.S. Defective intravenous cannula: a reply, 829 (c)
- COSTELLO, A.S. Disposable PCA devices: the lockout interval may not be what it seems: a reply, 828 (c)
- COX, M. & HOLDCROFT, A. Hereditary angioneurotic oedema: current management in pregnancy, 547
- COX, M. & LUMLEY, J. No blood or blood products: editorial, 583
- COX, M., LAWTON, G., GOWRIE-MOHAN, S. & MORGAN, B. Let us re-examine the safety of midwife epidural top ups, 750 (c)
- COZIAN, A. *See* MALINOVSKY, J.-M., 351 (f)
- CRAIG, G.R., BERRY, C.B. & YEATS, M.J. An evaluation of the Universal PAC and Oxford Miniature Vaporizers for paediatric field anaesthesia, 789
- CRAWFORD, J.M. & NEILL, H. Another case of Munchausen's syndrome, 576 (c)
- CREAN, P.M. *See* GADIYAR, V., 820
- CREAN, P.M. *See* PAXTON, D., 1083 (f)
- CRITCHLEY, L.A.H., GIN, T. & STUART, J.C. Anaesthesia in an infant with Rubinstein-Taybi syndrome, 37
- CRITCHLEY, L.A.H. *See* SHORT, T.G., 260 (c)
- CRITCHLEY, L.A.H., SHORT, T.G., BUCKLEY, T., O'MEARA, M.E., GIN, T. & OH, T.E. An adaptation of the objective structured clinical examination to a final year medical student course in anaesthesia and intensive care, 354 (f)
- CROCKARD, H.A. *See* CALDER, I., 756
- CROSSLEY, A.W.A. *See* SINGH, P., 467 (c)
- CROSSLEY, A.W.A. *See* HARWOOD, R.J., 786
- CROSSLEY, A.W.A. *See* TIGHE, K.E., 816 (f)
- CROSSLEY, A.W.A., WARD, J. & TIGHE, K.E. The treatment of postoperative shivering, 1010 (c)
- CUMMIN, A.R.C. *See* AL-SAADY, N.M., 1031
- CURRAN, J.P. *See* MILNER, A.R., 526
- CZECH, T. *See* GABRIEL, A.H., 290
- DAKIN, M.J. & BINGHAM, R.M. Anaesthetic considerations in patients with Fraser syndrome, 746 (c)
- DANCE, M. *See* LITMANOVITCH, M., 407
- DANIEL, M. & MCGRADY, E.M. Epidural diamorphine. A comparison of bolus and infusion administration in labour, 14
- DANIEL, M. *See* INGLIS, A., 363 (f)
- DANIEL, M. *See* JANZEN, P.R.M., 831 (c)
- DAVIDSON, J.A. *See* PEARSALE, F.J., 649 (f)
- DAVIES, M.W. & O'KEEFE, V. Anaesthetic techniques for chair dental anaesthesia, 922 (c)
- DAY, C.J.E., PARKER, M.R.J. & CLOOTE, A.H. Evaluation of the SMART needle, 478 (c)
- DE GAUDIO, A.R., PIAZZA, E., BARNESCHI, M.G., GINANNI, R., MARTINELLI, P. & NOVELLI, G.P. Peri-operative assessment of glomerular permeability, 810 (f)
- DE JONGH, R., VUNDELINCKX, G., SCHROË, H. & HEYLEN, R. High frequency jet ventilation for severe haemoptysis during extracorporeal circulation, 146
- DE MEY, J.C., FONCK, K., MAREELS, K. & ROLLY, G. The influence of isoflurane on a continuous infusion of mivacurium, 947
- DE ROODE, A., JELICIC, M., BONKE, B. & BOVILL, J.G. The effect of midazolam premedication on implicit memory activation during alfentanil-nitrous oxide anaesthesia, 191
- DEARLOVE, O.R. & PERKINS, R. MCAD deficiency and anaesthesia, 265 (c)
- DEARLOVE, O. & DOBSON, A. Does propofol cause deaths in children?, 916 (c)
- DEARLOVE, O.R. *See* MACDONALD, I., 1097 (c)
- DECHTYAR, I. *See* FITZGERALD, R.D., 388
- DEMPSEY, G.A. & BARRETT, P.J. Pencil point needles and peripheral neural blockade, 573 (c)
- DEMPSEY, G.A. & BARRETT, P.J. Hazard with the reinforced laryngeal mask airway, 660 (c)
- DENNIS, A.R., LEESON-PAYNE, C.G. & HOBBS, G.J. Analgesia after Caesarean section. The use of rectal diclofenac as an adjunct to spinal morphine, 297
- DENNIS, A.R., LEESON-PAYNE, C.G., LANGHAM, B.T. & AITKENHEAD, A.R. Local anaesthesia for cannulation. Has practice changed?, 400
- DENNIS, A.R., LEESON-PAYNE, C.G. & HOBBS, G.J. A comparison of diclofenac with ketorolac for pain relief after knee arthroscopy, 904 (f)
- DENNY, N.M. Continuous spinal anaesthesia and cauda equina syndrome, 474 (c)
- DEVCHAND, D., CHAKRABARTI, M.K. & LOCKWOOD, G.G. The uptake of enflurane during anaesthesia, 491
- DEVINE, A. *See* WATT, J.W.H., 688
- DEVLIN, E.G., CLARKE, R.S.J., MIRAKHUR, R.K. & MCNEILL, T.A. The effects of thiopentone and propofol on delayed hypersensitivity reactions, 496
- DEXTER, T.J. A cadaver study appraising accuracy of blind placement of percutaneous tracheostomy, 863
- DHAR, D. *See* KUMAR, A., 411
- D'HONT, L. *See* MOERMAN, A., 733 (f)
- DIAMOND, A.W. Naming subspecialties and subspecialists, 827 (c)
- DIGBY, S.J. & ARMSTRONG, J.R. Interference of continuous venovenous haemofiltration and drug administration, 93 (c)
- DILKES, M.G. *See* MONKS, P.S., 865
- DIMPEL, H.L. Drugs in status epilepticus, 824 (c)
- DIMPEL, H.L. Drugs in status epilepticus (Erratum), 1103
- DINGLEY, J. Laryngeal mask insertion aid and minor morbidity, 83 (c)
- DIXON, J. Consistency of the ASA classification, 826 (c)



- DIXON, J. Cardiac tamponade—a potentially fatal complication of central venous catheterisation, 1101 (c)
- DJURBERG, H. & HADDAD, M. Anterior spinal artery syndrome. Paraplegia following segmental ischaemic injury to the spinal cord after oesophagectomy, 345
- DOB, D.P. See CHEAM, E.W.S., 764
- DOBSON, A. See DEARLOVE, O., 916 (c)
- DOBSON, A. The colour-blind anaesthetist, 1103 (c)
- DODD, F.M., SIMON, E., MCKEOWN, D. & PATRICK, M.R. The effect of a cervical collar on the tidal volume of anaesthetised adult patients, 961
- DOMENEGATI, E. See CERIANA, P., 1099 (c)
- DONNELLY, J.A., SMITH, E.A., HOPE, A.T. & ALEXANDER, R.J.T. An assessment of portable carbon dioxide monitors during interhospital transfer, 703
- DORMAN, T. See VEALL, G.R.Q., 458 (f)
- DORNAN, R.I.P. & ROYSTON, D. Succinylcholine-related hyperkalaemic cardiac arrest in intensive care, 1006 (c)
- DUDGEON, M.P. & JONES, H.M. Irrigation fluid absorption in transurethral resection of the prostate, 745 (c)
- DRESNER, M.R. & MACLEAN, A.R. Anaesthesia for Caesarean section in a patient with Klippel-Feil syndrome. The use of a microspinal catheter, 807
- DRIVER, I., MILLS, P. & HOWARD-GRIFFIN, R. Induction end-point and laryngeal mask placement, 921 (c)
- DRIVER, I.K. See SMITH, M.G., 915 (c)
- DRUMMOND, G.B. See RAY, D.C., 1022
- DUCKWORTH, R.A. See SMITH, E.A., 263 (c)
- DUCKWORTH, R.A. See BARKER, J., 751 (c)
- DUGGAN, S. Potential for misassembly of Intersurgical Mapleson F breathing systems: a reply, 373 (c)
- DUNCAN, L.A., RUCKLEY, C.V. & WILDSMITH, J.A.W. Cerebral oximetry: a useful monitor during carotid artery surgery, 1041
- DUNKLEY, C.J.A. Anaesthetic assistants during electroconvulsive therapy, 1009 (c)
- DUVALDESTIN, P. See LITTLEJOHN, I.H., 499
- EALAM, C. See HALL, I.A., 87 (c)
- EASTWOOD, N. An unusual sign of right endobronchial intubation, 90 (c)
- EASY, W.R. See GILBERT, S.S., 79 (f)
- ECKERSALL, S. & RILEY, R. Patients' pre-operative knowledge and concerns about anaesthesia, 180 (c)
- EDMONDSON, L. See RIGG, C.D., 724
- EDWARDS, G., MORTON, H.J.V., PASK, E.A. & WYLIE, A.D. Deaths associated with anaesthesia. A report on 1,000 cases (Classic Paper), 440
- EDWARDS, J.D. See BEARDS, S.C., 928
- EDWARDS, N. See GROVES, J., 371 (c)
- EDWARDS, N.D. See CALLAGHAN, L.C., 488
- EDWARDS, N.D. Lignocaine gel and the laryngeal mask airway, 746 (c)
- EGER E.I., II Physicochemical properties and pharmacodynamics of desflurane, 3 (S)
- EGER E.I., II Economic analysis and pharmaceutical policy: a consideration of the economics of the use of desflurane, 45 (S)
- EGGERS, K.A. See SMITH, A.J., 88 (c)
- EGGERS, K.A. See LOWSON, S.M., 420
- EKBERG, K. See GUPTA, A., 937
- EL MIRAKATI, N., LUTHRA, A.D., HEALEY, T.E.J. & MORTIMER, A.J. Gastric regurgitation during general anaesthesia in different positions with the laryngeal mask airway, 1053
- EL SAYED, A. See LITTLEJOHN, I.H., 499
- ELCOCK, D.H. Cricoid pressure and advance life support, 912 (c)
- ELDOR, J. Anaesthesia and public image, 270 (c)
- EMMANUEL, E.R. Long-term tracheal intubation in burn patients, 1097 (c)
- ENGLAND, A. See FELDMAN, S.A., 510
- ENGLISH, I.C.W. Percutaneous catheterisation of the internal jugular vein (Classic Paper), 1070
- ENGLISH, I.C.W., FREW, R.M., PIGOTT, J.F. & ZAKI, M. Percutaneous catheterisation of the internal jugular vein (Classic Paper), 1071
- ENGLISHBY, V.L. A hazard with the Abbott Provider 5500: a reply, 829 (c)
- ENTRESS, A. See REAH, G., 341
- EPSTEIN, H.G. & MACINTOSH, SIR ROBERT An anaesthetic inhaler with automatic thermo-compensation (Classic Paper), 240
- ERR, T., HAMPL, K.F. & FREI, F.J. An unusual complication of intra-osseous infusion during paediatric resuscitation, 471 (c)
- ERR, T. & FREI, F.J. The 'railroaded' tube—always successful?, 659 (c)
- EVANS, A. Difficulty in inserting a laryngeal mask airway, 468 (c)
- EVANS, G.H. & CLARK, R.J. Management of life threatening adult postpneumectomy syndrome, 148
- EZRI, T. See SZMUK, P., 662 (c)
- FAGAN, J.J. & JAMES, M.F.M. A prospective study of anaesthesia for quinsy tonsillectomy, 783
- FAN, S.Z., YEH, M. & TSAY, W. Caesarean section in a patient with protein S deficiency, 251
- FARQUHAR-THOMSON, D.R. Nitrous oxide and propofol dosage, 835 (c)
- FARYNIAK, B. See GABRIEL, A.H., 290
- FAUVEL, N. See PARRY, T., 553 (f)
- FEE, J.P.H., MURRAY, J.M. & LUNEY, S.R. Molecular sieves: an alternative method of carbon dioxide removal which does not generate compound A during simulated low-flow sevoflurane anaesthesia, 841
- FEE, J.P.H. See GRACE, D., 555 (f)
- FEE, J.P.H. See GRACE, D., 1036
- FELDMAN, S. The Manley ventilator (Classic Paper), 64
- FELDMAN, S.A., WU, X. & ENGLAND, A. Rate of 'onset' and 'offset' of four non-depolarising neuromuscular blocking drugs, 510
- FELDMAN, S.A. See HOOD, J.R., 598
- FELDMAN, S.A. The bicarbonate story (Classic Paper), 713
- FELDMAN, S.A. See BROOKS, D.K., 714
- FENNELLY, M.E. See LOUGHNAN, B.A., 101
- FENTON, P.M. Transporting volatile agents in hot climates, 835 (c)
- FERGUSON, A.J. & ORR, D.A. A hazardous modification of a heat and moisture exchanger, 479 (c)
- FERNANDES, C.M.C. See MACGILLIVRAY, R.G., 832 (c)
- FERNANDO, R. See POULTON, B., 564 (c)

- FERNANDO, R. *See* PARRY, M., 1095 (c)  
 FERNANDO, S.S.D. *See* PETROS, A.J., 601  
 FERNANDO, S.S.D. *See* AL-SAADY, N.M., 1031  
 FIELD, J.M. *See* SCOTT, R.C., 567 (c)  
 FIELD, J.M. *See* HAMBLY, P.R., 568 (c)  
 FILSHIE, J. *See* BROSNAN, S., 576 (c)  
 FINDLAY, G.P. *See* SPITTAL, M.J., 913 (c)  
 FINDLAY, G.P. Safety not speed, 918 (c)  
 FISHER, A., ROYTBAT, L. & GREENBERG, L. Combined analgesic effect of morphine and ketamine, 746 (c)  
 FITCH, W.W. *See* GILBERT, S.S., 79 (f)  
 FITZGERALD, R.D. *See* PERNERSTORFER, T., 17  
 FITZGERALD, R.D., DECHTYAR, I., TEMPL, E., FRIDRICH, P. & LACKNER, F.X. Cardiovascular and catecholamine response to surgery in brain-dead organ donors, 388  
 FLYNN, P.J. *See* LITTLEJOHN, I.H., 499  
 FONCK, K. *See* DE MEY, J.C., 947  
 FORSTER, M.R. Hazards of oral premedication, 187 (c)  
 FOSTER, P.N., STICKLE, B.R. & GRIFFITHS, J.O. Variable presentation of subdural block, 177 (c)  
 FOUBERT, L. *See* MOERMAN, A., 733 (f)  
 FOUBERT, L. *See* HERREGODS, L., 950  
 FRANCIS, J.G. A wandering spray nozzle, 923 (c)  
 FRANÇOIS, K. *See* HERREGODS, L., 950  
 FREDRICKS, B.J. *See* FREEMAN, J.A., 1050  
 FREEMAN, J. *See* NUNN, J.F., 794  
 FREEMAN, J.A., FREDRICKS, B.J. & BEST, C.J. Evaluation of a new method for determining tracheal tube length in children, 1050  
 FREI, F.J. *See* ERB, T., 471 (c)  
 FREI, F.J. *See* ERB, T., 659 (c)  
 FRERK, C. *See* LAM, E.W.H., 1102 (c)  
 FRERK, C.M. *See* BEARDS, S.C., 928  
 FREW, R.M. *See* TOWNEND, M., 918 (c)  
 FREW, R.M. *See* ENGLISH, I.C.W., 1071  
 FREYE, E. *See* GABRIEL, A.H., 290  
 FRIDRICH, P. *See* FITZGERALD, R.D., 388  
 FRONSKO, R.R.L. *See* PLUMMER, J.L., 423  
 FRY, E.N.S. *See* NEWNAM, P.T.F., 1008 (c)  
 FUKUTOME, T. Correct positioning of the epiglottis for application of the Brain laryngeal mask airway, 818 (f)  
 GABBOTT, D.A. & SASADA, M.P. Laryngeal mask airway insertion using cricoid pressure and manual in-line neck stabilisation, 674  
 GABRIEL, A.H., FARYNIAK, B., SOJKA, G., CZECH, T., FREYE, E. & SPISS, C.K. Clonidine: an adjunct in isoflurane N<sub>2</sub>O/O<sub>2</sub> relaxant anaesthesia. Effects on EEG power spectra, somatosensory and auditory evoked potentials, 290  
 GADIYAR, V., GALLAGHER, T.M., CREAN, P.M. & TAYLOR, R.H. The effect of a combination of rectal diclofenac and caudal bupivacaine on postoperative analgesia in children, 820 (f)  
 GAJRAJ, N.M. & NATHANSON, M.H. Pain during injection of propofol, 186 (c)  
 GAJRAJ, N.M., SHARMA, S.K., SOUTER, A.J., POLE, Y. & SIDAWI, J.E. A survey of obstetric patients who refuse regional anaesthesia, 740 (f)  
 GALLAGHER, T.M. *See* GADIYAR, V., 820 (f)  
 GALLAGHER, T.M. *See* PAXTON, D., 1083 (f)  
 GARCIA, M.A., GUTIERREZ, M. & MUÑOZ-RAMON, J.M. Recognition of the anaesthetists: a Spanish view, 923 (c)  
 GARNER-PATEL, I. Overdose of morphine during PCA: a reply, 919 (c)  
 GAYLORD, D. *See* COOK, T.M., 1096 (c)  
 GAZZOLI, F. *See* CERIANA, P., 1099 (c)  
 GEORGE, K.A. *See* CHISAKUTA, A.M., 72 (f)  
 GILBERT, S.S., EASY, W.R. & FITCH, W.W. The effect of pre-operative oral fluids on morbidity following anaesthesia for minor surgery, 79 (f)  
 GILLAN, G. *See* TIGHE, K.E., 816 (f)  
 GILSTON, A. Limb circumference in critically ill patients, 748 (c)  
 GILSTON, A. Prolonged tracheal intubation, 749 (c)  
 GILSTON, A. Another useful trick, 1014 (c)  
 GIN, T. *See* CRITCHLEY, L.A.H., 37  
 GIN, T. *See* CRITCHLEY, L.A.H., 354 (f)  
 GIN, T. *See* BHATT, S.B., 1026  
 GINANNI, R. *See* DE GAUDIO, A.R., 810 (f)  
 GOAT, V.A. *See* ROBERTS, C.J., 559 (f)  
 GODSIF, L.S., MAGEE, L.R.A. & PARK, G.R. Co-sedation in the critically ill, 1004 (c)  
 GOERIG, M. *See* BÖHRER, H., 969  
 GOLDHILL, D.R., WHELPTON, R., WINYARD, J.A. & WILKINSON, K.A. Gastric emptying in patients the day after cardiac surgery, 122  
 GOODMAN, N.W. Pondering authorship: a symptom of a deeper malaise: editorial, 485  
 GORDON, N.H. *See* THOMSON, A.R., 920 (c)  
 GOSNELL, D. Equipment failure during epidural catheter placement: a reply, 831 (c)  
 GOSNELL, D.A. Faulty loss of resistance syringe: a reply, 186 (c)  
 GOULD, T.H., UPTON, P.M. & COLLINS, P. Management of postoperative pain by newly qualified doctors: a reply, 259 (c)  
 GOUWS, E. *See* BÖSENBERG, A.T., 895 (f)  
 GOWRIE-MOHAN, S., CHAKRABARTI, M.K. & LOCKWOOD, G.G. The estimation of inspired isoflurane concentration in a low-flow system, 706  
 GOWRIE-MOHAN, S. *See* COX, M., 750 (c)  
 GRACE, D. & FEE, J.P.H. Ineffective analgesia after extradural tramadol hydrochloride in patients undergoing total knee replacement, 555 (f)  
 GRACE, D. & FEE, J.P.H. Anaesthesia and adverse effects after intrathecal pethidine hydrochloride for urological surgery, 1036  
 GRAHAM, D. Another use for the laryngeal mask airway, 368 (c)  
 GRAHAM, S.G., SZAFRANSKI, J., BLAND, D. & LANGTON, J.A. The output of an 'empty' Tec 3 vaporizer, 433  
 GRAHAM S.G. *See* ALI, P.B., 990 (f)

- GREEMBERG, L. See FISHER, A., 746 (c)
- GREEN, M., BUGG, N. & HOLT, P. Failed inhalational induction—a faulty vaporizer, 85 (c)
- GREENHAM, J.E. One-way valve malfunction in a circle system: a reply, 920 (c)
- GRIFFIN, M. & COONEY, C. Pulse oximetry during cardiopulmonary resuscitation, 1008 (c)
- GRIFFIN, R.P. & REYNOLDS, F. Maternal hypoxaemia during labour and delivery: the influence of analgesia and effect on neonatal outcome, 151 (f)
- GRIFFITHS, D.P.G. See LUSCOMBE, F.E., 114
- GRIFFITHS, J.O. See FOSTER, P.N., 177 (c)
- GRIFFITHS, M. See WRIGHT, I.P., 875
- GRÖNROOS, J. See PIIRTIKANGAS, C.-O., 1056
- GROOGAN, F. See MCMURRAY, T.J., 566 (c)
- GROVES, J., EDWARDS, N. & HOOD, G. Difficult intubation in a patient with thoracic trauma: a reply; 371 (c)
- GULDAGER, H. See LINDEKR, A.L., 397
- GUPTA, A., KULLANDER, M., EKBERG, K. & LENNMARKEN, C. Assessment of recovery following day-case arthroscopy. A comparison between propofol and isoflurane-based anaesthesia, 937
- GUPTA, R.K. See KUMAR, A., 411
- GUST, R. & BÖHRER, H. Stiff-man syndrome associated with continuous sufentanil administration, 575 (c)
- GUTIERREZ, M. See GARCIA, M.A., 923 (c)
- GUTSTEIN, H.B. Do narcotics inhibit stress axis responses?, 665 (c)
- GWINNUTT, C.L. See UN, E.N., 265 (c)
- GWINNUTT, C.L. Cricoid pressure and advance life support, 912 (c)
- HADDAD, M. See DJURBERG, H., 345
- HAIN, R.G., LARSSON, H. & RIBBE, T. Continuous monitoring of irrigating fluid absorption during transurethral surgery, 327
- HAIJ-MICHAEL, P.G. See MORLEY, A., 661 (c)
- HAIJAR, A.-M. See BARAKA, A., 1007 (c)
- HAKALA, P. & RANDELL, T. Comparison between two fibrescopes with different diameter insertion cords for fiberoptic intubation, 735 (f)
- HALL, I.A. & EARLAM, C. "They are not proper doctors are they?", 87 (c)
- HALL, I.A. See MORCH-SIDDALL, J., 568 (c)
- HAMBLY, P.R. & FIELD, J.M. An unusual case for re-intubation, 568 (c)
- HAMILTON-DAVIES, C., BAILIE, R. & RESTALL, J. Physostigmine in recovery from anaesthesia, 456 (f)
- HAMPL, K.F. See ERB, T., 471 (c)
- HAMPL, K.F. See SIEGEMUND, M., 663 (c)
- HAMPL, V. Nitric oxide in the pulmonary circulation during hypoxia, 264 (c)
- HANAFIAH, Z. See VYVYAN, H.A.L., 983 (f)
- HANNING, C.D. & VEITCH, P.S. Pneumothorax and laparoscopic fundoplication, 1099 (c)
- HARGREAVES, M. See MCSWINEY, M., 254 (f)
- HARKNESS, W.F.J. See SCUPLAK, S.M., 338
- HARLING, D. Difficulty in inserting a Portex minitracheotomy using a Seldinger wire technique, 567 (c)
- HARLING, D.W. Trimeprazine tartrate and convulsions, 97 (c)
- HARLING, D.W. Consistency of ASA grading, 658 (c)
- HARMER, M. Management of postoperative pain by newly qualified doctors: a reply, 259 (c)
- HAROUN-BIZRI, S. See BARAKA, A., 1007 (c)
- HARPER, N.J.N. See MARTELEW, R.A., 779
- HARRIS, D.N.F. Near infra-red spectroscopy: editorial, 1015
- HARRISON, D.A. See BELL, J.H., 692
- HARRISON, J.C., CALLEJA, M.A. & APPIAH-ANANE, S. Chair dental anaesthesia—a declining practice?, 88 (c)
- HARRISON, N. & BIRKS, R.J.S. Endometrial resection in a diabetic patient, 184 (c)
- HARROD, S. Resuscitation skills of trainee anaesthetists, 1094 (c)
- HARTREY, R. & KESTIN, I.G. Movement of oral and nasal tracheal tubes as a result of changes in head and neck position, 682
- HARWOOD, R.J. See MILNER, A.R., 526
- HARWOOD, R.J., SINGH, P., CARTWRIGHT, D.P. & CROSSLEY, A.W.A. The effect of different end-tidal volatile agent and carbon dioxide concentrations upon the incidence of postoperative shivering, 786
- HATCHER, I.S. & PEACOCK, J. Knowledge of commonly used postoperative analgesic regimens in two groups of house officers, 96 (c)
- HAWKINS, R. See OWEN, H., 855
- HAWKINS, W.J. & COHEN, A.T. Fatal myocardial failure associated with a propofol infusion in a child, 564 (c)
- HAWTHORNE, C.T. See CHISAKUTA, A.M., 72 (f)
- HAYNES, S.R. & LAWLER, P.G.P. An assessment of the consistency of ASA physical status classification allocation, 195
- HAYNES, S.R. See BONNER, S.M., 992 (f)
- HAYSE-GREGSON, P.B. Inability to charge a defibrillator, 372 (c)
- HEALEY, T.E.J. See EL MIKATTI, N., 1053
- HEATH, K.J., SADLER, P., WINN, J. & MCFADZEAN, W.A. Influence of nitrous oxide on propofol dosage and recovery after intravenous anaesthesia, 1101 (c)
- HEATH, M.L. Safety of patient controlled analgesia, 573 (c)
- HEMPERMANN, G. See BOLDT, J., 954
- HERREGODS, L. See MOERMAN, A., 733 (f)
- HERREGODS, L., FOUBERT, L., MOERMAN, A., FRANÇOIS, K. & ROLLY, G. Comparative study of limited intentional normovolaemic haemodilution in patients with left main coronary artery stenosis, 950
- HERRICK, M.J. Medical scientific writing, 1100 (c)
- HERSHMAN, M.J. See MERCER-JONES, M.A., 639
- HEYLEN, R. See DE JONGH, R., 146
- HIGGINS, D. A new colorimetric breath indicator, 88 (c)
- HILL, D.A., MCCARTHY, G. & BALI, I.M. Epidural infusion of alfentanil or diamorphine with bupivacaine in labour—a dose finding study, 415
- HILL, S. An unusual complication of percutaneous tracheostomy, 469 (c)
- HIRSCH, N. See PARRY, T., 553 (f)
- HO, B.P.Y. See CHAN, M.T.V., 30
- HOBBS, G.J. See DENNIS, A.R., 297
- HOBBS, G.J. See DENNIS, A.R., 904 (f)

- HODGSON, C.A. & MOSTAFA, S.M. High frequency jet ventilation in the management of intra-operative tracheal injury, 637
- HOLDCROFT, A. *See* COX, M., 547
- HOLDCROFT, A. The fetus comes of age: editorial, 925
- HOLLAND, S. *See* ALEXANDER, R., 1012 (c)
- HOLMES, F. Pondering authorship, 916 (c)
- HOLMES, F. The supine hypotensive syndrome (Classic Paper), 972
- HOLMES, F. The supine hypotensive syndrome. Its importance to the anaesthetist (Classic Paper), 973
- HOLT, P. *See* GREEN, M., 85 (c)
- HÖLZENBEIN, T.J. *See* MÜLLER, C.M., 229
- HOMMES, F.D.M. *See* WIERDA, J.M.K.H., 393
- HON, H. *See* LITMANOVITCH, M., 407
- HONGNAT, J.-M. *See* ALFONSI, P., 214
- HOOD, G. *See* GROVES, J., 371 (c)
- HOOD, J.R., CAMPKIN, N.T.A. & FELDMAN, S.A. No effect of circulating drug upon isolated forearm block, 598
- HOPE, A. *See* PLENDERLEITH, J.L., 823 (c)
- HOPE, A.T. & PLENDERLEITH, J.L. The Riyadh Intensive Care Program mortality prediction algorithm assessed in 617 intensive care patients in Glasgow, 103
- HOPE, A.T. *See* DONNELLY, J.A., 703
- HOPKINS, P.M. *See* MICHELS, A.M.J., 211
- HÖSLI, I. *See* SIEGEMUND, M., 663 (c)
- HOUGHTON, I.T., MCFADZEAN, W.A. & RESTALL, J. Modification of the Bain system for ambient air-oxygen inhalation, 85 (c)
- HOWARD-GRIFFIN, R. *See* DRIVER, I., 921 (c)
- HOWAT, D.D.C. Upper and lower limb blood pressures during general anaesthesia, 918 (c)
- HOWELL, G. *See* WILLIAMS, G., 831 (c)
- HOYLE, J.R. *See* TOWNEND, M., 918 (c)
- HUANG, C.-L. *See* CHERNG, Y.-G., 906 (f)
- HUANG, H.-H. *See* CHERNG, Y.-G., 906 (f)
- HUGHES, A. *See* CHEEMA, S.P.S., 776
- HUGHES, D.G. *See* PEUTRELL, J.M., 563 (c)
- HUGHES, J.C. Guidewires and central venous catheters, 834 (c)
- HUNT, L. *See* BEARDS, S.C., 928
- HUNTINGTON, C. *See* KING, H.K., 371 (c)
- HUTCHISON, G.L. & MILLAR, F.A. Differential lung ventilation using a partial occlusion technique, 270 (c)
- HUTTER, C.D.D. Hypothesis: halothane hepatitis—has thymol been overlooked?, 1098 (c)
- HWANG, K.H. *See* KIM, S.Y., 507
- HWANG, N.C. Fatal subclavian artery haemorrhage, 1012 (c)
- IGARASHI, M. *See* IWASAKI, H., 361 (f)
- ILSLEY, A. *See* OWEN, H., 855
- ILSLEY, A.H. *See* PLUMMER, J.L., 423
- ILSLEY, D. *See* CHEEMA, S.P.S., 118
- INADA, T., UESUGI, F. & KAWACHII, S. Are the two long prongs of the Mallinckrodt double-lumen endobronchial tube necessary?, 834 (c)
- INGLIS, A., DANIEL, M. & MCGRADY, E. Maternal position during induction of spinal anaesthesia for Caesarean section. A comparison of right lateral and sitting positions, 363 (f)
- INKSTER, S. The fenestrated nasopharyngeal airway, 567 (c)
- INNES, P.A. Ketanserin and urapidil during myocardial revascularisation, 1100 (c)
- IP-YAM, P.C. Interhospital transport of critically ill patients, 93 (c)
- IQBAL, S. & ZULEIKA, M. Eighty-seven days of orotracheal intubation, 343
- ISHII, K. *See* KITAJIMA, T., 76 (f)
- ISHII, K. *See* KITAJIMA, T., 359 (f)
- IVENS, D., VERBORGH, C., PHAN THI, H. & CAMU, F. The quality of breathing and capnography during laryngeal mask and facemask ventilation, 858
- IWASAKI, H., IGARASHI, M., YAMAUCHI, M. & NAMIKI, A. The effect of cardiac output on the onset of neuromuscular block by vecuronium, 361 (f)
- JACKLIN, F. *See* NOTT, M.R., 1001 (c)
- JACKSON, A. *See* BEARDS, S.C., 928
- JACKSON, D.M. Single medial injection of peribulbar anaesthesia, 479 (c)
- JACKSON, I.J.B. *See* WILSON, R.J.T., 176 (c)
- JACOBS, S. *See* ARNOLD, A., 203
- JAGTAP, S.R., MALDE, A.D. & PANTVAIDYA, S.H. Anaesthetic considerations in a patient with Fraser syndrome, 39
- JAIN, A.K., SHARMA, P.K. & BHATTACHARYA, A. Double burst stimulation for monitoring neuromuscular blockade for tracheal intubation, 23
- JAMES, M.F.M. *See* FAGAN, J.J., 783
- JAMES, R.H. Defective Selectatec O-rings, 184 (c)
- JAMIESON, J.W. *See* LYEW, M.A., 743 (c)
- JANZEN, P.R.M., NEASHAM, J. & DANIEL, M. Pressure reducing valve prevents barotrauma during jet ventilation for microlaryngeal surgery, 831 (c)
- JARDINE, A. *See* BAGSHAW, O.N.T., 890
- JAYAMAHA, J.E.L. *See* SINDEN, M.P., 829 (c)
- JAYASURIYA, J.P. & ANANDACIVA, S. Compliance with an incident report scheme in anaesthesia, 846
- JELICIC, M. *See* DE ROODE, A., 191
- JENKINS, J. *See* CHILVERS, R., 920 (c)
- JENSEN, E.W. *See* LINDEKR, A.L., 397
- JERWOOD, D.C. & MORTBOY, D. Disinfection of gum elastic bougies, 376 (c)
- JERWOOD, D.C. & JONES, S.E.F. HME filter and Ayre's T piece, 915 (c)
- JONES, D. An unusual cause of a leak from an anaesthetic machine, 751 (c)
- JONES, H.M. *See* DRAGE, M.P., 745 (c)

JONES, J.G.  
JONES, R.M.  
JONES, R.M.  
JONES, R.M.  
JONES, S.E.F.  
JORDAENS,  
JOUPILLA,  
JORDAENS,  
JOUPILLA,  
JOYNT, G.M.  
JUNEJA, M.

KAMAL, R.S.  
KANAKOUD,  
total i  
KANARI, S.  
KAPILA, A.  
KAUFMANN  
KAWACHII,  
KAWAS, N.  
KAWKABAN  
KEEGAN, N.  
anaes  
KEEP, P. N.  
KEHLET, H.  
KELLEHER,  
prone  
KELLEHER,  
KELLY, M.  
KENDALL,  
KENDALL,  
KENDALL,  
KERR, W.J.  
KERSLEY, I.  
KESTIN, I.G.  
KESTIN, I.G.  
KHAN, F.A.  
KHAN, F.A.  
KHURSHID  
KIM, S.C.  
KIM, S.I.  
KIM, S.Y.,  
mivav  
KIMURA, I.  
KING, D.H.  
KING, H.K.  
KIRKPATR  
KIRVELÄ,  
KITAJIMA,  
accel  
KITAJIMA,  
KIYAMA, S.  
KIYAMA, S.  
KNICHWIT  
solut  
KOBAYASH  
KOLLETTZ  
KONG, C.V.  
KONSTAN  
KORCZAK  
KORTILA  
KÖTTER, I.  
KRAFFT, I.  
KRENN, C.  
KUHMANN  
KULLAND  
KUMAR, A.  
acup  
KUMAR, I.  
KUMON, C.  
KUNST, G.  
KWAN, A.

LACK, J.A.  
LACK, J.A.  
LACKNER  
LAIPPALA  
LAKE, A.

- JONES, J.G. *See* BROADWAY, P.J., 56
- JONES, R.M. & WARD, P.M. Is there a need for a new inhalational anaesthetic agent?, 1 (S)
- JONES, R.M. *See* BAILEY, C.R., 677
- JONES, R.M. *See* ALEXANDER, R., 1086 (f)
- JONES, S.E.F. *See* JERWOOD, D.C., 915 (c)
- JORDAENS, L. *See* MOERMAN, A., 733 (f)
- JOUPPILA, P. *See* RANTA, P., 322
- JORDAENS, L. *See* RANTA, P., 733
- JOUPPILA, R. *See* RANTA, P., 322
- JOYNT, G.M. *See* CHUI, P.T., 978
- JUNEJA, M.J. *See* ANDREWS, P.J.D., 9
- KAMAL, R.S. *See* KHAN, F.A., 769
- KANAKOUDIS, F.S., KONSTANTINIDOU, A.S., PETROU, A., TALIOURIDOU, E.I., PAPADOPOULOU-BOUTI, A.L. & MICHALOUDIS, D.G. Somatostatin and total intravenous anaesthesia. Assessment of analgesic requirements during surgery and the effects on liver enzymes, 594
- KANARI, S. & NAIR, I. Baxter PCA system: failure to attach patient control module, 572 (c)
- KAPILA, A. *See* UNCLES, D.R., 175 (c)
- KAUFMANN, M. *See* STREBEL, S., 223
- KAWACHII, S. *See* INADA, T., 834 (c)
- KAWAS, N. *See* BARAKA, A., 1007 (c)
- KAWKABANI, N. *See* BARAKA, A., 1007 (c)
- KEEGAN, N.J., YUDKOWITZ, F.S. & BODIAN, C.A. Determination of the reliability of three scoring systems to evaluate children after general anaesthesia, 200
- KEEP, P. Nathan Keep—William Morton's Salieri?, 233
- KEHLET, H. *See* STAUSHOLM, K., 737 (f)
- KELLEHER, A. & MACKERSIE, A. Cardiac arrest and resuscitation of a 6-month-old achondroplastic baby undergoing neurosurgery in the prone position, 348
- KELLEHER, A.A. *See* BAILEY, C.R., 677
- KELLY, M.C., MCGUIGAN, J.A. & ALLEN, R.W. Relief of tension subcutaneous emphysema using a large bore subcutaneous drain, 1077
- KENDALL, A.P., BHATT, S. & OH, T.E. Pulmonary consequences of carbon dioxide insufflation for laparoscopic cholecystectomies, 286
- KENDALL, A.P., LIN, E.S. & OH, T.E. Leukotriene B4 as a marker of cerebral dysfunction, 590
- KENDALL, B.E. *See* CLARK, J.R., 641
- KERR, W.J. *See* BRYDON, C.W., 998 (f)
- KERSLEY, M. A new source of gas leak from an Ohmeda Excel 410 machine: a reply, 266 (c)
- KESTIN, I.G. & MCCRIRICK, A.B. Haemodynamic effects of tracheally administered adrenaline in anaesthetised patients, 514
- KESTIN, I.G. *See* HARTREY, R., 682
- KHAN, A.K. *See* KING, H.K., 371 (c)
- KHAN, F.A., KAMAL, R.S., MITHANI, C.H. & KHURSHID, M. Effect of general anaesthesia and surgery on neutrophil function, 769
- KHURSHID, M. *See* KHAN, F.A., 769
- KIM, S.C. *See* KIM, S.Y., 507
- KIM, S.I. *See* KIM, S.Y., 507
- KIM, S.Y., HWANG, K.H., OK, S.Y., KIM, S.I., KIM, S.C. & PARK, W. Discrepancy of recovery times related to potency between atracurium and mivacurium simultaneously administered in isolated forearms, 507
- KIMURA, H. *See* YURINO, M., 308
- KING, D.H. Hypothermia and laparoscopic cholecystectomy, 666 (c)
- KING, H.K., HUNTINGTON, C. & KHAN, A.K. Difficult intubation in a patient with thoracic trauma, 371 (c)
- KIRKPATRICK, T. *See* NODEN, J.B., 91 (c)
- KIRVELÄ, O. *See* PIRTIKANGAS, C.-O., 317
- KITAJIMA, T., ISHII, K., KOBAYASHI, T. & OGATA, H. Differential effects of vecuronium on the thumb and great toe as measured by accelerography and electromyography, 76 (f)
- KITAJIMA, T., ISHII, K. & OGATA, H. Edrophonium as an antagonist of vecuronium-induced neuromuscular block in the elderly, 359 (f)
- KIYAMA, S. Intubation via a laryngeal mask airway and cervical spine surgery, 83 (c)
- KIYAMA, S. A dampened waveform due to a faulty pulmonary artery catheter, 566 (c)
- KNICHWITZ, G., MERTES, N. & KUHMANN, M. Improved  $PCO_2$  measurement in six standard blood gas analysers using a phosphate-buffered solution for gastric tonometry, 532
- KOBAYASHI, T. *See* KITAJIMA, T., 76 (f)
- KOLLETZKI, M. *See* WILDER-SMITH, O.H.G., 218
- KONG, C.S. A small child can bite through an armoured tracheal tube, 263 (c)
- KONSTANTINIDOU, A.S. *See* KANAKOUDIS, F.S., 594
- KORCZAK, P.K.J. *See* TIGHE, K.E., 816 (f)
- KORTTILA, K. Recovery from outpatient anaesthesia. Factors affecting outcome, 22 (S)
- KÖTTER, K. *See* PETROIANU, G., 570 (c)
- KRAFFT, P. *See* PERNERSTORFER, T., 17
- KRENN, C.G. *See* PERNERSTORFER, T., 17
- KUHMANN, M. *See* KNICHWITZ, G., 532
- KULLANDER, M. *See* GUPTA, A., 937
- KUMAR, A., TANDON, O.P., BHATTACHARYA, A., GUPTA, R.K. & DHAR, D. Somatosensory evoked potential changes following electroacupuncture therapy in chronic pain patients, 411
- KUMAR, R. *See* SKILTON, R., 266 (c)
- KUMON, K. *See* YAHAGI, N., 91 (c)
- KUNST, G. & BÖHRER, H. Serum triglyceride levels and propofol infusion, 1101 (c)
- KWAN, A. Overdose of morphine during PCA, 919 (c)
- LACK, J.A. Pondering authorship, 916 (c)
- LACK, J.A. Noise and anaesthetic gas pollution, 1093 (c)
- LACKNER, F.X. *See* FITZGERALD, R.D., 388
- LAIPPALA, P. *See* MUSTOLA, S.T., 108
- LAKE, A.P.J. Propofol as sole agent for paediatric day case dental surgery, 269 (c)



- LAM, E.W.H. & FRERK, C. Are pencil point needles the answer for peripheral neural blockade?, 1102 (c)
- LAMB, F.J. & ROGERS, R. Forced-air warming maintains normothermia during orthotopic liver transplantation, 745 (c)
- LANGENECKER, S. See MÜLLER, C.M., 229
- LANGHAM, B.T. See DENNIS, A.R., 400
- LANGHAM, B.T. & MCLAREN, I.M. Severe airway management problems during insertion of a cuffed oesophageal stent, 721
- LANGTON, J.A. See GRAHAM, S.G., 433
- LANGTON, J.A. See STANLEY, G.D., 985 (f)
- LARSEN, V.H. See ØBERG, B., 695
- LARSSON, H. See HAHN, R.G., 327
- LAU, O.J. See SATUR, C.M.R., 1102 (c)
- LAVIES, N.G. See PATEMAN, J., 478 (c)
- LAWLER, P.G.P. See HAYNES, S.R., 195
- LAWTON, G. See COX, M., 750 (c)
- LAZARUS, K.C. Scoring systems for tracheal intubation, 268 (c)
- LEBRAULT, C. See ALFONSI, P., 214
- LEESON-PAYNE, C.G. See DENNIS, A.R., 297
- LEESON-PAYNE, C.G. & AITKENHEAD, A.R. A prospective study to assess the demand for a high dependency unit, 383
- LEESON-PAYNE, C.G. See DENNIS, A.R., 400
- LEESON-PAYNE, C.G. See DENNIS, A.R., 904 (f)
- LEESON-PAYNE, C.G. & AITKENHEAD, A.R. Demand for high dependency units: a reply, 1090 (c)
- LEGGETT, T. Baxter PCA system: failure to attach patient control module: a reply, 572 (c)
- LEIBUNDGUT, D. & ZBINDEN, A.M. Resistance, reverse flow and opening pressure of unidirectional valves, 1065
- LEIUS, C. See MALINOVSKY, J.-M., 351 (f)
- LENG, C.P. An incident with a local anaesthetic spray, 181 (c)
- LENNMARKEN, C. See GUPTA, A., 937
- LEPAGE, J.-Y. See MALINOVSKY, J.-M., 351 (f)
- LESSER, P. See LYONS, G., 964
- LEWIS, I.H. Research, publications and career advancement, 366 (c)
- LIN, E.S. See KENDALL, A.P., 590
- LIND, L. Metabolic gas exchange during different surgical procedures, 304
- LINDEK, A.L., SKIELBOE, M., GULDAGER, H. & JENSEN, E.W. The influence of nitrous oxide on propofol dosage and recovery after total intravenous anaesthesia for day-case surgery, 397
- LITMANOVITCH, M., HON, H., LUYT, D.K., DANCE, M. & MATHIVHA, L.R. Comparison of central venous pressure measurements in the intrathoracic and the intra-abdominal vena cava in critically ill children, 407
- LITTLE, J.P. Consistency of ASA grading, 658 (c)
- LITTLEJOHN, I.H., ABHAY, K., EL SAYED, A., BROOMHEAD, C.J., DUVALDESTIN, P. & FLYNN, P.J. Intubating conditions following 1R CIS, 1'R CIS atracurium (51W89). A comparison with atracurium, 499
- LLOYD-THOMAS, A. Assessment and control of pain in children: editorial, 753
- LOAN, P.B., PAXTON, L.D., MIRAKHUR, R.K., CONNOLLY, F.M. & MCCOY, E.P. The TOF-Guard neuromuscular transmission monitor. A comparison with the Myograph 2000, 699
- LOCKEY, D. & COLEMAN, P. Pain during injection of rocuronium bromide, 474 (c)
- LOCKEY, D. & PURCELL-JONES, G. A problem with a desflurane vaporizer, 574 (c)
- LOCKEY, D.J. See BEDFORTH, N.M., 248
- LOCKWOOD, G.G. See DEVCHAND, D., 491
- LOCKWOOD, G.G. See CHEAM, E.W.S., 607
- LOCKWOOD, G.G. See GOWRIE-MOHAN, S., 706
- LOCKWOOD, G.G. See CHEAM, E.W.S., 764
- LODGE, M. See SMITH, A.F., 1091 (c)
- LÖNNQVIST, P.A., MACKENZIE, J., SONI, A.K. & CONACHER, I.D. Paravertebral blockade. Failure rate and complications, 813 (f)
- LOUGHNAN, B.A. & FENNELLY, M.E. Spinal cord monitoring: editorial, 101
- LOVELL, A.T. See ALEXANDER, R., 1086 (f)
- LOW, T.C. See CHEONG, K.F., 550 (f)
- LOWSON, S.M., EGGERS, K.A., WARWICK, J.P., MOORE, W.J. & THOMAS, T.A. Epidural infusions of bupivacaine and diamorphine in labour, 420
- LUMLEY, J. See COX, M., 583
- LUNEY, S.R. See FEE, J.P.H., 841
- LUNN, D.V. & YOUNG, P.C. The Ohmeda Universal PAC drawover apparatus. A technical and clinical evaluation, 870
- LUNTLEY, J.B., ROSS, J. & PEARCE, J. Lifting and handling of patients by anaesthetists, 729 (f)
- LUSCOMBE, F.E., WALLACE, L., WILLIAMS, J. & GRIFFITHS, D.P.G. A District General Hospital pain management programme. First year experiences and outcomes, 114
- LUTHRA, A.D. See EL MIKATTI, N., 1053
- LUYT, D.K. See LITMANOVITCH, M., 407
- LYEW, M.A. & JAMIESON, J.W. Blood pressure measurement using oscillometric finger cuffs: a reply, 743 (c)
- LYONS, G. See MICHELS, A.M.J., 211
- LYONS, G. See MACLEAN, A.R., 263 (c)
- LYONS, G., LESSER, P. & BEMBRIDGE, M. Lessons from *in vitro* testing of spinal needles, 964
- MACCALLUM, R. See WATTERS, J., 529
- MACDONALD, I. & DEARLOVE, O.R. Anaesthesia and Robinow syndrome, 1097 (c)
- MACDONALD, I.J.F. See SMURTHWAITE, G.J., 86 (c)
- MACDONALD, R. Contribution by anaesthetists to medical education and training, 742 (c)
- MACDONNELL, S.P.J., TIMMINS, A.C. & WATSON, J.D. Adrenaline administered via a nebulizer in adult patients with upper airway obstruction, 35
- MACGILLIVRAY, R.G. & FERNANDES, C.M.C. Microlaryngeal surgery without a tracheal tube, 832 (c)
- MACINTOSH, SIR ROBERT See EPSTEIN, H.G., 240
- MACKENZIE, J. Patient-controlled analgesia with alfentanil for outpatient lithotripsy, 269 (c)
- MACKENZIE, J. See LÖNNQVIST, P.A., 813 (f)
- MACKERSIE, A. See KELLEHER, A., 348

- MACLEAN, A.R. & LYONS, G. A comparison of 25G and 27G Whitacre needles for Caesarean section, 263 (c)
- MACLEAN, A.R. *See* DRESNER, M.R., 807
- MACLENNAN, F. *See* THOMPSON, N., 572 (c)
- MADDERN, G.J. *See* RUDKIN, G.E., 586
- MADDINENI, V.R. *See* MCCARTHY, G.J., 503
- MAEKAWA, N. *See* ASANO, M., 1080 (f)
- MAGEE, L.R.A. *See* GODSIF, L.S., 1004 (c)
- MAHON, S. *See* OKORO, J., 94 (c)
- MAHON, S.V. Fibreoptic tracheal tube placement prior to percutaneous dilational tracheostomy, 92 (c)
- MAHON, S.V. Is the microlaryngeal tube the right solution?, 1011 (c)
- MAHONEY, P. *See* MORLEY, A., 661 (c)
- MALDE, A.D. *See* JAGTAP, S.R., 39
- MALECK, W. *See* PETROIANU, G., 570 (c)
- MALECK, W. Screen or sound? Aids for blind intubation, 1093 (c)
- MALINOVSKY, J.-M., POPULAIRE, C., COZIAN, A., LEPAGE, J.-Y., LEJUS, C. & PINAUD, M. Premedication with midazolam in children. Effect of intranasal, rectal and oral routes on plasma midazolam concentrations, 351 (f)
- MANGAT, P. *See* ARNOLD, A., 203
- MANLEY, R.W. A new mechanical ventilator (Classic Paper), 65
- MANNERS, J.M. Cerebral hypoperfusion during cardiopulmonary bypass, 373 (c)
- MANSIKKA, M. *See* PIRTIKANGAS, C.-O., 1056
- MAPLESON, W.W. Exponentials and the anaesthetist (Classic Paper), 879
- MAPLESON, W.W. *See* WATERS, D.J., 880
- MARANUCCI, P. *See* MOFFAT, A.C., 3
- MAREELS, K. *See* DE MEY, J.C., 947
- MARGARSON, M.P. Delayed amniotic fluid embolism following Caesarean section under spinal anaesthesia, 804
- MARJOT, R. *See* TUCKEY, J., 180 (c)
- MARTIN, E. *See* SCHROTER, J., 850 (c)
- MARTINELLI, P. *See* DE GAUDIO, A.R., 810 (f)
- MARTLEW, R.A. & HARPER, N.J.N. The clinical pharmacology of doxacurium in young adults and in elderly patients, 779
- MARTLEW, R.A. & SHARPLES, A. Anaesthesia in a child with Patau's syndrome, 980
- MARX, W. *See* CIAGLIA, P., 261 (c)
- MASON, C. *See* SUTCLIFFE, N., 26
- MATHER, C. Premedication of children, 268 (c)
- MATHER, C.M.P. & O'KELLY, S.W. Unlicensed drug administration: editorial, 189
- MATHIVHA, L.R. *See* LITMANOVITCH, M., 407
- MAÎTRE, L. *See* STREBEL, S., 223
- MATTA, B. Age-related haematological disturbances, 477 (c)
- MATTHEWS, E.E. *See* SHAW, A., 246
- MAURICE, S. *See* WATTERS, J., 529
- MAWER, R.J. Equipment for paediatric resuscitation, 87 (c)
- MAY, A.E. *See* CAMPBELL, D.J., 750 (c)
- MCANDREW, P.E. A hazard with the Abbott Provider 5500, 829 (c)
- MCBETH, C. Faulty loss of resistance syringe, 186 (c)
- MCCOY, E.P. & SELLERS, W.F.S. A comparison of three variable performance devices for postoperative oxygen therapy, 136
- MCBRIEN, M.E., AUSTIN, B.A., MIRAKHUR, R.K. & WONG, K.C. A new device for measuring and recording the forces applied during laryngoscopy, 139
- MCCARTHY, G. *See* HILL, D.A., 415
- MCCARTHY, G.J., MIRAKHUR, R.K., MADDINENI, V.R. & MCCOY, E.P. Dose-responses for edrophonium during antagonism of vecuronium block in young and older adult patients, 503
- MCCLOSKEY, B.V. *See* MCCOY, E.P., 943
- MCCLUSKEY, A. *See* CHADWICK, I.S., 571 (c)
- MCCLYMONT, W. *See* WALLIS, C., 801
- MCCOY, D.G.L. & O'CALLAGHAN, S. Precipitation in PCA mixtures, 919 (c)
- MCCOY, E.P. *See* MCCARTHY, G.J., 503
- MCCOY, E.P. *See* LOAN, P.B., 699
- MCCOY, E.P., MIRAKHUR, R.K. & MCCLOSKEY, B.V. A comparison of the stress response to laryngoscopy. The Macintosh versus the McCoy blade, 943
- MCCRIRICK, A.B. *See* KESTIN, I.G., 514
- MCFADZEAN, W.A. *See* HOUGHTON, I.T., 85 (c)
- MCFADZEAN, W.A. *See* HEATH, K.J., 1101 (c)
- MCGRADY, E. *See* INGLIS, A., 363 (f)
- MCGRADY, E.M. *See* DANIEL, M., 14
- MCGUIGAN, J.A. *See* KELLY, M.C., 1077
- MCKAY, A.C. *See* PAXTON, L.D., 403
- MCKELVIE, P. *See* MONKS, P.S., 865
- MCKEOWN, D. *See* DODD, F.M., 961
- MCLAREN, I.M. *See* LANGHAM, B.T., 721
- MCMURRAY, T.J. *See* BHANUMURTHY, S., 473 (c)
- MCMURRAY, T.J., BHANUMURTHY, S. & GROOGAN, F. Low dose propofol for chest tube removal, 566 (c)
- MCNEILL, T.A. *See* DEVLIN, E.G., 496
- MCPEAK, H. *See* WILLIAMS, E.M., 427
- MCQUILLAN, P.J. *See* PAPPACHAN, V.J., 657 (c)
- MCSWINEY, M., MYATT, J. & HARGREAVES, M. Transcervical endometrial resection syndrome, 254 (f)
- MCSWINEY, M. *See* VINCENT, J.C., 752 (c)
- MEHTA, A. & MORRIS, S. Myasthenia gravis and sensitivity to muscle relaxants, 574 (c)
- MERCER-JONES, M.A., WENSTONE, R. & HERSHMAN, M.J. Fatal subclavian artery haemorrhage. A complication of subclavian vein catheterisation, 639
- MERETOJA, O.A. *See* TAIVAINEN, T., 1046

- MERTES, N. See KNICHWITZ, G., 532
- MESSAHEL, F.M. Post cholecystectomy admission to the intensive care unit. Comparison between open, mini-lap and laparoscopic techniques, 901 (f)
- METSÄ-KETELÄ, T. See MUSTOLA, S.T., 108
- MICHALOUDIS, D.G. See KANAKOUDIS, F.S., 594
- MICHEL, A.M.J., LYONS, G. & HOPKINS, P.M. Lignocaine test dose to detect intravenous injection, 211
- MIKAWA, K. See ASANO, M., 1080 (f)
- MILNE, S.E. Safety of lignocaine test dose to detect intravenous injection, 830
- MILLAR, F.A. See HUTCHISON, G.L., 270 (c)
- MILLAR, J.M. See ROBERTS, C.J., 559 (f)
- MILLARD, J. See MILNER, A.R., 526
- MILLER, D.E. Movement and pulse oximetry, 831
- MILLETT, S.V. & ALLMAN, K.G. Lignocaine gel and the laryngeal mask airway, 746 (c)
- MILLIGAN, K.R. See MORROW, B.C., 461 (f)
- MILLS, P. See DRIVER, I., 921 (c)
- MILNER, A.R., HARWOOD, R.J., MILLARD, J., BOGOD, D.G. & CURRAN, J.P. Effect of demand frequency on lockout period. The Abbott Provider 5500 Patient-Controlled Analgesia machine, 526
- MIRAKHUR, R.K. See MCCOY, E.P., 139
- MIRAKHUR, R.K. See PAXTON, L.D., 403
- MIRAKHUR, R.K. See DEVLIN, E.G., 496
- MIRAKHUR, R.K. See MCCARTHY, G.J., 503
- MIRAKHUR, R.K. See LOAN, P.B., 699
- MIRAKHUR, R.K. See MCCOY, E.P., 943
- MITHANI, C.H. See KHAN, F.A., 769
- MOERMAN, A., HERREGODS, L., FOUBERT, L., POELAERT, J., JORDAENS, L., D'HONT, L. & ROLLY, G. Awareness during anaesthesia for implantable cardioverter defibrillator implantation. Recall of defibrillation shocks, 733 (f)
- MOERMAN, A. See HERREGODS, L., 950
- MOFFAT, A.C., OSBORNE, G.A., BADCOCK, N.R., MARANUCCI, P., NYMAN, T. & RUSSELL, W.J. The relationship between clinical effect and concentrations of temazepam in plasma and cerebrospinal fluid, 3
- MONKS, P.S., BROOMHEAD, C.J., DILKES, M.G. & MCKELVIE, P. The use of the Hayek Oscillator during microlaryngeal surgery, 865
- MOORE, W.J. See LOWSON, S.M., 420
- MORCH-SIDDALL, J. & HALL, I.A. Cricoid pressure during resuscitation, 568 (c)
- MORGAN, B. See COX, M., 750 (c)
- MORGAN, B.M. 'Walking' epidurals in labour: editorial, 839
- MORGAN, M. *Anaesthesia*—50th year of publication: editorial, 1
- MORGAN, M. The Woolley and Roe case (Classic Paper), 162
- MORGAN, M. The Epstein-Macintosh-Oxford (EMO) inhaler (Classic Paper), 239
- MORIARTY, D.C. See CARSON, K.D., 571 (c)
- MORLEY, A., HAJI-MICHAEL, P.G. & MAHONEY, P. Cervical spine control during prehospital tracheal intubation of trauma victims, 661 (c)
- MORRIS, G.N. ODAs and anaesthesia rooms: priceless assets, 743 (c)
- MORRIS, G.N. Reading in the operating theatre, 1089 (c)
- MORRIS, P. See RITTOO, D.B., 719
- MORRIS, S. See MEHTA, A., 574 (c)
- MORROW, B.C., MILLIGAN, K.R. & MURTHY, B.V.S. Analgesia following day-case knee arthroscopy—the effect of piroxicam with or without bupivacaine infiltration, 461 (f)
- MORTIBOY, D. See JERWOOD, D.C., 376 (c)
- MORTIMER, A.J. See EL MIKATTI, N., 1053
- MORTON, H.J.V. See EDWARDS, G., 440
- MOSTAFA, S.M. See HODGSON, C.A., 637
- MUI, K.S.Y. See CHAN, M.T.V., 30
- MULCAHY, K. See STANLEY, G.D., 985 (f)
- MÜLLER, C.M., LANGENECKER, S., ANDEL, H., NANTSCHKEV, I., HÖLZENBEIN, T.J. & ZIMPFER, M. Forced-air warming maintains normothermia during orthotopic liver transplantation, 229
- MUNN, J., WILLATTS, S.M. & TOOLEY, M.A. Health and activity after intensive care, 1017
- MUÑOZ-RAMON, J.M. Consistency of the ASA classification, 826 (c)
- MUÑOZ-RAMON, J.M. See GARCIA, M.A., 923 (c)
- MURPHY, N.D. & PARK, G.R. Excessive noise caused by a jet ventilator, 1092 (c)
- MURRAY, D., WARD, M.E. & SEAR, J.W. SCOTI—a new device for identification of tracheal intubation, 1062
- MURRAY, J.M. See FEE, J.P.H., 841
- MURRAY, P. & ATKINSON, R.E. Continuous axillary brachial plexus blockade for reflex sympathetic dystrophy, 633
- MURTHY, B.V.S. See MORROW, B.C., 461 (f)
- MURTHY, N.V.V.S. See SUHASINI, T., 270 (c)
- MUSTOLA, S.T., BAER, G.A., METSÄ-KETELÄ, T. & LAIPPALA, P. Haemodynamic and plasma catecholamine responses during total intravenous anaesthesia for laryngomicroscopy. Thiopentone compared with propofol, 108
- MYATT, J. See MCSWINEY, M., 254 (f)
- MYINT, Y., SINGH, A.K., PEACOCK, J.E. & PADFIELD, A. Changes in intra-ocular pressure during general anaesthesia. A comparison of spontaneous breathing through a laryngeal mask with positive pressure ventilation through a tracheal tube, 126
- NEILL, H. See CRAWFORD, J.M., 576 (c)
- NAIR, I. & BAILEY, P.M. Use of the laryngeal mask for airway maintenance following tracheal extubation, 174 (c)
- NAIR, I. See KANARI, S., 572 (c)
- NAIR, I. & BAILEY, P.M. Review of uses of the laryngeal mask in ENT anaesthesia, 898 (f)
- NALDA, M.A. See CHABÁS, E., 182 (c)
- NAMIKI, A. See IWASAKI, H., 361 (f)
- NANTSCHKEV, I. See MÜLLER, C.M., 229
- NAP, H.J.A. See WIERDA, J.M.K.H., 393
- NATHANSON, M.H. See GAJJAR, N.M., 186 (c)
- NEASHAM, J. See JANZEN, P.R.M., 831 (c)

NEWNAM,  
NICHOLSON,  
NIGHTING,  
NIGHTING,  
NIGHTING,  
NISHINA, K.  
NODEN, J.  
NOTT, M.R.  
NOTT, M.R.  
NOVELLI, J.  
NUNN, J.F.  
NYMAN, T.

OAKLAND,  
OBARA, H.  
ØBERG, B.  
meas  
O'BRIEN, I.  
O'CALLAGH,  
O'CONNOR,  
OGATA, H.  
OGATA, H.  
OH, T.E. S.  
OH, T.E. S.  
OH, T.E. S.  
OH, T.E. S.  
OH, T.E. S.  
OH, T.E. S.  
O'HANLON,  
OK, S.Y. J.  
O'KEEFE,  
O'KELLY,  
OKORO, J.  
OLDROYD,  
OLSSON, C.  
O'MEARA,  
O'NEIL, G.  
ORR, D.A.  
OSBORNE,  
OWEN, H.  
OWEN, H.  
repo

PADFIELD,  
PADUA, I.  
PANTVAIR,  
PAPADOPO,  
PAPPACH,  
PARK, G.  
PARK, G.  
PARK, W.  
PARKE, T.  
PARKER,  
PARKER,  
pers  
PARMAR,  
PARRY, I.  
PARRY, T.  
surp  
PASK, E.  
PASK, E.  
PATEL, A.  
PATEMA,  
PATON, I.  
PATRICK,  
PETROIA,  
PAW, H.  
PAXTON,  
PAXTON,  
con  
PAXTON,  
PEACOCK,  
PEACOCK,  
PEARCE,  
PEARCE,  
PEARSAL,  
dur  
PELTOLA,

- NEWNAM, P.T.F. & FRY, E.N.S. Modified-Macintosh laryngoscope blade and the real McCoy, 1008 (c)
- NICHOLSON, K.E. Low dose epidural infusions and forceps delivery: a reply, 564 (c)
- NIGHTINGALE, C. A new treatment for epidural opioid induced pruritis in parturients, 185 (c)
- NIGHTINGALE, C. Lignocaine test doses to detect intravenous injection, 750 (c)
- NIGHTINGALE, P. *See* BEARDS, S.C., 928
- NISHINA, K. *See* ASANO, M., 1080 (f)
- NODEN, J.B. & KIRKPATRICK, T. Intrapleural percutaneous tracheostomy, 91 (c)
- NOTT, M.R. A trainer for fiberoptic intubation, 570 (c)
- NOTT, M.R. & JACKLIN, F. Missing O-rings and volatile agents, 1001 (c)
- NOVELLI, G.P. *See* DE GAUDIO, A.R., 810 (f)
- NUNN, J.F. & FREEMAN, J. Problems of oxygenation and oxygen transport during haemorrhage (Classic Paper), 794
- NYMAN, T. *See* MOFFAT, A.C., 3
- OAKLAND, S. Tracheal cuff failure: a reply, 568 (c)
- OBARA, H. *See* ASANO, M., 1080 (f)
- OBBERG, B., WALDAU, T. & LARSEN, V.H. The effect of nasal oxygen flow and catheter position on the accuracy of end-tidal carbon dioxide measurements by a pharyngeal catheter in unintubated, spontaneously breathing subjects, 695
- O'BRIEN, E. & ATKINS, N. Blood pressure measurement using oscillometric finger cuffs, 743 (c)
- O'CALLAGHAN, S. *See* MCCOY, D.G.L., 919 (c)
- O'CONNOR, P.J. & CALDICOTT, L.D. Local anaesthesia and venous cannulation, 1005 (c)
- OGATA, H. *See* KITAJIMA, T., 76 (f)
- OGATA, H. *See* KITAJIMA, T., 359 (f)
- OH, T.E. *See* SHORT, T.G., 260 (c)
- OH, T.E. *See* KENDALL, A.P., 286
- OH, T.E. *See* CRITCHLEY, L.A.H., 354 (f)
- OH, T.E. *See* KENDALL, A.P., 590
- OH, T.E. *See* CHUI, P.T., 978
- OH, T.E. *See* BHATT, S.B., 1026
- O'HANLON, J. Pregnancy-induced hypertension or a normal variant?, 1014 (c)
- OK, S.Y. *See* KIM, S.Y., 507
- O'KEEFE, V. *See* DAVIES, M.W., 922 (c)
- O'KELLY, S.W. *See* MATHER, C.M.P., 189
- OKORO, J. & MAHON, S. A helpful technique for cases of difficult venepuncture, 94 (c)
- OLDROYD, G.J. *See* CALDICOTT, L.D., 49
- OLSSON, G.L. Inhalational anaesthesia at the extremes of age: paediatric anaesthesia, 34 (S)
- O'MEARA, M.E. *See* CRITCHLEY, L.A.H., 354 (f)
- O'NEIL, G. *See* COSTELLO, A.S., 268 (c)
- ORR, D.A. *See* FERGUSON, A.J., 479 (c)
- OSBORNE, G.A. *See* MOFFAT, A.C., 3
- OWEN, H. *See* PLUMMER, J.L., 423
- OWEN, H., PLUMMER, J., ILSLEY, A., HAWKINS, R., ARFEEN, Z. & TORDOFF, K. Variable-dose patient-controlled analgesia. A preliminary report, 855
- PADFIELD, A. *See* MYINT, Y., 126
- PADUA, R.J. A hidden leak: a reply, 920 (c)
- PANTVAIDYA, S.H. *See* JAGTAP, S.R., 39
- PAPADOPOULOU-BOUTI, A.L. *See* KANAKOUDIS, F.S., 594
- PAPPACHAN, V.J., SMITH, G.B., TAYLOR, B.L. & MCQUILLAN, P.J. HDU care and estimated risks of hospital mortality, 657 (c)
- PARK, G.R. *See* GODSIF, L.S., 1004 (c)
- PARK, G.R. *See* MURPHY, N.D., 1092 (c)
- PARK, W. *See* KIM, S.Y., 507
- PARKE, T.J. Variable presentation of subdural block, 177 (c)
- PARKER, M.R.J. *See* DAY, C.J.E., 478 (c)
- PARKER, M.R.J. The use of protective gloves, the incidence of ampoule injury and the prevalence of hand laceration amongst anaesthetic personnel, 726 (f)
- PARMAR, M. & SANSOME, A. Propofol-induced bronchodilation in status asthmaticus?, 1003 (c)
- PARRY, M., BAWA, G.P.S. & FERNANDO, R. Clinical characteristics of commonly used spinal needles, 1095 (c)
- PARRY, T., HIRSCH, N. & FAUVEL, N. Comparison of direct blood pressure measurement at the radial and dorsalis pedis arteries during surgery in the horizontal and reverse Trendelenburg positions, 553 (f)
- PASK, E.A. *See* EDWARDS, G., 440
- PASK, E.A. *See* COOPER, E.A., 536
- PATEL, A. & SMITH, M. Tracheal cuff failure, 568 (c)
- PATEMAN, J. & LAVIES, N.G. Caution in the use of disposable tubing, 478 (c)
- PATON, R.H. Local anaesthesia and venous cannulation, 1005 (c)
- PATRICK, M.R. *See* DODD, F.M., 961
- PETROIANU, G., MALECK, W. & KÖTTER, K. Use of the oesophageal detector device by paramedics, 570 (c)
- PAW, H.G.W. A trainer for identification of the epidural space, 914 (c)
- PAXTON, D., TAYLOR, R.H., GALLAGHER, T.M. & CREAN, P.M. Postoperative emesis following otoplasty in children, 1083 (f)
- PAXTON, L.D., MCKAY, A.C. & MIRAKHUR, R.K. Prevention of nausea and vomiting after day case gynaecological laparoscopy. A comparison of ondansetron, droperidol, metoclopramide and placebo, 403
- PAXTON, L.D. *See* LOAN, P.B., 699
- PEACOCK, J.E. *See* HATCHER, I.S., 96 (c)
- PEACOCK, J.E. *See* MYINT, Y., 126
- PEARCE, A.C. Formation of a Difficult Airway Society, 923 (c)
- PEARCE, J. *See* LUNTLEY, J.B., 729 (f)
- PEARSALL, F.J., DAVIDSON, J.A. & ASBURY, A.J. Attitudes to the Association of Anaesthetists recommendations for standards of monitoring during anaesthesia and recovery, 649 (f)
- PELTOLA, O. *See* PIRTIKANGAS, C.-O., 317

- PELTOLA, O. *See* PIRTTIKANGAS, C.-O., 1056
- PENNY, W. *See* ARNOLD, A., 203
- PERKINS, R. *See* DEARLOVE, O.R., 265 (c)
- PERNERSTORFER, T., KRAFFT, P., FITZGERALD, R.D., KRENN, C.G., CHIARI, A., WAGNER, O. & WEINSTABL, C. Stress response to tracheal intubation: direct laryngoscopy compared with blind oral intubation, 17
- PERTTILÄ, J. *See* PIRTTIKANGAS, C.-O., 317
- PETER, K. *See* CONZEN, P., 29 (S)
- PETROS, A.J., FERNANDO, S.S.D., SHENOY, V.S. & AL-SAADY, N.M. The Hayek Oscillator. Nomograms for tidal volume and minute ventilation using external high frequency oscillation, 601
- PETROS, A.J. *See* AL-SAADY, N.M., 1031
- PETROU, A. *See* KANAKOUDIS, F.S., 594
- PETRY, A., WULF, H. & BAUMGÄRTL, M. The influence of ketanserin or urapidil on haemodynamics, stress response and kidney function during operations for myocardial revascularisation, 312
- PEUTRELL, J.M. & HUGHES, D.G. A grand mal convulsion in a child in association with a continuous epidural infusion of bupivacaine, 563 (c)
- PHAN THI, H. *See* IVENS, D., 858
- PHELAN, D.M. *See* STAUNTON, M., 665 (c)
- PIAZZA, E. *See* DE GAUDIO, A.R., 810 (f)
- PIGOTT, J.F. *See* ENGLISH, I.C.W., 1071
- PINAUD, M. *See* MALINOVSKY, J.-M., 351 (f)
- PIRTTIKANGAS, C.-O., SALO, M., RIUTTA, A., PERTTILÄ, J., PELTOLA, O. & KIRVELÄ, O. Effects of propofol and Intralipid on immune response and prostaglandin E<sub>2</sub> production, 317
- PIRTTIKANGAS, C.-O., SALO, M., MANSIKKA, M., GRÖNROOS, J., PULKKI, K. & PELTOLA, O. The influence of anaesthetic technique upon the immune response to hysterectomy. A comparison of propofol infusion and isoflurane, 1056
- PLAYFAIR, P.A. & UNCLES, D.R. Rocuronium and rapid sequence induction, 663 (c)
- PLENDERLEITH, J.L. *See* HOPE, A.T., 103
- PLENDERLEITH, J.L. & HOPE, A. Mortality prediction algorithm and intensive care: a reply, 823 (c)
- PLUMMER, J. *See* OWEN, H., 855
- PLUMMER, J.L., ZAKARIA, A.Z., ILSLEY, A.H., FRONSKO, R.R.L. & OWEN, H. Evaluation of the influence of movement on saturation readings from pulse oximeters, 423
- POELAERT, J. *See* MOERMAN, A., 733 (f)
- POLE, Y. *See* GAJRAJ, N.M., 740 (f)
- POLLOCK, C.G. Visceral vapours, 472 (c)
- POPULAIRE, C. *See* MALINOVSKY, J.-M., 351 (f)
- POULTON, B., THOMPSON, P. & FERNANDO, R. Low dose epidural infusions and forceps delivery, 564 (c)
- PRIESTLEY, G.S. *See* SEAVELL, C.R., 271 (c)
- PRINGLE, M. *See* PURDAY, J., 827 (c)
- PRYS-ROBERTS, C. Management of postoperative pain by newly qualified doctors, 259 (c)
- PULKKI, K. *See* PIRTTIKANGAS, C.-O., 1056
- PURCELL-JONES, G. *See* LOCKEY, D., 574 (c)
- PURDAY, J., TELFORD, R., SAUNDERS, M. & PRINGLE, M. Diclofenac and post-tonsillectomy haemorrhage, 827 (c)
- RAFFERTY, P.J. A problem with the Baxter disposable patient controlled analgesia system: a reply, 572 (c)
- RAMSAY, T.M. *See* SUTCLIFFE, N., 26
- RANDELL, T. *See* HAKALA, P., 735 (f)
- RANTA, P., JOUPPIA, M., SPALDING, M. & JOUPPIA, R. The effect of maternal obesity on labour and labour pain, 322
- RAO, S.M. *See* SUHASINI, T., 270 (c)
- RAPHAEL, J.H. *See* BOURNE, T.M., 545
- RAPHAEL, J.H., ATKINSON, I. & BEXTON, M.D.R. A combined high frequency oscillator and intermittent positive pressure ventilator, 611
- RAY, D.C., DRUMMOND, G.B., WILKINSON, E. & BECKETT, G.J. Relationship of admission thyroid function tests to outcome in critical illness, 1022
- READ, M.S., SMITHIES, M., CLYBURN, P. & WILLIS, B. Mortality prediction algorithm and intensive care, 823 (c)
- REAH, G. Nasal cannulae and capnography for all, 95 (c)
- REAH, G. & ENTRESS, A. Prolonged tracheal intubation in an infant with tracheomalacia secondary to a vascular ring. A useful adjunct to treatment?, 341
- REID, J.A. *See* SMITH, E.A., 263 (c)
- REILLY, C.S. *See* BROOME, I.J., 300
- REILLY, C.S. *See* CALLAGHAN, L.C., 488
- REMINGTON, S.A.M. *See* SUTCLIFFE, N., 26
- RESTALL, J. *See* HOUGHTON, I.T., 85 (c)
- RESTALL, J. *See* HAMILTON-DAVIES, C., 456 (f)
- REYNOLDS, F. *See* GRIFFIN, R.P., 151 (f)
- REYNOLDS, F. *See* RUSSELL, R., 475 (c)
- RIBBE, T. *See* HAHN, R.G., 327
- RICHARDSON, J. *See* CHEEMA, S.P.S., 118
- RICHARDSON, J., VOWDEN, P. & SABANATHAN, S. Bilateral paravertebral analgesia for major abdominal vascular surgery: a preliminary report, 995 (f)
- RICHARDSON, J., VOWDEN, P. & SABANATHAN, S. An evaluation of two concentrations of hyaluronidase for supplementation of peribulbar anaesthesia, 998 (f)
- RICHARDSON, W. *See* UN, E.N., 265 (c)
- RICHMOND, C. *See* BROMLEY, L., 176 (c)
- RIDDINGTON, D.W. *See* VENKATESH, B., 913 (c)
- RIDLEY, S. HDU care and estimated risks of hospital mortality: a reply, 657 (c)
- RIGG, C.D. & EDMONDSON, L. Percutaneous dilational tracheostomy. Malposition leading to delayed weaning, 724
- RILEY, R. *See* ECKERSALL, S., 180 (c)
- RIITTOO, D.B. & MORRIS, P. Tracheal occlusion in the prone position on an intubated patient with Duchenne muscular dystrophy, 719
- RIUTTA, A. *See* PIRTTIKANGAS, C.-O., 317
- ROBERTS, C.J., MILLAR, J.M. & GOAT, V.A. The antiemetic effectiveness of droperidol during morphine patient-controlled analgesia, 559 (f)



- ROBERTS, G.J. Use of a modified occlusal bite guard to prevent self-induced injury in intensive care patients, 144
- ROBERTSON, C. *See* WATTERS, J., 529
- RODGERS, A. The appropriate roles of audit and randomisation in determining the efficacy of anaesthetic interventions, 89 (c)
- ROGERS, R. *See* LAMB, F.J., 745 (c)
- ROGERS, R. No blood or blood products, 1013 (c)
- ROLLY, G. *See* MOERMAN, A., 733 (f)
- ROLLY, G. *See* DE MEY, J.C., 947
- ROLLY, G. *See* HERREGODS, L., 950
- ROSENBERG, J. *See* STAUSHOLM, K., 737 (f)
- ROSS, D.G. Arterial cannulation, 576 (c)
- ROSS, D.G. 'They are not proper doctors are they?', 577 (c)
- ROSS, J. *See* LUNTLEY, J.B., 729 (f)
- ROVIRA, J. Economic analysis and pharmaceutical policy, 49 (S)
- ROYSTON, D. *See* DORNAN, R.I.P., 1006 (c)
- ROYTBLAT, L. *See* FISHER, A., 746 (c)
- RUCKLEY, C.V. *See* DUNCAN, L.A., 1041
- RUDKIN, G.E. & MADDERN, G.J. Peri-operative outcome for day-case laparoscopic and open inguinal hernia repair, 586
- RUSSELL, R. & REYNOLDS, F. The place of 0.375% bupivacaine in obstetric anaesthesia, 475 (c)
- RUSSELL, W.J. *See* MOFFAT, A.C., 3
- RYALL, D. *See* BONNER, S.M., 992 (f)
- RYAN, D.W. Upwardly mobile minitracheotomy, 747 (c)
- RYAN, T.D.R. *See* SAJJAD, T., 156 (f)
- SABANATHAN, S. *See* CHEEMA, S.P.S., 118
- SABANATHAN, S. *See* RICHARDSON, J., 995 (f)
- SABANATHAN, S. *See* RICHARDSON, J., 998 (f)
- SADLER, P. *See* HEATH, K.J., 1101 (c)
- SAJJAD, T. & RYAN, T.D.R. Current management of inadvertent dural taps during the siting of epidurals for pain relief in labour. A survey of maternity units in the United Kingdom, 156 (f)
- SALA, X. *See* CHABÁS, E., 182 (c)
- SALO, M. *See* PIRTTIKANGAS, C.-O., 317
- SALO, M. *See* PIRTTIKANGAS, C.-O., 1056
- SALT, R.H. *See* UNCLES, D.R., 175 (c)
- SANDERSON, P.M. A comparison of the priming properties of two central venous catheters and one pulmonary artery catheter, 52
- SANSOME, A. *See* PARMAR, M., 1003 (c)
- SARTAIN, J. *See* BELL, J., 644 (f)
- SASADA, M.P. *See* GABBOTT, D.A., 674
- SATUR, C.M.R., CHURCH, A.B. & LAU, O.J. Intra-operative tracheal obstruction by tumour fragments, 1102 (c)
- SAUNDERS, M. *See* PURDAY, J., 827 (c)
- SAVVA, D. Clonidine — an adjunct in isoflurane-N<sub>2</sub>O/O<sub>2</sub>-relaxant anaesthesia, 1013 (c)
- SCHAEFER, H.G. *See* STREBEL, S., 223
- SCHINDLER, E. *See* BOLDT, J., 954
- SCHMIDT, H. *See* SCHROTER, J., 850 (c)
- SCHNEIDER, M.C. *See* SIEGEMUND, M., 663 (c)
- SCHROË, H. *See* DE JONGH, R., 146
- SCHROTER, J., WANDEL, C., BÖHRER, H., SCHMIDT, H., BÖTTIGER, B.W. & MARTIN, E. Lignocaine metabolite formation: an indicator for liver dysfunction and predictor of survival in surgical intensive care patients, 850 (c)
- SCOTT, P.V. Nebulised adrenaline in adults with upper airway obstruction, 476 (c)
- SCOTT, R.C. & FIELD, J.M. Orotracheal intubation and cervical spine injury, 567 (c)
- SCUPLAK, S.M., SMITH, M. & HARKNESS, W.F.J. Air embolism during awake craniotomy, 338
- SEAR, J.W. *See* MURRAY, D., 1062
- SEAVELL, C.R. & PRIESTLEY, G.S. Solving a hairy problem, 271 (c)
- SEDDON, S.J. Parents in the anaesthetic room?, 368 (c)
- SEINGRY, D. *See* ALEXANDER, R., 1086 (f)
- SELLERS, W.F.S. *See* MCBRIEN, M.E., 136
- SERPELL, M.G. Oxygen saturation following propofol, 178 (c)
- SERPELL, M.G. *See* CARSON, D.F., 523
- SERPELL, M.G. & CARSON, D.F. Maternal position during induction of spinal anaesthesia for Caesarean section, 921 (c)
- SERPELL, M.G. *See* CARSON, D.F., 1095 (c)
- SHARMA, P.K. *See* JAIN, A.K., 23
- SHARMA, S.K. *See* GAJRAJ, N.M., 740 (f)
- SHARPLES, A. *See* MARTLEW, R.A., 980
- SHAW, A. & MATTHEWS, E.E. Postoperative neuroleptic malignant syndrome, 246
- SHEARER, A.J. *See* WALLIS, C.B., 1013 (c)
- SHENOY, V.S. *See* PETROS, A.J., 601
- SHERRY, K.M. *See* BELL, J., 644 (f)
- SHIRLEY, P. *See* THOMPSON, N., 572 (c)
- SHIRLEY, P.J. Atmospheric waste gases and occupational exposure, 477 (c)
- SHORT, T.G., CRITCHLEY, L.A.H. & OH, T.E. Application of the back-to-basics approach to teaching medical students, 260 (c)
- SHORT, T.G. *See* CRITCHLEY, L.A.H., 354 (f)
- SHORVON, S.D. *See* WALKER, M.C., 130
- SHORVON, S.D. *See* WALKER, M.C., 824 (c)
- SIDAWI, J.E. *See* GAJRAJ, N.M., 740 (f)
- SIDDALL, J. *See* SMURTHWAITE, G.J., 369 (c)
- SIDHU, V.S. *See* WRIGLEY, S.R., 709
- SIDHU, V.S. *See* AL-SAADY, N.M., 1031
- SIEGEMUND, M., SCHNEIDER, M.C., HAMPL, K.F. & HÖSLI, I. Epidural clonidine for relief from intractable labour pain, 663 (c)
- SIMINI, B. Spinal anaesthesia in acute colonic pseudo-obstruction, 1103 (c)

- SIMON, E. *See* DODD, F.M., 961
- SINDEN, M.P. & JAYAMAHA, J.E.L. Defective intravenous cannula, 829
- SINGH, A.K. *See* MYINT, Y., 126
- SINGH, P. & CROSSLEY, A.W.A. Postoperative shivering: a reply, 467 (c)
- SINGH, P. *See* HARWOOD, R.J., 786
- SKELLY, A.M. *See* CHEAM, E.W.S., 764
- SKIELBOE, M. *See* LINDEKR, A.L., 397
- SKILTON, R. & KUMAR, R. A new source of gas leak from an Ohmeda Excel 410 machine, 266 (c)
- SKINNER, T.A. *See* YOUNG, A., 827 (c)
- SMALLEY, D. A problem with an infant speaking tracheostomy tube: a reply, 91 (c)
- SMITH, A.F. Overinflation of tracheal tube cuffs, 84 (c)
- SMITH, A.F. Postoperative shivering, 467 (c)
- SMITH, A.F. & LODGE, M. Where's the evidence? The Cochrane Collaboration and anaesthesia, 1091 (c)
- SMITH, A.J. & EGGERS, K.A. Potential hazard with epidural space catheterisation, 88 (c)
- SMITH, A.J. Disposable PCA devices: the lockout interval may not be what it seems, 828 (c)
- SMITH, E.A., THORBURN, J., DUCKWORTH, R.A. & REID, J.A. A comparison of 25G and 27G Whitacre needles for Caesarean section: a reply, 263 (c)
- SMITH, E.A. *See* DONNELLY, J.A., 703
- SMITH, G.B. *See* PAPPACHAN, V.J., 657 (c)
- SMITH, H. *See* COOPER, E.A., 536
- SMITH, J.C. A problem with a desflurane vaporizer: a reply, 574 (c)
- SMITH, L.J. *See* CLARK, J.R., 641
- SMITH, M. *See* SCUPLAK, S.M., 338
- SMITH, M. *See* PATEL, A., 568 (c)
- SMITH, M.G. & DRIVER, I.K. Peribulbar anaesthesia using the immobile needle technique, 915 (c)
- SMITH, P. *See* VALL, G.R.Q., 183 (c)
- SMITH, S.J.M. *See* WALKER, M.C., 130
- SMITH, S.J.M. *See* WALKER, M.C., 824 (c)
- SMITHIES, M. *See* READ, M.S., 823 (c)
- SMURTHWAITE, G.J. & MACDONALD, I.J.F. Another use of the Fogarty catheter, 86 (c)
- SMURTHWAITE, G.J., WHEATLY, R.S. & SIDDALL, J. An interesting placement of a pulmonary artery flotation catheter, 369 (c)
- SMURTHWAITE, G.J. Cricoid pressure and advance life support, 912 (c)
- SNEYD, J.R. *See* STONEHAM, M.D., 464 (f)
- SOJKA, G. *See* GABRIEL, A.H., 290
- SONI, A.K. *See* LÖNNQVIST, P.A., 813 (f)
- SOULSBY, N.R. *See* WATT, J.W.G., 470 (c)
- SOUTER, A.J. *See* GAJRAJ, N.M., 740 (f)
- SPALDING, M. *See* RANTA, P., 322
- SPISS, C.K. *See* GABRIEL, A.H., 290
- SPITTAL, M.J. & FINDLAY, G.P. The seven year itch, 913 (c)
- STABLEFORTH, C. Faulty loss of resistance syringe, 668 (c)
- STACEY, M. & ASAI, T. Kinking of a tracheal tube in the nasal cavity, 917 (c)
- STACEY, M.R.W., BARCLAY, K., ASAI, T. & VAUGHAN, R.S. Effects of magnesium sulphate on suxamethonium-induced complications during rapid-sequence induction of anaesthesia, 933
- STALLARD, N. Pneumomediastinum during laparoscopic Nissen fundoplication, 667 (c)
- STANFORD, B.J. Chair dental anaesthesia, 666 (c)
- STANLEY, G.D., BASTIANPILLAI, B.A., MULCAHY, K. & LANGTON, J.A. Postoperative laryngeal competence. The laryngeal mask airway and tracheal tube compared, 985 (f)
- STAUNTON, M. & PHELAN, D.M. Manganese toxicity in a patient with cholestasis receiving total parenteral nutrition, 665 (c)
- STAUSHOLM, K., KEHLET, H. & ROSENBERG, J. Oxygen therapy reduces postoperative tachycardia, 737 (f)
- STERLING, P. Society of Anaesthetic Laboratory Technologists, 668 (c)
- STERTMANN, W.A. *See* BOLDT, J., 954
- STICKLE, B.R. *See* FOSTER, P.N., 177 (c)
- STONEHAM, M.D., BREE, S.E. & SNEYD, J.R. Facilitation of laryngeal mask insertion. Effects of lignocaine given intravenously before induction with propofol, 464 (f)
- STREBEL, S., KAUFMANN, M., MÂTRE, L. & SCHAEFER, H.G. Effects of ketamine on cerebral blood flow velocity in humans. Influence of pretreatment with midazolam or esmolol, 223
- STRUBE, P. *See* BRAIN, A.I.J., 42
- STUART, J.C. *See* CRITCHLEY, L.A.H., 37
- SUHASINI, T., MURTHY, N.V.V.S. & RAO, S.M. Nasogastric tube as a tracheal tube introducer, 270 (c)
- SUN, K.O. Laryngotracheal stenosis following percutaneous tracheostomy, 182 (c)
- SUN, K.O. Fracture and dislodgement of tracheal cartilage during percutaneous tracheostomy, 370 (c)
- SUN, K.O. Use of microlaryngeal tube during percutaneous dilatational tracheostomy, 660 (c)
- SUN, K.O. Portex percutaneous tracheostomy kit, 748 (c)
- SUTCLIFFE, A.J. The appropriate roles of audit and randomisation in determining the efficacy of anaesthetic interventions: a reply, 89 (c)
- SUTCLIFFE, A.J. Can the life of 'single use' breathing systems be extended?: editorial, 283
- SUTCLIFFE, N., REMINGTON, S.A.M., RAMSAY, T.M. & MASON, C. Severe tracheal stenosis and operative delivery, 26
- SYKES, M.K. Intermittent positive pressure respiration in tetanus (Classic Paper), 332
- SYKES, M.K. Intermittent positive pressure respiration in tetanus neonatorum (Classic Paper), 333
- SYKES, M.K. Recognition of the anaesthetist: editorial, 381
- SZAFRANSKI, J. *See* GRAHAM, S.G., 433
- SZMUK, P. & EZRI, T. Capnography and cuff inflation to aid blind tracheal intubation, 662 (c)
- TAIVAINEN, T. & MERETOJA, O.A. The neuromuscular blocking effects of vecuronium during sevoflurane, halothane and balanced anaesthesia in children, 1046
- TALIOURIDOU, E.I. *See* KANAKOUDIS, F.S., 594
- TAM, Y.H. *See* BHATT, S.B., 1026
- TANDON, O.P. *See* KUMAR, A., 411

TANIGAM  
TASKER,  
TAYLOR,  
TAYLOR,  
TAYLOR,  
TAYLOR,  
TAYLOR,  
TELFORD,  
TEMPL,  
THAM, C.  
THICKET  
THOMAS,  
THOMAS,  
THOMAS,  
THOMPSE  
THOMPSC  
THOMPSC  
THOMPSC  
THOMSON  
THORBUR  
TIGHE, K  
gen  
TIGHE, K  
TIGHE, S  
TIGHE, S  
TIMBERL  
TIMMINS,  
TODD, D  
TODD, D  
TOFF, N.  
TOOLEY,  
TORDOFF  
TORDOFF  
TOVEY, J  
TOWNEN  
TRAN, P  
TSAY, W  
TUCKEY  
TUCKEY  
TZABAR  
  
UCHIYA  
UESUGI  
UN, E.N  
UNCLES  
UNCLES  
UPTON,  
  
VAN DE  
VAN HA  
VAUGH  
VEALL,  
VEALL,  
VEITCH,  
VENKAT  
VENN, I  
VERBOR  
VERGHE  
VINCENT  
VOGEL,  
VOWDE  
VOWDE  
VUNDE  
VYVYAT  
  
WACE,  
WAGNE  
WAKEF  
WAKEL  
WALDA  
WALDE  
as  
WALDE  
WALDM  
WALKER  
SU  
WALKER

- TANIGAMI, H. See YAHAGI, N., 91 (c)
- TASKER, R.C. See CLARK, J.R., 641
- TAYLOR, B.L. See PAPPACHAN, V.J., 657 (c)
- TAYLOR, B.L. See ALEXANDER, R., 1012 (c)
- TAYLOR, J.C. & BELL, G.T. An asthmatic weaned from a ventilator using a laryngeal mask, 454
- TAYLOR, R.H. See GADIYAR, V., 820 (f)
- TAYLOR, R.H. See PAXTON, D., 1083 (f)
- TELFORD, R. See PURDAY, J., 827 (c)
- TEMPL, E. See FITZGERALD, R.D., 388
- THAM, C.S. See CHAN, S.T., 257 (f)
- THICKETT, A. See BUSH, D., 262 (c)
- THOMAS, A.N. & CAIN, S. Cross sensitivity between atracurium and mivacurium, 185 (c)
- THOMAS, E.O. Neonatal resuscitation and the laryngeal mask airway, 569 (c)
- THOMAS, T.A. See LOWSON, S.M., 420
- THOMPSETT, C. See WILLIAMS, P.J., 987 (f)
- THOMPSON, A.R. See AZIZ, E.S., 370 (c)
- THOMPSON, N., SHIRLEY, P. & MACLENNAN, F. A problem with the Baxter disposable patient controller analgesia system, 572 (c)
- THOMPSON, P. See POULTON, B., 564 (c)
- THOMSON, A.R. & GORDON, N.H. One-way valve malfunction in a circle system, 920 (c)
- THORBURN, J. See SMITH, E.A., 263 (c)
- TIGHE, K.E., GILLAN, G., KORCZAK, P.K.J. & CROSSLEY, A.W.A. An assessment of morphine requirement after wisdom tooth extraction under general anaesthesia, 816 (f)
- TIGHE, K.E. See CROSSLEY, A.W.A., 1010 (c)
- TIGHE, S.Q.M. Research in anaesthetic training, 367 (c)
- TIGHE, S.Q.M. Defective Selectatec O-rings, 668 (c)
- TIMBERLAKE, C.M. & CASTELLO-CORTES, A. Aprotinin and transurethral resection of the prostate, 666 (c)
- TIMMINS, A.C. See MACDONNELL, S.P.J., 35
- TODD, D.B. Cricoid pressure, 469 (c)
- TODD, D.B. Dangers of CO<sub>2</sub> cylinders on anaesthetic machines, 912 (c)
- TOFF, N.J. Standards for international interhospital transfer, 262 (c)
- TOOLEY, M.A. See MUNN, J., 1017
- TORDOFF, K. See OWEN, H., 855
- TORDOFF, S.G. See BOURNE, T.M., 545
- TOVEY, J. See ARNOLD, A., 203
- TOWNEND, M., FREW, R.M. & HOYLE, J.R. Bite block for the laryngeal mask airway, 918 (c)
- TRAN, P. See BEEBE, D.S., 470 (c)
- TSAY, W. See FAN, S.Z., 251
- TUCKEY, J. Transfer of patients to recovery room staff, 86 (c)
- TUCKEY, J. & MARJOT, R. PCE: patient-controlled emesis, 180 (c)
- TUCKEY, J. Tension pneumoperitoneum causing superior vena cava obstruction, 747 (c)
- TZABAR, Y. Intra-operative tracheal obstruction by tumour fragments, 249
- UCHIYAMA, M. & YOSHINO, A. Insertion of the Montgomery T-tube, 476 (c)
- UESUGI, F. See INADA, T., 834 (c)
- UN, E.N., GWINNUTT, C.L. & RICHARDSON, W. A facemask connector, 265 (c)
- UNCLES, D.R., CARAPIET, D.A., KAPILA, A. & SALT, R.H. Prototype Macintosh laryngoscopes and the 'Real McCoy', 175 (c)
- UNCLES, D.R. See PLAYFAIR, P.A., 663 (c)
- UPTON, P.M. See GOULD, T.H., 259 (c)
- VAN DEN BROEK, L. See WIERDA, J.M.K.H., 393
- VAN HAMEL, J.C.M. & WILLIAMS, E.M. A defective connector, 479 (c)
- VAUGHAN, R.S. See STACEY, M.R.W., 933
- VEALL, G.R.Q. & SMITH, P. Femoral venous cannula misplacement in abdominal trauma, 183 (c)
- VEALL, G.R.Q. & DORMAN, T. Prolonged starvation in paediatric surgery, 458 (f)
- VEITCH, P.S. See HANNING, C.D., 1099 (c)
- VENKATESH, B. & RIDDINGTON, D.W. Measuring PCO<sub>2</sub> for gastric tonometry: precision is as important as bias, 913 (c)
- VENN, P.J.H. Circle systems and maintenance of body temperature, 664 (c)
- VERBORGH, C. See IVENS, D., 858
- VERGHESE, C. See BRAIN, A.I.J., 42
- VINCENT, J.C. & MCSWINEY, M. A tip to aid nasogastric tube insertion, 752 (c)
- VOGEL, R. See ANDREWS, P.J.D., 9
- VOWDEN, P. See RICHARDSON, J., 995 (f)
- VOWDEN, P. See RICHARDSON, J., 998 (f)
- VUNDELINCKX, G. See DE JONGH, R., 146
- VYVYAN, H.A.L. & HANAFIAH, Z. Patients' attitudes to rectal drug administration, 983 (f)
- WACE, J.R. Low dose epidural infusions and forceps delivery, 564 (c)
- WAGNER, O. See PERNERSTORFER, T., 17
- WAKEFIELD, S. See CHAMBERS, P., 1090 (c)
- WAKELING, H.G. Diathermy frequency shock from faulty pulse oximeter probe, 749 (c)
- WALDAU, T. See ØBERG, B., 695
- WALDER, A.D. & AITKENHEAD, A.R. A comparison of droperidol and cyclizine in the prevention of postoperative nausea and vomiting associated with patient-controlled analgesia, 654 (f)
- WALDER, A.D. & AITKENHEAD, A.R. Postoperative nausea and vomiting — the importance of power: a reply, 1007 (c)
- WALDMANN, C.S. See WHITTET, H.B., 892
- WALKER, M.C., SMITH, S.J.M. & SHORVON, S.D. The intensive care treatment of convulsive status epilepticus in the UK. Results of a national survey and recommendations, 130
- WALKER, M.C., SMITH, S.J.M. & SHORVON, S.D. Drugs in status epilepticus: a reply, 824 (c)



- YOUNG, P.C. See LUNN, D.V., 870  
 YUDKOWITZ, F.S. See KEEGAN, N.J., 200  
 YURINO, M. & KIMURA, H. A comparison of vital capacity breath and tidal breathing techniques for induction of anaesthesia with high sevoflurane concentrations in nitrous oxide and oxygen, 308  
 ZAKARIA, A.Z. See PLUMMER, J.L., 423  
 ZAKI, M. See ENGLISH, I.C.W., 1071  
 ZBINDEN, A.M. See LEIBUNDGUT, D., 1065  
 ZIMPFER, M. See MÜLLER, C.M., 229  
 ZUCK, D. Anaesthetic and postoperative recovery rooms. Some notes on their early history, 435  
 ZULEIKA, M. See IQBAL, S., 343

## Subject Index, Volume 50, (1995)

51W89 besylate, intubating conditions following; comparison with atracurium, 499

- Abbott Provider 5500; a hazard (McAndrew: Englishby), 829 (c)  
 Abbott Provider 5500 PCA machine, effect of demand frequency on lockout period (Milner *et al.*), 526  
 Abdominal surgery, postoperative analgesia with transdermal fentanyl following (Broome *et al.*), 300  
 Abdominal trauma, femoral venous cannula misplacement in (Veall & Smith), 183 (c)  
 Abdominal vascular surgery, major, paravertebral analgesia for; a preliminary report (Richardson, Vowden & Sabanathan), 995 (f)  
 Abscess, pretracheal, following retrograde tracheal intubation (Beebe *et al.*), 470 (c)  
 Accelerography and electromyography, differential effects of vecuronium on the thumb and great toe as measured by (Kitajima *et al.*), 76 (f)  
 Achondroplastic baby, 6-month-old, undergoing neurosurgery in the prone position; cardiac arrest and resuscitation (Kelleher & Mackersie), 348  
 Acidosis, metabolic; a new approach to 'neostigmine resistant curarisation' (Classic Paper) (Brooks & Feldman), 714  
 Acute colonic pseudo-obstruction, spinal anaesthesia in (Simini), 1103 (c)  
 Acute respiratory failure, high frequency oscillation in normal subjects and in patients with (Al-Saady *et al.*), 1031  
 Admission thyroid function tests, relationship to outcome in critical illness (Ray *et al.*), 1022  
 Adrenaline administered via a nebulizer in adult patients with upper airway obstruction (MacDonnell, Timmins & Watson), 35  
 Adrenaline administered via a nebuliser in adult patients with upper airway obstruction (Scott), 476 (c)  
 Adrenaline, tracheally administered, haemodynamic effects of, in anaesthetised patients (Kestin & McCrirrick), 514  
 Adult respiratory distress syndrome and toxic epidermal necrolysis (Wallis & McClymont), 801  
 Adults, young, clinical pharmacology of doxacurium in (Martlew & Harper), 779  
 Advanced life support and cricoid pressure (Gwinnutt: Smurthwaite: Elcock), 912 (c)  
 Age, inhalational anaesthesia at extremes of (Conzen & Peter), 29 (S)  
 Age, inhalational anaesthesia at extremes of (Olsson), 34 (S)  
 Age-related haematological disturbances (Matta), 477 (c)  
 Aids for blind intubation; screen or sound? (Maleck), 1093 (c)  
 Air embolism during awake craniotomy (Scuplak, Smith & Harkness), 338  
 Air-oxygen, ambient, inhalation, modification of the Bain system for (Houghton, McFadzean & Restall), 85 (c)  
 Airway *see also* Laryngeal mask  
 Airway, another foreign body in (Walsh), 98 (c)  
 Airway maintenance, use of the laryngeal mask for, following tracheal extubation (Nair & Bailey), 174 (c)  
 Airway management problems during insertion of a cuffed oesophageal stent (Langham & McLaren), 721  
 Airway management skills teaching—use of a clear PVC face mask (Carson & Moriarty), 571 (c)  
 Airway, nasopharyngeal, fenestrated (Inkster), 567 (c)  
 Airway, upper, obstruction, in adult patients; adrenaline administered via a nebulizer (MacDonnell, Timmins & Watson), 35  
 Airway, upper, obstruction, in adult patients; adrenaline administered via a nebuliser (Scott), 476 (c)  
 Airway, upper, obstruction; massive lingual swelling following palatoplasty (Chan *et al.*), 30  
 Alfentanil, epidural infusion of, with bupivacaine in labour (Hill, McCarthy & Bali), 415  
 Alfentanil patient-controlled analgesia for outpatient lithotripsy (Mackenzie), 269 (c)  
 Alfentanil-nitrous oxide anaesthesia, the effect of midazolam premedication on implicit memory activation during (De Roode *et al.*), 191  
 Alkalosis, respiratory, during pressure-support ventilation: report of a hazard (Chui, Joynt & Oh), 978  
 Ambient air-oxygen inhalation, modification of the Bain system for (Houghton, McFadzean & Restall), 85 (c)  
 Amniotic fluid embolism following Caesarean section under spinal anaesthesia (Margaron), 804  
 Ampoule injury, incidence in anaesthetists (Parker), 726 (f)  
 Anaesthesia *see also* General; Regional; Spinal  
 Anaesthesia, accuracy of references in (Asano *et al.*), 1080 (f)  
 Anaesthesia and adverse effects after intrathecal pethidine hydrochloride for urological surgery (Grace & Fee), 1036  
 Anaesthesia and public image (Eldor), 270 (c)  
 Anaesthesia and Robinow syndrome (Macdonald & Dearlove), 1097 (c)  
 Anaesthetic agent, inhalational, new, is there a need for? (Jones & Ward), 1 (S)  
 Anaesthetic and postoperative recovery rooms. Some notes on their early history (Zuck), 435  
 Anaesthetic assistants during electroconvulsive therapy (Dunkley), 1009 (c)  
 Anaesthetic gas pollution and noise (Lack), 1093 (c)  
 Anaesthetic machine, unusual cause of a leak from (Jones), 751 (c)  
 Anaesthetic practice costing (Broadway & Jones), 56  
 Anaesthetic record (Williams), 90 (c)  
 Anaesthetic room, parents in (Seddon), 368 (c)  
 Anaesthetic room, should we keep it? (Claxton), 1095 (c)  
 Anaesthetist, colour-blind (Dobson), 1103 (c)



- Anaesthetists and public image (Eldor), 270 (c)  
 Anaesthetists: contribution to medical education and training (Macdonald), 742 (c)  
 Anaesthetists, lifting and handling of patients by (Luntley, Ross & Pearce), 729 (f)  
 Anaesthetists, patients' knowledge of (Hall & Earlam), 87 (c)  
 Anaesthetists, patients' knowledge of (Ross), 577 (c)  
 Anaesthetists, recognition of (Sykes), 381  
 Anaesthetists, recognition of; a Spanish view (Garcia, Gutierrez & Muñoz-Ramon), 923 (c)  
 Anaesthetists, trainee, resuscitation skills of (Bell, Harrison & Carr), 692  
 Anaesthetists: use of protective gloves, incidence of ampoule injury and prevalence of hand laceration (Parker), 726 (f)  
 Analgesia *see also* Epidural; Extradural; Intravenous; Lumbar; Patient-controlled; Postoperative; Spinal; Specific agents  
 Analgesia after Caesarean section. The use of rectal diclofenac as an adjunct to spinal morphine (Dennis, Leeson-Payne & Hobbs), 297  
 Analgesia: effect on maternal hypoxaemia during labour and delivery (Griffin & Reynolds), 151 (f)  
 Analgesia following day-case knee arthroscopy—the effect of piroxicam with or without bupivacaine infiltration (Morrow, Milligan & Murthy), 461 (f)  
 Analgesia, ineffective, after extradural tramadol hydrochloride in patients undergoing total knee replacement (Grace & Fee), 555 (f)  
 Analgesia, monitor of adequacy; facial sensory evoked muscle potentials during labour (Andrews *et al.*), 9  
 Analgesia, paravertebral; a thermographic study (Cheema *et al.*), 118  
 Analgesia, paravertebral, bilateral, for major abdominal vascular surgery: a preliminary report (Richardson, Vowden & Sabanathan), 995 (f)  
 Analgesia, place of 0.375% bupivacaine in obstetric anaesthesia (Russell & Reynolds), 475 (c)  
 Analgesia, pre-emptive (Bromley *et al.*: Wilson & Jackson), 176 (c)  
 Analgesia, spinal, unilateral, in a neonate (Chabás, Sala & Nalda), 182 (c)  
 Analgesic effect, combined, of morphine and ketamine (Fisher, Roytblat & Greemberg), 746 (c)  
 Analgesic requirements during surgery; somatostatin and total intravenous anaesthesia (Kanakoudis *et al.*), 594  
 Antagonism of vecuronium block in young and older adult patients, dose-responses for edrophonium during (McCarthy *et al.*), 503  
 Anterior spinal artery syndrome. Paraplegia following segmental ischaemic injury to the spinal cord after oesophagectomy (Djurberg & Haddad), 345  
 Antiemetic effectiveness of droperidol during morphine patient-controlled analgesia (Roberts, Millar & Goat), 559 (f)  
 Aprotinin and transurethral resection of the prostate (Timberlake & Castello-Cortes), 666 (c)  
 Arterial cannulation (Ross), 576 (c)  
 Artery, coronary, versus valve surgery, comparison of propofol and fentanyl anaesthesia in (Bell *et al.*), 644 (f)  
 Artery, pulmonary, catheter, and two central venous catheters, a comparison of their priming properties (Sanderson), 52  
 Artery, subclavian, fatal haemorrhage; a complication of subclavian vein catheterisation (Mercer-Jones, Wenstone & Hershtman), 639  
 Artery, subclavian, fatal haemorrhage (Hwang), 1012 (c)  
 Arthroscopy, day-case, assessment of recovery following; comparison between propofol and isoflurane-based anaesthesia (Gupta *et al.*), 937  
 Arthroscopy, knee, day-case, analgesia following; effect of piroxicam with or without bupivacaine (Morrow, Milligan & Murthy), 461 (f)  
 Arthroscopy, knee, diclofenac compared with ketorolac for pain relief after (Dennis, Leeson-Payne & Hobbs), 904 (f)  
 ASA classification, consistency of (Dixon: Muñoz-Ramon), 826 (c)  
 ASA grading consistency (Little: Harling), 658 (c)  
 ASA physical status classification allocation, consistency of (Haynes & Lawler), 195  
 Association of Anaesthetists of Great Britain and Ireland. Annual Report of Council 1993–94, 272  
 Association of Anaesthetists of Great Britain and Ireland. Annual Conference of Linkman, 1994, 480  
 Association of Anaesthetists recommendations for standards of monitoring during anaesthesia and recovery, attitudes to (Pearsall, Davidson & Asbury), 649 (f)  
 Asthmatic weaned from a ventilator using a laryngeal mask (Taylor & Bell), 454  
 Atracurium and mivacurium, cross sensitivity between (Thomas & Cain), 185 (c)  
 Atracurium and mivacurium, discrepancy of recovery times between (Kim *et al.*), 507  
 Atracurium, intubating conditions following; comparison with 51W89 (Littlejohn *et al.*), 499  
 Audit: role in determining efficacy of anaesthetic interventions (Rodgers: Sutcliffe), 89 (c)  
 Auditory evoked potentials; clonidine in isoflurane N<sub>2</sub>O/O<sub>2</sub> anaesthesia (Gabriel *et al.*), 290  
 Authorship: a symptom of a deeper malaise (Goodman), 485  
 Authorship (Holmes: Lack), 916 (c)  
 Awake craniotomy, air embolism during (Scuplak, Smith & Harkness), 338  
 Awareness during anaesthesia for implantable cardioverter defibrillator implantation. Recall of defibrillation shocks (Moerman *et al.*), 733 (f)  
 Axillary brachial plexus blockade for reflex sympathetic dystrophy (Murray & Atkinson), 633  
 Ayre's T piece and the HME filter (Jerwood & Jones), 915 (c)
- Baby, achondroplastic, 6-month-old, undergoing neurosurgery in the prone position; cardiac arrest and resuscitation (Kelleher & Mackersie), 348  
 Bacteraemia, Gram-negative, in sepsis syndrome (Brock-Utne), 267 (c)  
 Bain system modification for ambient air-oxygen inhalation (Houghton, McFadzean & Restall), 85 (c)  
 Barotrauma during jet ventilation for microlaryngeal surgery (Bunting & Allen), 374 (c)  
 Barotrauma during jet ventilation for microlaryngeal surgery is prevented by pressure reducing valve (Janzen, Neasham & Daniel), 831 (c)  
 Baxter disposable patient controlled analgesia system, a problem with (Thompson, Shirley & MacLennan: Rafferty), 572 (c)  
 Baxter PCA system: failure to attach patient control module (Kanari & Nair: Leggett), 572 (c)  
 Beards, facemask use in patients with (Seavell & Priestley), 271 (c)  
 Bicarbonate story (Classic Paper) (Feldman), 713  
 Bilateral paravertebral analgesia for major abdominal vascular surgery: a preliminary report (Richardson, Vowden & Sabanathan), 995 (f)  
 Bite block for the laryngeal mask airway (Townend, Frew & Hoyle), 918 (c)  
 Bite guard, occlusal, used to prevent self-induced injury in intensive care patients (Roberts), 144  
 Blood flow, cerebral, and ketamine (Barker & Duckworth), 751 (c)  
 Blood flow velocity, cerebral, in humans, effects of ketamine on; influence of pretreatment with midazolam or esmolol (Strebel *et al.*), 223

- Blood gas analysers, improved  $PCO_2$  measurement using a phosphate-buffered solution for gastric tonometry (Knichwitz, Mertes & Kuhmann), 532
- Blood or blood products: Jehovah's Witnesses (Cox & Lumley), 583
- Blood or blood products: Jehovah's Witnesses (Rogers), 1013 (c)
- Blood pressure measurement at the radial and dorsalis pedis arteries during surgery in horizontal and reverse Trendelenburg positions (Parry, Hirsch & Fauvel), 553 (f)
- Blood pressure measurement using oscillometric finger cuffs (O'Brien & Atkins: Lyew & Jamieson), 743 (c)
- Blood pressures, upper and lower limb, during general anaesthesia (Howat), 918 (c)
- Bolus and infusion administration compared for epidural diamorphine in labour (Daniel & McGrady), 14
- Book reviews
- BASKETT, DOW, NOLAN & MAULL: *Practical procedures in anaesthesia and critical care*, 837
- CONROY & DORMAN (EDS): *Anesthesia for orthopedic surgery*, 378
- FORD & ANDRASSY (EDS): *Pediatric trauma. Initial assessment and management*, 579
- BOWDLE, HORITA & KHARASCH (EDS): *The pharmacologic basis of anesthesiology*, 836
- HANKS (ED): *Palliative medicine. Problem areas in pain and symptom management, Volume 21 Cancer Surveys*, 837
- HATCH, SUMNER & HELLMAN: *The surgical neonate: anaesthesia and intensive care*, 838
- KAUFMAN & GINSBURG (EDS): *Anaesthesia Review 11*, 836
- KOREN, (ED): *Eutectic mixture of local anaesthetics (EMLA)—a breakthrough in skin anaesthesia*, 578
- MAY *Epidurals for childbirth*, 377
- ROBERTS (ED): *Clinical management of the airway*, 579
- ROCKE (ED): *International Anesthesiology Clinics: shaping future obstetric anesthesia practice*, 377
- TWERSKY (ED): *The ambulatory anesthesia handbook*, 578
- WHITE (ED): *International Anesthesiology Clinics: anesthesia for ambulatory surgery*, 377
- Bougies, gum elastic, disinfection of (Jerwood & Mortiboy), 376 (c)
- Brain-dead organ donors, cardiovascular and catecholamine response to surgery in (Fitzgerald *et al.*), 388
- Brainstem compression, unexpected, following routine surgery in a child with oto-palato-digital syndrome (Clark *et al.*), 641
- Breath indicator, colorimetric, new (Higgins), 88 (c)
- Breathing and capnography during laryngeal mask and facemask ventilation, quality of (Ivens *et al.*), 858
- Breathing, spontaneous, through a laryngeal mask; changes in intra-ocular pressure during general anaesthesia (Myint *et al.*), 126
- Breathing systems, Mapleson F, potential for misassembly of (Wilson: Duggan), 373 (c)
- Breathing systems, 'single use', can their life be extended? (Sutcliffe), 283
- Bronchodilation, propofol-induced, in status asthmaticus (Parmar & Sansome), 1003 (c)
- Bupivacaine 0.2% mixed with fentanyl, postoperative epidural infusion for upper abdominal surgery; thoracic and lumbar routes compared (Chisakuta, George & Hawthorne), 72 (f)
- Bupivacaine, 0.375%, in obstetric anaesthesia (Russell & Reynolds), 475 (c)
- Bupivacaine, 0.5%, used for spinal anaesthesia, effect of cerebrospinal fluid dilution (Cherng *et al.*), 906 (f)
- Bupivacaine, a grand mal convulsion in a child in association with a continuous epidural infusion of (Peutrell & Hughes), 563 (c)
- Bupivacaine and diamorphine, epidural infusions of, in labour (Lowson *et al.*), 420
- Bupivacaine, caudal, in combination with rectal diclofenac, effect on postoperative analgesia in children (Gadiyar *et al.*), 820 (f)
- Bupivacaine, epidural infusion of alfentanil or diamorphine with, in labour (Hill, McCarthy & Bali), 415
- Bupivacaine in analgesia following day-case knee arthroscopy (Morrow, Milligan & Murthy), 461 (f)
- Burn patients, long-term tracheal intubation in (Emmanuel), 1097 (c)
- Burns to patients undergoing MRI scan, risk of (Safety Notice), 924
- Bypass, venovenous, cardiac function during liver transplantation with (Cheema *et al.*), 776
- Caesarean section, a comparison of 25G and 27G Whitacre needles for (Maclean & Lyons: Smith *et al.*), 263 (c)
- Caesarean section, analgesia after; use of rectal diclofenac as an adjunct to spinal morphine (Dennis, Leeson-Payne & Hobbs), 297
- Caesarean section and severe tracheal stenosis (Sutcliffe *et al.*), 26
- Caesarean section, balanced anaesthesia for (Classic Paper) (Bingham), 623
- Caesarean section, balanced anaesthesia for; review of 614 cases (1948-1956) (Classic Paper) (Bingham), 624
- Caesarean section for placenta praevia, anaesthetic management; a questionnaire survey (Bonner, Haynes & Ryall), 992 (f)
- Caesarean section in a patient with protein S deficiency (Fan, Yeh & Tsay), 251
- Caesarean section in a patient with Klippel-Feil syndrome, anaesthesia for; use of a microspinal catheter (Dresner & Maclean), 807
- Caesarean section, maternal position during induction of spinal anaesthesia for; comparison of right lateral and sitting positions (Ingilis, Daniel & McGrady), 363 (f)
- Caesarean section, maternal position during induction of spinal anaesthesia for (Serpell & Carson), 921 (c)
- Caesarean section under spinal anaesthesia, delayed amniotic fluid embolism following (Margarson), 804
- Cannula, intravenous, defective (Sinden & Jayamaha: Costello), 829 (c)
- Cannula, size 20 Medicut; another useful trick (Gilston), 1014 (c)
- Cannula, venous, femoral, misplacement in abdominal trauma (Veall & Smith), 183 (c)
- Cannulae, nasal, and capnography for all (Reah), 95 (c)
- Cannulae, nasal; performance in postoperative oxygen therapy (McBrien & Sellers), 136
- Cannulation, arterial (Ross), 576 (c)
- Cannulation, intravenous; needle-stick injuries are reduced by a new device, Safelon (Watters *et al.*), 529
- Cannulation, local anaesthesia for; has practice changed? (Dennis *et al.*), 400
- Cannulation, venous, and local anaesthesia (O'Connor & Caldicott: Paton), 1005 (c)
- Cannulation, venous, asanguineous (Bremner), 576 (c)
- Capnography and cuff inflation to aid blind tracheal intubation (Szmuk & Ezri), 662 (c)
- Capnography during laryngeal mask and facemask ventilation, quality of breathing and (Ivens *et al.*), 858
- Capnography for all, and nasal cannulae (Reah), 95 (c)
- Capnography, paediatric (Ball), 833 (c)
- Carbon dioxide concentrations, effect on the incidence of postoperative shivering (Harwood *et al.*), 786
- Carbon dioxide cylinders on anaesthetic machines, dangers of (Todd), 912 (c)
- Carbon dioxide: improved  $PCO_2$  measurement in blood gas analysers using a phosphate-buffered solution for gastric tonometry (Knichwitz, Mertes & Kuhmann), 532
- Carbon dioxide insufflation, pulmonary consequences for laparoscopic cholecystectomies (Kendall, Bhatt & Oh), 286
- Carbon dioxide: measuring  $PCO_2$  for gastric tonometry; precision as is important as bias (Venkatesh & Riddington), 914 (c)
- Carbon dioxide monitors, portable, during interhospital transfer; an assessment (Donnelly *et al.*), 703

- Carbon dioxide removal using molecular sieves (Fee, Murray & Luney), 841
- Cardiac arrest and resuscitation of a 6-month-old achondroplastic baby undergoing neurosurgery in the prone position (Kelleher & Mackersie), 348
- Cardiac arrest, hyperkalaemic, suxamethonium-related, in intensive care (Dornan & Royston), 1006 (c)
- Cardiac function during orthotopic liver transplantation with venovenous bypass (Cheema *et al.*), 776
- Cardiac massage, early proponents of (Böhrer & Goerig), 969
- Cardiac output, effect on onset of neuromuscular block by vecuronium (Iwasaki *et al.*), 361 (f)
- Cardiac surgery, gastric emptying in patients the day after (Goldhill *et al.*), 122
- Cardiac surgery, intentional normovolaemic haemodilution in patients with left main coronary artery stenosis (Herregods *et al.*), 950
- Cardiac surgery patients, effect of heparin on endothelial-related coagulation (Boldt *et al.*), 954
- Cardiac surgical patients, role of CPAP during weaning from mechanical ventilation (Bailey, Jones & Kelleher), 677
- Cardiac tamponade—a potentially fatal complication of central venous catheterisation (Dixon), 1101 (c)
- Cardiomyoplasty and muscle relaxants (Ceriana, Domenegati & Gazzoli), 1099 (c)
- Cardiopulmonary bypass, cerebral hypoperfusion during (Manners), 373 (c)
- Cardiopulmonary complications during anaesthesia and surgery for severe thoracic lordoscoliosis (Bagshaw & Jardine), 890
- Cardiopulmonary pathophysiology, problematic; prolonged interval jet ventilation (Conacher), 518
- Cardiopulmonary resuscitation, pulse oximetry during (Griffin & Cooney), 1008 (c)
- Cardiovascular and catecholamine response to surgery in brain-dead organ donors (Fitzgerald *et al.*), 388
- Cardiovascular effects of desflurane in experimental animals and volunteers (Weiskopf), 14 (S)
- Carotid artery surgery, cerebral oximetry during (Duncan, Ruckley & Wildsmith), 1041
- Cartilage, tracheal, fracture and dislodgement during percutaneous tracheostomy (Sun), 370 (c)
- Catecholamine, plasma, response during total intravenous anaesthesia for laryngoscopy; thiopentone compared with propofol (Mustola *et al.*), 108
- Catecholamine response to surgery in brain-dead organ donors (Fitzgerald *et al.*), 388
- Catheter, flotation, pulmonary artery, an interesting placement of (Smurthwaite, Wheatly & Siddall), 369 (c)
- Catheter, Fogarty, another use of (Smurthwaite & Macdonald), 86 (c)
- Catheter, microspinal, use in anaesthesia for Caesarean section in a patient with Klippel-Feil syndrome (Dresner & Maclean), 807
- Catheter placement, epidural, equipment failure during (Williams & Howell: Gosnell), 831 (c)
- Catheter position, effect on accuracy of end-tidal carbon dioxide measurements (Øberg, Waldau & Larsen), 695
- Catheter, pulmonary artery, and two central venous catheters, a comparison of their priming properties (Sanderson), 52
- Catheter, pulmonary artery, faulty, a dampened waveform due to (Kiyama), 566 (c)
- Catheter, venous, blockade; a cause for immediate concern (Bhanumurthy, McMurray & Bannon), 473 (c)
- Catheterisation, central venous, and cardiac tamponade; a potentially fatal complication (Dixon), 1101 (c)
- Catheterisation, epidural space, potential hazard with (Smith & Eggers), 88 (c)
- Catheterisation, percutaneous, of the internal jugular vein (Classic Paper) (English), 1070
- Catheterisation, percutaneous, of the internal jugular vein (Classic Paper) (English *et al.*), 1071
- Catheterisation, subclavian vein; fatal subclavian artery haemorrhage complication (Mercer-Jones, Wenstone & Hershman), 639
- Catheters, central venous, and guidewires (Hughes), 834 (c)
- Catheters, central venous, two, and one pulmonary artery catheter, a comparison of their priming properties (Sanderson), 52
- Catheters, nasal; performance in postoperative oxygen therapy (McBrien & Sellers), 136
- Cauda equina syndrome and continuous spinal anaesthesia (Denny), 474 (c)
- Caudal bupivacaine in combination with rectal diclofenac, effect on postoperative analgesia in children (Gadiyar *et al.*), 820 (f)
- Central venous catheterisation and cardiac tamponade; potentially fatal complication (Dixon), 1101 (c)
- Central venous catheters and guidewires (Hughes), 834 (c)
- Central venous catheters, two, and one pulmonary artery catheter, a comparison of their priming properties (Sanderson), 52
- Central venous pressure measurements in the intrathoracic and the intra-abdominal vena cava in critically ill children, comparison of (Litmanovitch *et al.*), 407
- Cerebral blood flow velocity in humans, effects of ketamine on; influence of pretreatment with midazolam or esmolol (Strebel *et al.*), 223
- Cerebral circulation and ketamine (Barker & Duckworth), 751 (c)
- Cerebral dysfunction, leukotriene B<sub>4</sub> as marker of (Kendall, Lin & Oh), 590
- Cerebral hypoperfusion during cardiopulmonary bypass (Manners), 373 (c)
- Cerebral oximetry: a useful monitor during carotid artery surgery (Duncan, Ruckley & Wildsmith), 1041
- Cerebrospinal fluid, clinical effect and concentrations of temazepam in (Moffat *et al.*), 3
- Cerebrospinal fluid dilution of bupivacaine used for spinal anaesthesia (Cherng *et al.*), 906 (f)
- Cervical collar, effect on tidal volume of anaesthetised adult patients (Dodd *et al.*), 961
- Cervical spine control during prehospital tracheal intubation of trauma victims (Morley, Haji-Michael & Mahoney), 661 (c)
- Cervical spine disease, difficult direct laryngoscopy in patients with (Calder, Calder & Crockard), 756
- Chair dental anaesthesia (Stanford), 666 (c)
- Chair dental anaesthesia, anaesthetic techniques for (Davies & O'Keefe), 922 (c)
- Chair dental anaesthesia—a declining practice? (Harrison, Calleja & Appiah-Anane), 88 (c)
- Chest radiograph component of the lung injury score, interobserver variation in (Beards *et al.*), 928
- Chest tube removal, low dose propofol for (McMurray, Bhanumurthy & Groogan), 566 (c)
- Child, fatal myocardial failure associated with a propofol infusion (Bray), 94 (c)
- Child, fatal myocardial failure associated with a propofol infusion (Hawkins & Cohen), 564 (c)
- Child: fentanyl-induced laryngospasm following tracheal extubation (Baraka), 375 (c)
- Child: grand mal convulsion in association with a continuous epidural infusion of bupivacaine (Peutrell & Hughes), 563 (c)
- Child, postoperative neuroleptic malignant syndrome in (Shaw & Matthews), 246
- Child, small, can bite through an armoured tracheal tube (Kong: Walsh), 263 (c)
- Child with oto-palato-digital syndrome, unexpected brainstem compression following routine surgery in (Clark *et al.*), 641
- Child with Patau's syndrome, anaesthesia in (Martlew & Sharples), 980
- Children *see also* Baby; Paediatric
- Children: a new technique for fiberoptic intubation; always successful? (Erb & Frei), 659 (c)
- Children: assessment and control of pain (Lloyd-Thomas), 753
- Children, critically ill, comparison of central venous pressure measurements in intrathoracic and intra-abdominal vena cava (Litmanovitch *et al.*), 407
- Children, does propofol cause deaths in? (Dearlove & Dobson), 916 (c)
- Children, effect of combination of rectal diclofenac and caudal-bupivacaine on postoperative analgesia in (Gadiyar *et al.*), 820
- Children: evaluation after general anaesthesia; reliability of three scoring systems (Keegan, Yudkowitz & Bodian), 200

- Children: laryngospasm following extubation (Young & Skinner), 827 (c)
- Children: lower limb nerve blocks using unsheathed needles and a nerve stimulator (Bösenberg), 206
- Children: neuromuscular blocking effects of vecuronium during sevoflurane, halothane and balanced anaesthesia (Taivainen & Meretoja), 1046
- Children: new method for determining tracheal tube length (Freeman, Fredricks & Best), 1050
- Children, postoperative emesis following otoplasty in (Paxton *et al.*), 1083 (f)
- Children, premedication of (Mather), 268 (c)
- Children, premedication with midazolam in; effect of intranasal, rectal and oral routes on plasma midazolam concentrations (Malinovsky *et al.*), 351 (f)
- Children, skin-epidural distance in (Bösenberg & Gouws), 895 (f)
- Children: trimeprazine tartrate and convulsions (Harling), 97 (c)
- Cholecystectomies, laparoscopic; pulmonary consequences of carbon dioxide insufflation (Kendall, Bhatt & Oh), 286
- Cholecystectomy, admissions to intensive care unit following; comparison of three different techniques (Messahel), 901 (f)
- Cholecystectomy, laparoscopic, and hypothermia (King), 666 (c)
- Cholestasis; manganese toxicity in a patient receiving total parenteral nutrition (Staunton & Phelan), 665 (c)
- Circle system, one-way valve malfunction in (Thomson & Gordon: Greenham), 920 (c)
- Circle systems and maintenance of body temperature (Venn), 664 (c)
- Circulation, cerebral, and ketamine (Barker & Duckworth), 751 (c)
- Circulation, extracorporeal, high frequency jet ventilation for severe haemoptysis during (De Jongh *et al.*), 146
- Circulatory effects of desflurane (Coriat), 18 (S)
- Climates, hot, transporting volatile agents in (Fenton), 835
- Clinical characteristics of commonly used spinal needles (Carson & Serpell), 523
- Clinical effect and concentrations of temazepam in plasma and cerebrospinal fluid, relationship between (Moffat *et al.*), 3
- Clinical practice, a microprocessor based photoplethysmograph for use in (Wright, Griffiths & Childs), 875
- Clonidine: an adjunct in isoflurane  $N_2O/O_2$  relaxant anaesthesia. Effects on EEG power spectra, somatosensory and auditory evoked potentials (Gabriel *et al.*), 290
- Clonidine, epidural, for relief from intractable labour pain (Siegemund *et al.*), 663 (c)
- Clonidine—an adjunct in isoflurane- $N_2O/O_2$ -relaxant anaesthesia (Savva), 1013 (c)
- Coagulation in cardiac surgery patients, effect of heparin on (Boldt *et al.*), 954
- Cochrane Collaboration and anaesthesia (Smith & Lodge), 1091 (c)
- Collar, cervical, effect on tidal volume of anaesthetised adult patients (Dodd *et al.*), 961
- Colonic pseudo-obstruction, acute, spinal anaesthesia in (Simini), 1103 (c)
- Colorimetric breath indicator, new (Higgins), 88 (c)
- Colour-blind anaesthetist (Dobson), 1103 (c)
- Comparative study of limited intentional normovolaemic haemodilution in patients with left main coronary artery stenosis (Herregods *et al.*), 950
- Compliance with an incident report scheme in anaesthesia (Jayasuriya & Anandaciva), 846
- Complication of subclavian vein catheterisation; fatal subclavian artery haemorrhage (Mercer-Jones, Wenstone & Hershman), 639
- Complication: severe pruritis and hydroxyethyl starch solution (Spittal & Findlay), 913 (c)
- Complication, unusual, of intra-osseous infusion during paediatric resuscitation (Erb, Hampf & Frei), 471 (c)
- Complication, unusual, of percutaneous tracheostomy (Hill), 469 (c)
- Complications, cardiopulmonary, during anaesthesia and surgery for severe thoracic lordoscoliosis (Bagshaw & Jardine), 890
- Complications of paravertebral blockade (Lönqvist *et al.*), 813 (f)
- Complications, suxamethonium-induced, during rapid-sequence induction of anaesthesia, effects of magnesium sulphate on (Stacey *et al.*), 933
- Compound A and carbon dioxide removal using molecular sieves (Fee, Murray & Luney), 841
- Computerised discharge letters from the intensive care unit (Wallis & Shearer), 1013 (c)
- Congenital subglottic stenosis, difficult tracheal extubation in a patient with (Asai), 243
- Connector, facemask (Un, Gwinnutt & Richardson), 265 (c)
- Connector, simple, for transtracheal ventilation (Williams), 833 (c)
- Continuous axillary brachial plexus blockade for reflex sympathetic dystrophy (Murray & Atkinson), 633
- Continuous epidural infusion of bupivacaine, a grand mal convulsion in a child in association with (Peutrell & Hughes), 563 (c)
- Continuous infusion of mivacurium, influence of isoflurane on (De Mey *et al.*), 947
- Continuous monitoring of irrigating fluid absorption during transurethral surgery (Hahn, Larsson & Ribbe), 327
- Continuous spinal anaesthesia and cauda equina syndrome (Denny), 474 (c)
- Continuous sufentanil administration, stiff-man syndrome associated with (Gust & Böhrer), 575 (c)
- Convulsion, grand mal, in a child in association with a continuous epidural infusion of bupivacaine (Peutrell & Hughes), 563 (c)
- Convulsions and trimeprazine tartrate (Harling), 97 (c)
- Convulsive status epilepticus in the UK, intensive care treatment of (Walker, Smith & Shorvon), 130
- Coronary artery versus valve surgery, comparison of propofol and fentanyl anaesthesia in (Bell *et al.*), 644 (f)
- Co-sedation in the critically ill (Godsiff, Magee & Park), 1004 (c)
- Costing of anaesthetic practice (Broadway & Jones), 56
- Costs: ODAs and anaesthesia rooms; priceless assets (Morris), 743 (c)
- CPAP: role during weaning from mechanical ventilation in cardiac surgical patients (Bailey, Jones & Kelleher), 677
- Craniotomy, awake, air embolism during (Scuplak, Smith & Harkness), 338
- Cricoid pressure (Todd), 469 (c)
- Cricoid pressure and advance life support (Gwinnutt: Smurthwaite: Elcock), 912 (c)
- Cricoid pressure and manual in-line neck stabilisation, laryngeal mask airway insertion using (Gabbott & Sasada), 674
- Cricoid pressure during resuscitation (Morch-Siddall & Hall), 568 (c)
- Critical illness, relationship of admission thyroid function tests to outcome in (Ray *et al.*), 1022
- Critically ill children, comparison of central venous pressure measurements in intrathoracic and intra-abdominal vena cava (Litmanovitch *et al.*), 407
- Critically ill patients, co-sedation in (Godsiff, Magee & Park), 1004 (c)
- Critically ill patients, interhospital transport of (Ip-Yam), 93 (c)
- Critically ill patients, limb circumference in (Gilston), 748 (c)
- Critically ill patients, magnesium deficiency in (Arnold *et al.*), 203
- Cross sensitivity between atracurium and mivacurium (Thomas & Cain), 185 (c)
- Cuff inflation and capnography to aid blind tracheal intubation (Szmuk & Ezri), 662 (c)



- Cuff, tracheal, failure (Patel & Smith: Oakland), 568 (c)  
 Cuffed oesophageal stent, severe airway management problems during insertion of (Langham & McLaren), 721  
 Cuffs, tracheal tube, overinflation of (Smith), 84 (c)  
 Curriculum vitae, research and anaesthetic training (Tighe), 367 (c)  
 Curriculum vitae, research and career advancement (Lewis), 366 (c)  
 Cyclizine and droperidol compared in prevention of postoperative nausea and vomiting associated with PCA (Walder & Aitkenhead), 654 (f)  
 Cystic fibrosis and anaesthesia (Walsh & Young), 614
- Datascope Accutorr 3/4 series patient monitors: risk of shock from loose panel-mounted mains connector (Safety Action Bulletin), 188  
 Day case dental surgery, paediatric, propofol as sole agent for (Lake), 269 (c)  
 Day case gynaecological laparoscopy, prevention of nausea and vomiting after; comparison of ondansetron, droperidol and metoclopramide (Paxton, McKay & Mirakhur), 403  
 Day-case arthroscopy, assessment of recovery following; comparison between propofol and isoflurane-based anaesthesia (Gupta *et al.*), 937  
 Day-case knee arthroscopy, analgesia following; effect of piroxicam with or without bupivacaine (Morrow, Milligan & Murthy), 461 (f)  
 Day-case laparoscopic and open inguinal hernia repair; peri-operative outcome (Rudkin & Maddern), 586  
 Day-case surgery, influence of nitrous oxide on propofol dosage and recovery after total intravenous anaesthesia for (Lindekær *et al.*), 397  
 Day-case surgery: influence of nitrous oxide on propofol dosage (Farquhar-Thomson), 835 (c)  
 Deaths associated with anaesthesia. A report on 1,000 cases (Classic Paper) (Edwards *et al.*), 440  
 Deaths associated with anaesthesia (Classic Paper) (Wylie), 439  
 Deaths in children, caused by propofol? (Dearlove & Dobson), 916 (c)  
 Defibrillator implantation; recall of defibrillation shocks (Moerman *et al.*), 733 (f)  
 Defibrillator, inability to charge (Hayse-Gregson: Badier), 372 (c)  
 Defibrillators: risk of fire when used in an oxygen enriched atmosphere (Safety Notice), 581  
 Delayed hypersensitivity reactions, the effects of thiopentone and propofol on (Devlin *et al.*), 496  
 Delivery, operative, and severe tracheal stenosis (Sutcliffe *et al.*), 26  
 Dental anaesthesia, chair (Stanford), 666 (c)  
 Dental anaesthesia, chair; a declining practice? (Harrison, Calleja & Appiah-Anane), 88 (c)  
 Dental anaesthesia, chair; anaesthetic techniques (Davies & O'Keefe), 922 (c)  
 Dental surgery, day case, paediatric, propofol as sole agent for (Lake), 269 (c)  
 Desflurane: cardiovascular effects in experimental animals and volunteers (Weiskopf), 14 (S)  
 Desflurane: circulatory effects (Coriat), 18 (S)  
 Desflurane: economics of use (Eger), 45 (S)  
 Desflurane: implications of chemical and physical properties for longer surgery (Weiskopf), 9 (S)  
 Desflurane measured using a portable refractometer (Cheam & Lockwood), 607  
 Desflurane: physicochemical properties and pharmacodynamics (Eger), 3 (S)  
 Desflurane vaporizer, a problem with (Lockey & Purcell-Jones: Smith), 574 (c)  
 Diabetic patient, endometrial resection in (Harrison & Birks), 184 (c)  
 Diamorphine and bupivacaine, epidural infusions of, in labour (Lowson *et al.*), 420  
 Diamorphine, epidural; comparison of bolus and infusion administration in labour (Daniel & McGrady), 14  
 Diamorphine, epidural infusion of, with bupivacaine in labour (Hill, McCarthy & Bali), 415  
 Diathermy frequency shock from faulty pulse oximeter probe (Wakeling), 749 (c)  
 Diclofenac and post-tonsillectomy haemorrhage (Purday *et al.*), 827 (c)  
 Diclofenac compared with ketorolac for pain relief after knee arthroscopy (Dennis, Leeson-Payne & Hobbs), 904 (f)  
 Diclofenac, rectal, and caudal bupivacaine in combination, effect of postoperative analgesia in children (Gadiyar *et al.*), 820 (f)  
 Diclofenac, rectal, as an adjunct to spinal morphine in analgesia after Caesarean section (Dennis, Leeson-Payne & Hobbs), 297  
 Difficult Airway Society, formation of (Pearce), 923 (c)  
 Difficult direct laryngoscopy in patients with cervical spine disease (Calder, Calder & Crookard), 756  
 Difficult intubation *see also* Intubation  
 Difficult laryngeal mask insertion in a patient with Forestier's disease (Aziz, Thompson & Baer), 370 (c)  
 Difficult tracheal extubation in a patient with an unsuspected congenital subglottic stenosis (Asai), 243  
 Difficulty in inserting a laryngeal mask airway (Evans), 468 (c)  
 Difficulty in inserting a Portex minitracheotomy using a Seldinger wire technique (Harling), 567 (c)  
 Discharge letters, computerised, from the intensive care unit (Wallis & Shearer), 1013 (c)  
 Disinfection of gum elastic bougies (Jerwood & Mortiboy), 376 (c)  
 District General Hospital pain management programme (Luscombe *et al.*), 114  
 Doctors, newly qualified, management of postoperative pain by (Prys-Roberts: Gould, Upton & Collins: Harmer), 259 (c)  
 Dorsalis pedis and radial arteries, blood pressure measurement at, during surgery in horizontal and reverse Trendelenburg positions (Parry, Hirsch & Fauvel), 553 (f)  
 Dose-response study on the effect of nitrous oxide on performance of psychomotor tests (Cheam *et al.*), 764  
 Dose-responses for edrophonium during antagonism of vecuronium block in young and older adult patients (McCarthy *et al.*), 503  
 Double burst stimulation for monitoring neuromuscular blockade for tracheal intubation (Jain, Sharma & Bhattacharya), 23  
 Double-lumen endobronchial tube, Mallinckrodt; are the two long prongs necessary? (Inada, Uesugi & Kawachii), 834 (c)  
 Doxacurium: clinical pharmacology in young adults and in elderly patients (Martlew & Harper), 779  
 Doxacurium: rate of onset and offset (Feldman, Wu & England), 510  
 Droperidol and cyclizine compared in prevention of postoperative nausea and vomiting associated with PCA (Walder & Aitkenhead), 654 (f)  
 Droperidol and ondansetron compared in reducing postoperative nausea and vomiting associated with PCA (Alexander *et al.*), 1086 (f)  
 Droperidol: antiemetic effectiveness during morphine patient-controlled analgesia (Roberts, Millar & Goat), 559 (f)  
 Droperidol compared with ondansetron and metoclopramide in prevention of nausea and vomiting after day case gynaecological laparoscopy (Paxton, McKay & Mirakhur), 403  
 Drug administration and interference of continuous venovenous haemofiltration (Digby & Armstrong), 93 (c)  
 Drug administration, rectal, patients' attitudes to (Vyvyan & Hanafiah), 983 (f)  
 Drugs in status epilepticus (Dimpel: Walker, Smith & Shorvon), 824 (c)  
 Drugs in status epilepticus (Erratum) (Dimpel), 1103  
 Drugs, unlicensed, administration of (Mather & O'Kelly), 189



- Duchenne muscular dystrophy, tracheal occlusion in the prone position (Rittoo & Morris), 719
- Dural puncture, inadvertent, an avoidable cause of (Ball), 830 (c)
- Dural taps, inadvertent, occurring during siting of epidurals for pain relief in labour, current management of (Sajjad & Ryan), 156 (f)
- ECG, pre-operative, utilisation of (Callaghan, Edwards & Reilly), 488
- Economic analysis and pharmaceutical policy: a consideration of the economics of the use of desflurane (Eger E.I.), 45 (S)
- Editorials
- Anaesthesia*—50th year of publication (Morgan), 1
- Can the life of 'single use' breathing systems be extended? (Sutcliffe), 283
- Intensive care medicine in the reformed National Health Service (Baldock), 671
- Near infra-red spectroscopy (Harris), 1015
- No blood or blood products (Cox & Lumley), 583
- Pondering authorship: a symptom of a deeper malaise (Goodman), 485
- Recognition of the anaesthetist (Sykes), 381
- Spinal cord monitoring (Loughnan & Fennelly), 101
- The fetus comes of age (Holdcroft), 925
- Unlicensed drug administration (Mather & O'Kelly), 189
- 'Walking' epidurals in labour (Morgan), 839
- Assessment and control of pain in children (Lloyd-Thomas), 753
- Economic analysis and pharmaceutical policy (Rovira), 49 (S)
- Edrophonium as an antagonist of vecuronium-induced neuromuscular block in the elderly (Kitajima, Ishii & Ogata), 359 (f)
- Edrophonium, dose-responses for, during antagonism of vecuronium block in young and older adult patients (McCarthy *et al.*), 503
- EEG power spectra; clonidine in isoflurane N<sub>2</sub>O/O<sub>2</sub> anaesthesia (Gabriel *et al.*), 290
- Elderly patients, clinical pharmacology of doxacurium in (Martlew & Harper), 779
- Elderly patients, dose-responses for edrophonium during antagonism of vecuronium block in (McCarthy *et al.*), 503
- Elderly patients, edrophonium as an antagonist of vecuronium-induced neuromuscular block in (Kitajima, Ishii & Ogata), 359 (f)
- Electro-acupuncture therapy in chronic pain patients, somatosensory evoked potential changes following (Kumar *et al.*), 411
- Electroconvulsive therapy, anaesthetic assistants during (Dunkley), 1009 (c)
- Electromyography and accelerography, differential effects of vecuronium on the thumb and great toe as measured by (Kitajima *et al.*), 76 (f)
- Embolism, air, during awake craniotomy (Scuplak, Smith & Harkness), 338
- Embolism, amniotic fluid, following Caesarean section under spinal anaesthesia (Margarson), 804
- Emergency situations, a pouch for use in (Avidan), 179 (c)
- Emesis, patient-controlled (Tuckey & Marjot), 180 (c)
- Emesis, postoperative, following otoplasty in children (Paxton *et al.*), 1083 (f)
- Empyema, subcutaneous, relief using a large bore subcutaneous drain (Kelly, McGuigan & Allen), 1077
- Endobronchial double-lumen tube, Mallinckrodt; are the two long prongs necessary? (Inada, Uesugi & Kawachii), 834 (c)
- Endobronchial intubation, right, an unusual sign of (Eastwood), 90 (c)
- Endometrial resection in a diabetic patient (Harrison & Birks), 184 (c)
- Endothelial-related coagulation in cardiac surgery patients, effect of heparin on (Boldt *et al.*), 954
- Enflurane uptake during anaesthesia (Devchand, Chakrabarti & Lockwood), 491
- ENT anaesthesia, review of uses of the laryngeal mask in (Nair & Bailey), 898 (f)
- Epidural catheter placement, equipment failure during (Williams & Howell: Gosnell), 831 (c)
- Epidural clonidine for relief from intractable labour pain (Siegemund *et al.*), 663 (c)
- Epidural diamorphine. A comparison of bolus and infusion administration in labour (Daniel & McGrady), 14
- Epidural infusion of alfentanil or diamorphine with bupivacaine in labour—a dose finding study (Hill, McCarthy & Bali), 415
- Epidural infusion of bupivacaine, a grand mal convulsion in a child in association with (Peutrell & Hughes), 563 (c)
- Epidural infusion, postoperative, of a mixture of bupivacaine 0.2% with fentanyl for upper abdominal surgery; thoracic and lumbar routes compared (Chisakuta, George & Hawthorne), 72 (f)
- Epidural infusions of bupivacaine and diamorphine in labour (Lowson *et al.*), 420
- Epidural low dose infusions and forceps delivery (Wace: Poulton, Thompson & Fernando: Nicholson), 564 (c)
- Epidural opioid induced pruritis in parturients, a new treatment for (Nightingale), 185 (c)
- Epidural space, a trainer for identification of (Paw), 914 (c)
- Epidural space catheterisation, potential hazard with (Smith & Eggers), 88 (c)
- Epidural top ups, midwife, safety of (Cox *et al.*), 750 (c)
- Epidurals for pain relief in labour, current management of inadvertent dural taps during the siting of (Sajjad & Ryan), 156 (f)
- Epidurals: the skin-epidural distance in children (Bösenberg & Gouws), 895 (f)
- Epidurals, 'walking', in labour (Morgan), 839
- Epiglottitis, correct positioning of, for application of the Brain laryngeal mask airway (Fukutome), 818 (f)
- Epilepsy and trimethoprim tartrate (Harling), 97 (c)
- Epilepsy: intensive care treatment of convulsive status epilepticus in the UK (Walker, Smith & Shorvon), 130
- Epstein-Macintosh-Oxford (EMO) inhaler (Classic Paper) (Morgan), 239
- Equipment failure during epidural catheter placement (Williams & Howell: Gosnell), 831 (c)
- Equipment for paediatric resuscitation (Mawer), 87 (c)
- Equipment for paediatric resuscitation (Inkster), 567 (c)
- Errata, 484, 581, 1013
- Esmolol pretreatment, influence on effects of ketamine on cerebral blood flow velocity in humans (Strebel *et al.*), 223
- Evidence based medicine (Smith & Lodge), 1091 (c)
- Exponentials and the anaesthetist (Classic Paper) (Mapleson), 879
- Exponentials and the anaesthetist (Classic Paper) (Waters & Mapleson), 880
- Extracorporeal, circulation, high frequency jet ventilation for severe haemoptysis during (De Jongh *et al.*), 146
- Extradural tramadol hydrochloride, ineffective analgesia after, in patients undergoing total knee replacement (Grace & Fee), 555 (f)
- Extubation in children, laryngospasm following (Young & Skinner), 827
- Extubation, tracheal, difficult, in a patient with unsuspected congenital subglottic stenosis (Asai), 243
- Extubation, tracheal, in a child, fentanyl-induced laryngospasm following (Baraka), 375 (c)
- Extubation, tracheal, use of the laryngeal mask for airway maintenance following (Nair & Bailey), 174 (c)
- Face mask, clear PVC, use in teaching airway management skills (Carson & Moriarty), 571 (c)

- Facemask connector (Un, Gwinnutt & Richardson), 265 (c)  
 Facemask use in patients with beards (Seavell & Priestley), 271 (c)  
 Facemask ventilation, quality of breathing and capnography during (Ivens *et al.*), 858  
 Facial sensory evoked muscle potentials during labour. A continuous objective monitor of adequacy of analgesia? (Andrews *et al.*), 9  
 Failed inhalational induction—a faulty vaporizer (Green, Bugg & Holt), 85 (c)  
 Fasting: effect of pre-operative oral fluids on morbidity following anaesthesia for minor surgery (Gilbert, Easy & Fitch), 79 (f)  
 Fatal myocardial failure associated with a propofol infusion in a child (Bray), 94 (c)  
 Fatal myocardial failure associated with a propofol infusion in a child (Hawkins & Cohen), 564 (c)  
 Fatal subclavian artery haemorrhage. A complication of subclavian vein catheterisation (Mercer-Jones, Wenstone & Herschman), 639  
 Fatal subclavian artery haemorrhage (Hwang), 1012 (c)  
 Faulty pulse oximeter probe, diathermy frequency shock from (Wakeling), 749 (c)  
 Femoral venous cannula misplacement in abdominal trauma (Veall & Smith), 183 (c)  
 Fentanyl and propofol anaesthesia: comparison in coronary artery versus valve surgery (Bell *et al.*), 644 (f)  
 Fentanyl, effect on postanaesthetic shivering (Alfonsi *et al.*), 214  
 Fentanyl mixed with 0.2% bupivacaine, postoperative epidural infusion for upper abdominal surgery; comparison of thoracic and lumbar routes (Chisakuta, George & Hawthorne), 72 (f)  
 Fentanyl, transdermal, following lower abdominal surgery, postoperative analgesia with (Broome *et al.*), 300  
 Fentanyl versus morphine for patient-controlled analgesia (Watt & Soulsby), 470 (c)  
 Fentanyl-induced laryngospasm following tracheal extubation in a child (Baraka), 375 (c)  
 Fetus comes of age (Holdcroft), 925  
 Fibreoptic intubation; a facemask connector (Un, Gwinnutt & Richardson), 265 (c)  
 Fibreoptic intubation, a trainer for (Nott), 570 (c)  
 Fibreoptic intubation, comparison between two fibrescopes with different diameter insertion cords (Hakala & Randell), 735 (f)  
 Fibreoptic intubation in children; a new technique; always successful? (Erb & Frei), 659 (c)  
 Fibreoptic laryngoscope for paediatric anaesthesia; use of Olympus LF-P (Wrigley, Black & Sidhu), 709  
 Fibreoptic tracheal tube placement prior to percutaneous dilational tracheostomy (Mahon), 92 (c)  
 Fibrescopes, two, with different diameter insertion cords for fibreoptic intubation; comparison (Hakala & Randell), 735 (f)  
 Finger cuffs, oscillometric, blood pressure measurement using (O'Brien & Atkins: Lyew & Jamieson), 743 (c)  
 Fire risk when using defibrillators in an oxygen enriched atmosphere (Safety Notice), 581  
 Fogarty catheter, another use of (Smurthwaite & Macdonald), 86 (c)  
 Forceps, Magill, modified, used to place a flexible laryngeal mask (Welsh), 1002 (c)  
 Forces applied during laryngoscopy, a new device for measurement and recording (McCoy *et al.*), 139  
 Forearm block, no effect of circulating drug upon (Hood, Campkin & Feldman), 598  
 Forearms, isolated, atracurium and mivacurium simultaneously administered in (Kim *et al.*), 507  
 Foreign body, beetroot, in the airway (Walsh), 98 (c)  
 Forestier's disease, difficult laryngeal mask insertion in a patient with (Aziz, Thompson & Baer), 370 (c)  
 Fraser syndrome; anaesthetic considerations (Jagtap, Malde & Pantvaideya), 39  
 Fraser syndrome, anaesthetic considerations (Dakin & Bingham), 746 (c)  
 Fundoplication, laparoscopic, and pneumothorax (Hanning & Veitch), 1099 (c)
- Gas exchange, metabolic, during different surgical procedures (Lind), 304  
 Gas leak from an Ohmeda Excel 410 machine (Skilton & Kumar: Kersley), 266 (c)  
 Gastric emptying in patients the day after cardiac surgery (Goldhill *et al.*), 122  
 Gastric regurgitation during general anaesthesia in different positions with the laryngeal mask airway (El Mikatti *et al.*), 1053  
 Gastric tonometry: improved  $PCO_2$  measurement in blood gas analysers using a phosphate-buffered solution (Knichwitz, Mertes & Kuhmann), 532  
 Gastric tonometry, measuring  $PCO_2$  for; precision is as important as bias (Venkatesh & Riddington), 913 (c)  
 General anaesthesia, changes in intra-ocular pressure during (Mynt *et al.*), 126  
 General anaesthesia, effect on neutrophil function (Khan *et al.*), 769  
 General anaesthesia for a patient with tracheobronchomegaly (Mounier-Kuhn syndrome) (Bourne, Raphael & Tordoff), 545  
 General anaesthesia, gastric regurgitation during, in different positions with the laryngeal mask airway (El Mikatti *et al.*), 1053  
 General anaesthesia in a patient with Fraser syndrome (Jagtap, Malde & Pantvaideya), 39  
 General anaesthesia in a patient with Fraser syndrome (Dakin & Bingham), 746 (c)  
 General anaesthesia, morphine requirement after wisdom tooth extraction under (Tighe *et al.*), 816 (f)  
 General anaesthesia, reliability of scoring systems to evaluate children after (Keegan, Yudkowitz & Bodian), 200  
 General anaesthesia, upper and lower limb blood pressures during (Howat), 918 (c)  
 Geriatric anaesthesia (Conzen & Peter), 29 (S)  
 Glomerular permeability, peri-operative assessment of (De Gaudio *et al.*), 810  
 Glottic isolation: a new laryngeal mask prototype (Brain *et al.*), 42  
 Gloves, protective; use by anaesthetists (Parker), 726 (f)  
 Gown tie causing difficult ventilation (Ballin), 96 (c)  
 Gram-negative bacteraemia in sepsis syndrome (Brock-Utne), 267 (c)  
 Grand mal convulsion in a child in association with a continuous epidural infusion of bupivacaine (Peutrell & Hughes), 563 (c)  
 Graseby PAS pump: safety of patient controlled analgesia (Heath), 573 (c)  
 Great toe and thumb, differential effects of vecuronium on, as measured by accelography and electromyography (Kitajima *et al.*), 76 (f)  
 Guidewires and central venous catheters (Hughes), 834 (c)  
 Gum elastic bougies, disinfection of (Jerwood & Mortiboy), 376 (c)  
 Gynaecological laparoscopy, day case, prevention of nausea and vomiting after; comparison of ondansetron, droperidol and metoclopramide (Paxton, McKay & Mirakhur), 403
- Haematological disturbances, age-related, in anaesthetic personnel exposed to halothane and nitrous oxide (Matta), 477 (c)  
 Haematological disturbances in anaesthetic personnel exposed to halothane and nitrous oxide (Shirley), 477 (c)  
 Haemodilution in patients with left main coronary artery stenosis (Herregods *et al.*), 950  
 Haemodynamic and plasma catecholamine responses during total intravenous anaesthesia for laryngomicroscopy. Thiopentone compared with propofol (Mustola *et al.*), 108  
 Haemodynamic effects of tracheally administered adrenaline in anaesthetised patients (Kestin & McCrirrick), 514  
 Haemodynamics during operations for myocardial revascularisation, influence of ketanserin or urapidil on (Petry, Wulf & Baumgärtel), 312

- Haemofiltration, venovenous, continuous; interference with drug administration (Digby & Armstrong), 93 (c)  
 Haemoptysis, severe, high frequency jet ventilation for, during extracorporeal circulation (De Jongh *et al.*), 146  
 Haemorrhage, post-tonsillectomy, and diclofenac (Purdue *et al.*), 827 (c)  
 Haemorrhage, problems of oxygenation and oxygen transport during (Classic Paper) (Nunn & Freeman), 794  
 Haemorrhage, subclavian artery, fatal; a complication of subclavian vein catheterisation (Mercer-Jones, Wenstone & Hershman), 639  
 Haemorrhage, subclavian artery, fatal (Hwang), 1012 (c)  
 Halothane anaesthesia in children, neuromuscular blocking effects of vecuronium during (Taivainen & Meretoja), 1046  
 Halothane and occupational exposure (Shirley), 477 (c)  
 Halothane and occupational exposure (Matta), 477 (c)  
 Halothane hepatitis—has thymol been overlooked? (Hutter), 1098 (c)  
 Hand laceration, prevalence in anaesthetists (Parker), 726 (f)  
 Handling of patients by anaesthetists (Luntley, Ross & Pearce), 729 (f)  
 Hayek Oscillator (Petros *et al.*), 601  
 Hayek Oscillator, use during microlaryngeal surgery (Monks *et al.*), 865  
 Hazard: a defective connector (van Hamel & Williams), 479 (c)  
 Hazard: A new source of gas leak from an Ohmeda Excel 410 machine (Skilton & Kumar: Kersley), 266 (c)  
 Hazard: a problem with a desflurane vaporizer (Lockey & Purcell-Jones: Smith), 574 (c)  
 Hazard: an incident with a local anaesthetic spray (Leng), 181 (c)  
 Hazard: an unusual cause of a leak from an anaesthetic machine (Jones), 751 (c)  
 Hazard: caution in the use of disposable tubing (Pateman & Lavies), 478 (c)  
 Hazard: dangers of carbon dioxide cylinders on anaesthetic machines (Todd), 911 (c)  
 Hazard: defective Selectatec O-rings (James), 184 (c)  
 Hazard: defective Selectatec O-rings (Tighe), 668 (c)  
 Hazard: early venous catheter blockade, a cause for immediate concern (Bhanumurthy, McMurray & Bannon), 473 (c)  
 Hazard: failed inhalational induction; a faulty vaporizer (Green, Bugg & Holt), 85 (c)  
 Hazard: fault in Portex tracheal tube: a hidden leak (Chilvers & Jenkins: Padua), 920 (c)  
 Hazard: femoral venous cannula misplacement in abdominal trauma (Veall & Smith), 183 (c)  
 Hazard: inability to charge a defibrillator (Hayse-Gregson: Badier), 372 (c)  
 Hazard: incident with a local anaesthetic spray (Francis), 923 (c)  
 Hazard Notices, 99  
 Hazard: one-way valve malfunction in a circle system (Thomson & Gordon: Greenham), 920 (c)  
 Hazard: overinflation of tracheal tube cuff (Smith), 84 (c)  
 Hazard: potential for misassembly of Intersurgical Mapleson F breathing systems (Wilson: Duggan), 373 (c)  
 Hazard, potential, with epidural space catheterisation (Smith & Eggers), 88 (c)  
 Hazard: severe hyperventilation and respiratory alkalosis during pressure-support ventilation (Chui, Joynt & Oh), 978  
 Hazard with the Abbott Provider 5500 (McAndrew: Englishby), 829 (c)  
 Hazard with the reinforced laryngeal mask airway (Dempsey & Barrett: Woods), 660 (c)  
 Hazardous modification of a heat and moisture exchanger (Ferguson & Orr), 479 (c)  
 Hazards *see also* Hazard Notices; Obstruction; Safety; Safety Action Bulletins  
 Hazards of oral premedication (Forster: Booth & Boyle), 187 (c)  
 Health and activity after intensive care (Munn, Willatts & Tooley), 1017  
 Heat and moisture exchanger, hazardous modification of (Ferguson & Orr), 479 (c)  
 Heparin, effect on endothelial-related coagulation in cardiac surgery patients (Boldt *et al.*), 954  
 Hepatitis, halothane—has thymol been overlooked? (Hutter), 1098 (c)  
 Hereditary angioneurotic oedema: current management in pregnancy (Cox & Holdcroft), 547  
 Hernia repair, day-case laparoscopic and open; peri-operative outcome (Rudkin & Maddern), 586  
 Hickman line insertion, a complication with a split sheath during (Brosnan & Filshie), 576 (c)  
 High dependency unit, assessment of demand for (Leeson-Payne & Aitkenhead), 383  
 High Dependency Unit care and risks of hospital mortality (Pappachan *et al.*: Ridley), 657 (c)  
 High dependency units, demand for (Chambers & Wakefield: Leeson-Payne & Aitkenhead), 1090 (c)  
 High frequency jet ventilation for severe haemoptysis during extracorporeal circulation (De Jongh *et al.*), 146  
 High frequency jet ventilation in the management of intra-operative tracheal injury (Hodgson & Mostafa), 637  
 High frequency oscillation in normal subjects and in patients with acute respiratory failure (Al-Saady *et al.*), 1031  
 High frequency oscillator combined with an intermittent positive pressure ventilator (Raphael, Atkinson & Bexton), 611  
 History: *Anaesthesia*—50th year of publication (Morgan), 1  
 History: anaesthetic and postoperative recovery rooms (Zuck), 435  
 History: early proponents of cardiac massage (Böhrer & Goerig), 969  
 History: Nathan Keep—William Morton's Salieri? (Keep), 233  
 HME filter and Ayre's T piece (Jerwood & Jones), 915 (c)  
 House officers, knowledge of postoperative analgesic regimens in (Hatcher & Peacock), 96 (c)  
 Hudson mask: performance in postoperative oxygen therapy (McBrien & Sellers), 136  
 Hyaluronidase for supplementation of peribulbar anaesthesia; evaluation of two concentrations (Brydon, Basler & Kerr), 998 (f)  
 Hydroxyethyl starch solution and severe pruritis (Spittal & Findlay), 913 (c)  
 Hyperkalaemic cardiac arrest, suxamethonium-related, in intensive care (Dornan & Royston), 1006 (c)  
 Hypertension, pregnancy-induced, or a normal variant? (O'Hanlon), 1014 (c)  
 Hyperventilation, severe, during pressure support ventilation: report of a hazard (Chui, Joynt & Oh), 978  
 Hypocapnia, dead space ventilation in the alleviation of? (Watt & Devine), 688  
 Hypoglossal nerve course in relation to the position of the laryngeal mask airway (Brain), 82 (c)  
 Hypoglossal nerve course in relation to the position of the laryngeal mask airway (Erratum) (Brain), 484  
 Hypoperfusion, cerebral, during cardiopulmonary bypass (Manners), 373 (c)  
 Hypothermia and laparoscopic cholecystectomy (King), 666 (c)  
 Hypoxaemia, maternal, during labour and delivery; influence of analgesia and effect on neonatal outcome (Griffin & Reynolds), 151 (f)  
 Hypoxia, nitric oxide in the pulmonary circulation during (Hampl), 264 (c)  
 Hysterectomy, immune response to; comparison of propofol infusion and isoflurane (Pirttikangas *et al.*), 1056  
 Immobility needle technique, peribulbar anaesthesia using (Smith & Driver), 915 (c)  
 Immune response, effects of propofol and Intralipid on (Pirttikangas *et al.*), 317  
 Immune response to hysterectomy, comparison of propofol infusion and isoflurane (Pirttikangas *et al.*), 1056

- Implantable cardioverter defibrillator implantation; recall of defibrillation shocks (Moerman *et al.*), 733 (f)
- Improved PCO<sub>2</sub> measurement in six standard blood gas analysers using a phosphate-buffered solution for gastric tonometry (Kuhmann)
- Incident report scheme in anaesthesia, compliance with (Jayasuriya & Anandaciva), 846
- Induction end-point and laryngeal mask placement (Driver, Mills & Howard-Griffin), 921 (c)
- Induction of anaesthesia: comparison of vital capacity breath and tidal breathing techniques (Yurino & Kimura), 308
- Induction of anaesthesia, Raynaud's syndrome following (Bedforth & Lockey), 248
- Induction of spinal anaesthesia for Caesarean section, maternal position during; comparison of right lateral and sitting positions (Ingilis, Daniel & McGrady), 363 (f)
- Induction, rapid sequence, and rocuronium (Playfair & Uncles), 663 (c)
- Infant speaking tracheostomy tube, a problem with (Yahagi *et al.*: Smalley), 91 (c)
- Infant with Rubinstein-Taybi syndrome, anaesthesia in (Critchley, Gin & Stuart), 37
- Infant with tracheomalacia secondary to a vascular ring, prolonged tracheal intubation in (Reah & Entress), 341
- Infusion and bolus administration compared for epidural diamorphine in labour (Daniel & McGrady), 14
- Infusion, continuous, of mivacurium, influence of isoflurane on (De Mey *et al.*), 947
- Infusion, intra-osseous, during paediatric resuscitation, an unusual complication (Erb, Hampl & Frei), 471 (c)
- Infusion, propofol, in a child, fatal myocardial failure associated with (Bray), 94 (c)
- Infusion, propofol, in a child, fatal myocardial failure associated with (Hawkins & Cohen), 564 (c)
- Infusions, epidural, of bupivacaine and diamorphine in labour (Lowson *et al.*), 420
- Inguinal hernia repair, day-case laparoscopic and open; peri-operative outcome (Rudkin & Maddern), 586
- Inhalational anaesthesia at the extreme of age: geriatric anaesthesia (Conzen & Peter), 29 (S)
- Inhalational anaesthesia at the extremes of age: paediatric anaesthesia (Olsson), 34 (S)
- Inhalational anaesthetic agent, new, is there a need for? (Jones & Ward), 1 (S)
- Inhaler, anaesthetic, with automatic thermo-compensation (Classic Paper) (Epstein & Macintosh), 240
- Inhaler, Epstein-Macintosh-Oxford (EMO) (Classic Paper) (Morgan), 239
- Insufflation, carbon dioxide, pulmonary consequences for laparoscopic cholecystectomies (Kendall, Bhatt & Oh), 286
- Intensive care, an adaptation of the objective structured clinical examination to a final year medical student course in (Critchley *et al.*), 354 (f)
- Intensive care and mortality prediction algorithm (Read *et al.*: Plenderleith & Hope), 823 (c)
- Intensive care, health and activity after (Munn, Willatts & Tooley), 1017
- Intensive care medicine in the reformed National Health Service (Baldock), 671
- Intensive care patients: lignocaine metabolite formation an indicator for liver dysfunction and predictor of survival (Schfoter *et al.*), 850 (c)
- Intensive care patients, use of a modified occlusal bite guard to prevent self-induced injury in (Roberts), 144
- Intensive Care Program, Riyadh; mortality prediction algorithm assessed in 617 intensive care patients in Glasgow (Hope & Plenderleith), 103
- Intensive care, suxamethonium-related hyperkalaemic cardiac arrest in (Dornan & Royston), 1006 (c)
- Intensive care treatment of convulsive status epilepticus in the UK (Walker, Smith & Shorvon), 130
- Intensive care unit, computerised discharge letters from (Wallis & Shearer), 1013 (c)
- Intensive care unit, post cholecystectomy admission to (Messahel), 901 (f)
- Intensive care unit, use of the laryngeal mask airway for respiratory distress in (Arosio & Conci), 635
- Intensive therapy: is there a case for high dependency care? (Pappachan *et al.*: Ridley), 657 (c)
- Intentional normovolaemic haemodilution in patients with left main coronary artery stenosis (Herregods *et al.*), 950
- Intermittent positive pressure respiration in tetanus neonatorum (Classic Paper) (Sykes), 333
- Intermittent positive pressure ventilator combined with a high frequency oscillator (Raphael, Atkinson & Bexton), 611
- Intersurgical Mapleson F breathing systems, potential for misassembly of (Wilson: Duggan), 373 (c)
- Intra-abdominal and intrathoracic vena cava, comparison in critically ill children of central venous pressure measurements in (Litmanovitch *et al.*), 407
- Intragastric oxygen efficiency (Classic Paper) (Cooper), 535
- Intragastric oxygen efficiency (Classic Paper) (Cooper, Smith & Pask), 536
- Intralipid, effects on immune response and prostaglandin E<sub>2</sub> production (Pirttikangas *et al.*), 317
- Intra-ocular pressure changes during general anaesthesia (Myint *et al.*), 126
- Intra-operative tracheal injury, high frequency jet ventilation in management of (Hodgson & Mostafa), 637
- Intra-operative tracheal obstruction by tumour fragments (Tzabar), 249
- Intra-operative tracheal obstruction by tumour fragments (Satur, Church & Lau), 1102 (c)
- Intra-osseous infusion during paediatric resuscitation, unusual complication (Erb, Hampl & Frei), 471 (c)
- Intrapleural percutaneous tracheostomy (Noden & Kirkpatrick), 91 (c)
- Intrathecal pethidine hydrochloride for urological surgery, anaesthesia and adverse effects after (Grace & Fee), 1036
- Intrathoracic and intra-abdominal vena cava, comparison of central venous pressure measurements in, in critically ill children (Litmanovitch *et al.*), 407
- Intravenous anaesthesia for day-case surgery, influence of nitrous oxide on propofol dosage and recovery after (Lindekær *et al.*), 397
- Intravenous anaesthesia for day-case surgery, influence of nitrous oxide on propofol dosage (Farquhar-Thomson), 835 (c)
- Intravenous anaesthesia for laryngomicroscopy, haemodynamic and plasma catecholamine responses during; thiopentone compared with propofol (Mustola *et al.*), 108
- Intravenous anaesthesia, influence of nitrous oxide on propofol dosage and recovery after (Heath *et al.*), 1101 (c)
- Intravenous anaesthesia, total, and somatostatin (Kanakoudis *et al.*), 594
- Intravenous cannula, defective (Sinden & Jayamaha: Costello), 829 (c)
- Intravenous cannulation; needle-stick injuries are reduced by a new device, Safelon (Watters *et al.*), 529
- Intravenous induction of anaesthesia, Raynaud's syndrome following (Bedforth & Lockey), 248
- Intravenous infusions of propofol or thiopentone, sedation with; effects on pain perception (Wilder-Smith, Kolletzki & Wilder-Smith), 218
- Intravenous injection detection; lignocaine test dose (Michels, Lyons & Hopkins), 211
- Intravenous injection detection, safety of lignocaine test dose for (Milne), 830 (c)
- Intravenous injection, lignocaine test doses for detection (Campbell & May: Nightingale), 750 (c)
- Intravenous lignocaine, effects in facilitation of laryngeal mask insertion (Stoneham, Bree & Sneyd), 464 (f)
- Intubating conditions following IR CIS, I'R CIS atracurium (51W89). A comparison with atracurium (Littlejohn *et al.*), 499
- Intubating conditions following vecuronium, rocuronium and mivacurium (Wierda *et al.*), 393
- Intubating fibroscope, Olympus LF-P, in paediatric anaesthesia (Wrigley, Black & Sidhu), 709
- Intubation, blind, aids for; screen or sound? (Maleck), 1093 (c)



- Intubation, difficult, in a patient with thoracic trauma (King, Huntington & Khan: Groves, Edwards & Hood), 371 (c)
- Intubation, fiberoptic; a facemask connector (Un, Gwinnutt & Richardson), 265 (c)
- Intubation, fiberoptic, a trainer for (Nott), 570 (c)
- Intubation, fiberoptic, comparison between two fibrescopes with different diameter insertion cords (Hakala & Randell), 735 (f)
- Intubation, fiberoptic, in children; a new technique; always successful? (Erb & Frei), 659 (c)
- Intubation, oral, blind, compared with direct laryngoscopy; stress response to tracheal intubation (Pernerstorfer *et al.*), 17
- Intubation, orotracheal, and cervical spine injury (Scott & Field), 567 (c)
- Intubation, orotracheal, eighty-seven days of (Iqbal & Zuleika), 343
- Intubation, right endobronchial, an unusual sign of (Eastwood), 90 (c)
- Intubation, tracheal, a new device, SCOTI, for identification of (Murray, Ward & Sear), 1062
- Intubation, tracheal, and the reinforced laryngeal mask airway for nasal surgery, a comparison (Williams, Thompson & Bailey), 987 (f)
- Intubation, tracheal, blind, aided by cuff inflation and capnography (Szmuk & Ezri), 662 (c)
- Intubation, tracheal; double burst stimulation for monitoring neuromuscular blockade for (Jain, Sharma & Bhattacharya), 23
- Intubation, tracheal, in a patient with Fraser syndrome (Jagtap, Malde & Pantvaiddya), 39
- Intubation, tracheal, in a patient with Fraser syndrome (Dakin & Bingham), 746 (c)
- Intubation, tracheal, long-term, in burn patients (Emmanuel), 1097 (c)
- Intubation, tracheal, prehospital, of trauma victims, cervical spine control during (Morley, Haji-Michael & Mahoney), 661 (c)
- Intubation, tracheal, prolonged (Gilston), 749 (c)
- Intubation, tracheal, prolonged, in an infant with tracheomalacia secondary to a vascular ring (Reah & Entress), 341
- Intubation, tracheal, retrograde, pretracheal abscess following (Beebe *et al.*), 470 (c)
- Intubation, tracheal, scoring systems for (Lazarus), 268 (c)
- Intubation, tracheal, stress response to; direct laryngoscopy compared with blind oral intubation (Pernerstorfer *et al.*), 17
- Intubation, tracheal, with the McCoy laryngoscope (Chadwick & McCluskey), 571 (c)
- Intubation via a laryngeal mask airway and cervical spine surgery (Kiyama), 83 (c)
- Irrigating fluid absorption, continuous monitoring during transurethral surgery (Hahn, Larsson & Ribbe), 327
- Irrigation fluid absorption in transurethral resection of the prostate (Drage & Jones), 745 (c)
- Ischaemia, spinal cord, and paraplegia (Watts), 745 (c)
- Isoflurane anaesthesia, pressure support ventilation during (Bhatt *et al.*), 1026
- Isoflurane and propofol compared, assessment of recovery following day-case arthroscopy (Gupta *et al.*), 937
- Isoflurane and propofol compared; immune response to hysterectomy (Pirttikangas *et al.*), 1056
- Isoflurane concentration in a low-flow system, estimation of (Gowrie-Mohan, Chakrabarti & Lockwood), 706
- Isoflurane, influence on continuous infusion of mivacurium (De Mey *et al.*), 947
- Isoflurane  $N_2O/O_2$  relaxant anaesthesia, clonidine an adjunct in (Gabriel *et al.*), 290
- Isoflurane- $N_2O/O_2$ -relaxant anaesthesia, and clonidine (Rogers), 1013 (c)
- Jehovah's Witnesses (Cox & Lumley), 583
- Jehovah's Witnesses, no blood or blood products (Rogers), 1013 (c)
- Job descriptions—room for improvement? (Broadbent), 368 (c)
- Jugular vein, internal, percutaneous catheterisation of (Classic Paper) (English), 1070
- Jugular vein, internal, percutaneous catheterisation of (Classic Paper) (English *et al.*), 1071
- Keep, Nathan; William Morton's Salieri? (Keep), 233
- Ketamine and the cerebral circulation (Barker & Duckworth), 751 (c)
- Ketamine, effects on cerebral blood flow velocity in humans; influence of pretreatment with midazolam or esmolol (Strebel *et al.*), 223
- Ketamine and morphine, combined analgesic effect of (Fisher, Roytblat & Greemberg), 746 (c)
- Ketanserin and urapidil during myocardial revascularisation (Innes), 1100 (c)
- Ketanserin: influence on haemodynamics, stress response and kidney function during operations for myocardial revascularisation (Petry, Wulf & Baumgärtel), 312
- Ketorolac compared with diclofenac for pain relief after knee arthroscopy (Dennis, Leeson-Payne & Hobbs), 904 (f)
- Kidney function during operations for myocardial revascularisation, influence of ketanserin or urapidil on (Petry, Wulf & Baumgärtel), 312
- Kinking of a tracheal tube in the nasal cavity (Stacey & Asai), 917 (c)
- Klippel-Feil syndrome, anaesthesia for Caesarean section in a patient with; use of a microspinal catheter (Dresner & Maclean), 807
- Knee arthroscopy, day-case, analgesia following; effect of piroxicam with or without bupivacaine (Morrow, Milligan & Murthy), 461 (f)
- Knee arthroscopy, diclofenac compared with ketorolac for pain relief after (Dennis, Leeson-Payne & Hobbs), 904 (f)
- Knee replacement, ineffective analgesia after extradural tramadol hydrochloride in patients undergoing (Grace & Fee), 555 (f)
- Labour and delivery, maternal hypoxaemia during; influence of analgesia and effect on neonatal outcome (Griffin & Reynolds), 151 (f)
- Labour and labour pain, effect of maternal obesity on (Ranta *et al.*), 322
- Labour, current management of inadvertent dural taps during siting of epidurals for pain relief in (Sajjad & Ryan), 156 (f)
- Labour: epidural diamorphine, a comparison of bolus and infusion administration (Daniel & McGrady), 14
- Labour: epidural infusion of alfentanil or diamorphine with bupivacaine (Hill, McCarthy & Bali), 415
- Labour: epidural infusions of bupivacaine and diamorphine (Lowson *et al.*), 420
- Labour: epidural low dose infusions and forceps delivery (Wace: Poulton, Thompson & Fernando: Nicholson), 564 (c)
- Labour, facial sensory evoked muscle potentials during; monitor of adequacy of analgesia (Andrews *et al.*), 9
- Labour pain, intractable, epidural clonidine for relief from (Siegemund *et al.*), 663 (c)
- Labour, 'walking' epidurals in (Morgan), 839
- Laparoscopic cholecystectomies, pulmonary consequences of carbon dioxide insufflation for (Kendall, Bhatt & Oh), 286
- Laparoscopic cholecystectomy and hypothermia (King), 666 (c)
- Laparoscopic day-case inguinal hernia repair; peri-operative outcome (Rudkin & Maddern), 586
- Laparoscopic fundoplication, and pneumothorax (Hanning & Veitch), 1099 (c)
- Laparoscopic Nissen fundoplication, pneumomediastinum during (Stallard), 667 (c)
- Laparoscopy, gynaecological, day case, prevention of nausea and vomiting after; comparison of ondansetron, droperidol and metoclopramide (Paxton, McKay & Mirakhur), 403
- Laryngeal competence, postoperative; the laryngeal mask airway and tracheal tube compared (Stanley *et al.*), 985 (f)
- Laryngeal mask airway and neonatal resuscitation (Thomas), 569 (c)
- Laryngeal mask airway and neonatal resuscitation (Brimacombe), 1003 (c)



- Laryngeal mask airway and tracheal tube compared; postoperative laryngeal competence (Stanley *et al.*), 985 (f)
- Laryngeal mask airway, another use for (Graham), 368 (c)
- Laryngeal mask airway, bite block for (Townend, Frew & Hoyle), 918 (c)
- Laryngeal mask airway, Brain, correct positioning of the epiglottis for application of (Fukutome), 818 (f)
- Laryngeal mask airway, course of the hypoglossal nerve in relation to the position of (Brain), 82 (c)
- Laryngeal mask airway, course of the hypoglossal nerve in relation to the position of (Erratum) (Brain), 484
- Laryngeal mask airway, difficulty in insertion (Evans), 468 (c)
- Laryngeal mask airway, gastric regurgitation during general anaesthesia in different positions with (El Mikatti *et al.*), 1053
- Laryngeal mask airway insertion using cricoid pressure and manual in-line neck stabilisation (Gabbott & Sasada), 674
- Laryngeal mask airway, intubation via, and cervical spine surgery (Kiyama), 83 (c)
- Laryngeal mask airway, reinforced, and tracheal intubation for nasal surgery, a comparison (Williams, Thompson & Bailey), 987 (f)
- Laryngeal mask airway, reinforced, hazard with (Dempsey & Barrett: Woods), 660 (c)
- Laryngeal mask airway, the effects of 2% lignocaine gel on incidence of retching with the use of (Chan & Tham), 257 (f)
- Laryngeal mask airway, the effects of lignocaine gel on incidence of retching with the use of (Edwards: Millett & Allman), 746 (c)
- Laryngeal mask airway, use for respiratory distress in the intensive care unit (Arosio & Conci), 635
- Laryngeal mask, an asthmatic weaned from a ventilator using (Taylor & Bell), 454
- Laryngeal mask, flexible, placed using a modified Magill's forceps (Welsh), 1002 (c)
- Laryngeal mask in ENT anaesthesia, a review (Nair & Bailey), 898 (f)
- Laryngeal mask insertion aid and minor morbidity (Dingley), 83 (c)
- Laryngeal mask insertion, difficult, in a patient with Forestier's disease (Aziz, Thompson & Baer), 370 (c)
- Laryngeal mask insertion, facilitation of; effects of lignocaine given intravenously before induction with propofol (Stoneham, Bree & Sneyd), 464 (f)
- Laryngeal mask, new, prototype; preliminary evaluation (Brain *et al.*), 42
- Laryngeal mask placement and induction end-point (Driver, Mills & Howard-Griffin), 921 (c)
- Laryngeal mask, spontaneous breathing through; changes in intra-ocular pressure during general anaesthesia (Myint *et al.*), 126
- Laryngeal mask, the oesophageal detector device is not useful for (Asai), 175 (c)
- Laryngeal mask: use for airway maintenance following tracheal extubation (Nair & Bailey), 174 (c)
- Laryngeal mask ventilation, quality of breathing and capnography during (Ivens *et al.*), 858
- Laryngomicroscopy, haemodynamic and plasma catecholamine responses during intravenous anaesthesia for; thiopentone compared with propofol (Mustola *et al.*), 108
- Laryngoscope, fiberoptic, for paediatric anaesthesia; use of Olympus LF-P (Wrigley, Black & Sidhu), 709
- Laryngoscope, McCoy, another trachea intubated with (Chadwick & McCluskey), 571 (c)
- Laryngoscopes, Macintosh, prototype, and the 'Real McCoy' (Uncles *et al.*), 175 (c)
- Laryngoscopy, a new device for measuring and recording the forces applied during (McCoy *et al.*), 139
- Laryngoscopy, direct, compared with blind oral intubation; stress response to tracheal intubation (Pernerstorfer *et al.*), 17
- Laryngoscopy, direct, difficult, in patients with cervical spine disease (Calder, Calder & Crockard), 756
- Laryngoscopy, modified Macintosh blade and the real McCoy (Newnam & Fry), 1008 (c)
- Laryngoscopy, stress response to; Macintosh versus the McCoy blade (McCoy, Mirakhur & McCloskey), 943
- Laryngospasm, fentanyl-induced, following tracheal extubation in a child (Baraka), 375 (c)
- Laryngospasm following extubation in children (Young & Skinner), 827 (c)
- Laryngotracheal stenosis after percutaneous tracheostomy (Ciaglia & Marx), 161 (c)
- Laryngotracheal stenosis following percutaneous tracheostomy (Sun), 182 (c)
- Leak from an anaesthetic machine, an unusual cause of (Jones), 751 (c)
- Leakage of gas from an Ohmeda Ecel 410 machine (Skilton & Kumar: Kersley), 266 (c)
- Leukotriene B<sub>4</sub> as a marker of cerebral dysfunction (Kendall, Lin & Oh), 590
- Lifting and handling of patients by anaesthetists (Luntley, Ross & Pearce), 729 (f)
- Lignocaine 2% gel: effects on incidence of retching with the use of the laryngeal mask airway (Chan & Tham), 257 (f)
- Lignocaine, effect on postanaesthetic shivering (Alfonsi *et al.*), 214
- Lignocaine gel: effects on incidence of retching with the use of the laryngeal mask airway (Edwards: Millett & Allman), 746 (c)
- Lignocaine, intravenous, effects in facilitation of laryngeal mask insertion (Stoneham, Bree & Sneyd), 464 (f)
- Lignocaine, intravenous; induction end-point and laryngeal mask placement (Driver, Mills & Howard-Griffin), 921 (c)
- Lignocaine metabolite formation: an indicator for liver dysfunction and predictor of survival in surgical intensive care patients (Schföter *et al.*), 850 (c)
- Lignocaine spray nozzle, detached (Francis), 923 (c)
- Lignocaine test dose to detect intravenous injection (Michels, Lyons & Hopkins), 211
- Lignocaine test dose to detect intravenous injection, safety of (Milne), 830 (c)
- Lignocaine test doses to detect intravenous injection (Campbell & May: Nightingale), 750 (c)
- Limb circumference in critically ill patients (Gilston), 748 (c)
- Lingual swelling, massive, following palatoplasty; upper airway obstruction (Chan *et al.*), 30
- Lithotripsy, outpatient, patient-controlled analgesia with alfentanil for (Mackenzie), 269 (c)
- Liver dysfunction, lignocaine metabolite formation an indicator for (Schföter *et al.*), 850 (c)
- Liver enzymes; somatostatin and total intravenous anaesthesia (Kanakoudis *et al.*), 594
- Liver transplantation, forced-air warming maintains normothermia during (Müller *et al.*), 229
- Liver transplantation, forced-air warming maintains normothermia during (Lamb & Rogers), 745 (c)
- Liver transplantation with venovenous bypass, cardiac function during (Cheema *et al.*), 776
- Local anaesthesia and venous cannulation (O'Connor & Caldicott: Paton), 1005 (c)
- Local anaesthesia for cannulation. Has practice changed? (Dennis *et al.*), 400
- Local anaesthetic spray, an incident with (Leng), 181 (c)
- Local anaesthetic spray, an incident with (Francis), 923 (c)
- Lordoscoliosis, thoracic, severe, cardiopulmonary complications during surgery for (Bagshaw & Jardine), 890
- Lower limb nerve blocks in children using unsheathed needles and a nerve stimulator (Bösenberg), 206
- Low-flow anaesthesia (Baum & Aitkenhead), 37 (S)
- Low-flow system: estimation of inspired isoflurane concentration (Gowrie-Mohan, Chakrabarti & Lockwood), 706
- Lumbar and thoracic routes compared; postoperative epidural infusion of a mixture of bupivacaine 0.2% with fentanyl for upper abdominal surgery (Chisakuta, George & Hawthorne), 72 (f)
- Lung injury score, interobserver variation in the chest radiograph component of (Beards *et al.*), 928
- McCoy laryngoscope, another trachea intubated with (Chadwick & McCluskey), 571 (c)

- McCoy laryngoscope blade and the modified Macintosh blade (Newnam & Fry), 1008 (c)
- McCoy versus Macintosh blade; comparison of stress response to laryngoscopy (McCoy, Mirakhor & McCloskey), 943
- Macintosh laryngoscope blade, modified, and the real McCoy (Newnam & Fry), 1008 (c)
- Macintosh laryngoscopes, prototype, and the 'Real McCoy' (Uncles *et al.*), 175 (c)
- Macintosh versus McCoy blade; comparison of stress response to laryngoscopy (McCoy, Mirakhor & McCloskey), 943
- Magill's forceps, modified, used to place a flexible laryngeal mask (Welsh), 1002 (c)
- Magnesium deficiency in critically ill patients (Arnold *et al.*), 203
- Magnesium sulphate, effects on suxamethonium-induced complications during rapid-sequence induction of anaesthesia (Stacey *et al.*), 933
- Mallinckrodt double-lumen endobronchial tube: are the two long prongs necessary? (Inada, Uesugi & Kawachii), 834 (c)
- Management of postoperative pain by newly qualified doctors (Prys-Roberts: Gould, Upton & Collins: Harmer), 259 (c)
- Manganese toxicity in a patient with cholestasis receiving total parenteral nutrition (Staunton & Phelan), 665 (c)
- Manley ventilator (Classic Paper) (Feldman), 64
- Mapleson F breathing systems, potential for misassembly of (Wilson: Duggan), 373 (c)
- Mask *see also* Face; Laryngeal
- Mask, Hudson; performance in postoperative oxygen therapy (McBrien & Sellers), 136
- Maternal position during induction of spinal anaesthesia for Caesarean section. A comparison of right lateral and sitting positions (Inglis, Daniel & McGrady), 363 (f)
- Maternal position during induction of spinal anaesthesia for Caesarean section (Serpell & Carson), 921 (c)
- MCAD deficiency and anaesthesia (Dearlove & Perkins), 265 (c)
- Medical scientific writing (Herrick), 1100 (c)
- Memory activation during alfentanil-nitrous oxide anaesthesia, effect of midazolam premedication on (De Roode *et al.*), 191
- Metabolic acidosis. A new approach to 'neostigmine resistant curarisation' (Classic Paper) (Brooks & Feldman), 714
- Metabolic gas exchange during different surgical procedures (Lind), 304
- Metoclopramide compared with ondansetron and droperidol in prevention of nausea and vomiting after day case gynaecological laparoscopy (Paxton, McKay & Mirakhor), 403
- Metocloramide and propofol propofol requirements (Ali & Graham), 990 (f)
- Micro-laryngeal surgery, barotrauma during jet ventilation for (Bunting & Allen), 374 (c)
- Micro-laryngeal surgery, barotrauma during jet ventilation is prevented by pressure reducing valve (Janzen, Neasham & Daniel), 831 (c)
- Micro-laryngeal surgery, use of the Hayek Oscillator during (Monks *et al.*), 865
- Micro-laryngeal surgery without a tracheal tube (MacGillivray & Fernandes), 832 (c)
- Micro-laryngeal tube, use during percutaneous dilatational tracheostomy (Sun), 660 (c)
- Micro-laryngeal tube, use during percutaneous dilatational tracheostomy (Mahon), 1011 (c)
- Microspinal catheter, use in anaesthesia for Caesarean section in a patient with Klippel-Feil syndrome (Dresner & Maclean), 807
- Midazolam and propofol in combination for sedation in the critically ill (Godsiff, Magee & Park), 1004 (c)
- Midazolam premedication, effect on implicit memory activation during alfentanil-nitrous oxide anaesthesia (De Roode *et al.*), 191
- Midazolam premedication in children: effect of intranasal, rectal and oral routes on plasma midazolam concentrations (Malinovsky *et al.*), 351 (f)
- Midazolam pretreatment, influence on effects of ketamine on cerebral blood flow velocity in humans (Strebel *et al.*), 223
- Midwife epidural top ups, safety of (Cox *et al.*), 750 (c)
- Mini-tracheostomy, misplacement of (Alexander, Holland & Taylor), 1012 (c)
- Minitracheotomy, Portex, using a Seldinger wire technique; difficulty of insertion (Harling), 567 (c)
- Minitracheotomy, upwardly mobile (Ryan), 747 (c)
- Mivacurium and atracurium, cross sensitivity between (Thomas & Cain), 185 (c)
- Mivacurium and atracurium, discrepancy of recovery times between (Kim *et al.*), 507
- Mivacurium, influence of isoflurane on continuous infusion of (De Mey *et al.*), 947
- Mivacurium: rate of onset and offset (Feldman, Wu & England), 510
- Mivacurium, time course of action and intubating conditions following (Wierda *et al.*), 393
- Molecular sieves: an alternative method of carbon dioxide removal which does not generate compound A during simulated low-flow sevoflurane anaesthesia (Fee, Murray & Luney), 841
- Monitor, neuromuscular, TOF-Guard; comparison with Myograph 2000 (Loan *et al.*), 699
- Monitor of adequacy of analgesia; facial sensory evoked muscle potentials during labour (Andrews *et al.*), 9
- Monitoring, continuous, of irrigating fluid absorption during transurethral surgery (Hahn, Larsson & Ribbe), 327
- Monitoring neuromuscular blockade, double burst stimulation for (Jain, Sharma & Bhattacharya), 23
- Monitoring, spinal cord (Loughnan & Fennelly), 101
- Monitoring standards during anaesthesia and recovery, attitudes to the Association of Anaesthetists recommendations for (Pearsall, Davidson & Asbury), 649 (f)
- Monitors, carbon dioxide, portable, during interhospital transfer; an assessment (Donnelly *et al.*), 703
- Monitors, Datascope Accutorr 3/4 series: risk of shock from loose panel-mounted mains connector (Safety Action Bulletin), 188
- Montgomery T-tube insertion (Uchiyama & Yoshino), 476 (c)
- Morbidity, effect of pre-operative oral fluids on, following anaesthesia for minor surgery (Gilbert, Easy & Fitch), 79 (f)
- Morbidity, minor, and laryngeal mask insertion aid (Dingley), 83 (c)
- Morphine and ketamine, combined analgesic effect of (Fisher, Roytblat & Greemberg), 746 (c)
- Morphine overdose during PCA (Kwan: Garner-Patel), 919 (c)
- Morphine patient-controlled analgesia, the antiemetic effectiveness of droperidol during (Roberts, Millar & Goat), 559 (f)
- Morphine requirement after wisdom tooth extraction under general anaesthesia (Tighe *et al.*), 816 (f)
- Morphine, spinal, use of rectal diclofenac as adjunct to, in analgesia after Caesarean section (Dennis, Leeson-Payne & Hobbs), 297
- Morphine versus fentanyl for patient-controlled analgesia (Watt & Soulsby), 470 (c)
- Mortality, hospital, HDU care and estimated risks of (Pappachan *et al.*: Ridley), 657 (c)
- Mortality prediction algorithm and intensive care (Read *et al.*: Plenderleith & Hope), 823 (c)
- Mortality prediction algorithm, Riyadh Intensive Care Program, assessed in 617 intensive care patients in Glasgow (Hope & Plenderleith), 103
- Morton, William, and Nathan Keep (Keep), 233
- Mounier-Kuhn syndrome, anaesthesia for a patient with (Bourne, Raphael & Tordoff), 545
- Movement and pulse oximetry (Miller), 831 (c)
- Movement, influence on saturation readings from pulse oximeters (Plummer *et al.*), 423
- MRI scan: risk of burns to patients (Safety Notice), 924
- Munchausen's syndrome: another case (Crawford & Neill), 576 (c)
- Muscle relaxants and cardiomyoplasty (Ceriana, Domenegati & Gazzoli), 1099 (c)

- Muscle relaxants, sensitivity to, and myasthenia gravis (Mehta & Morris), 574 (c)  
 Muscular dystrophy, Duchenne, tracheal occlusion in the prone position (Ritto & Morris), 719  
 Myasthenia gravis and sensitivity to muscle relaxants (Mehta & Morris), 574 (c)  
 Myasthenic patient, rocuronium in (Baraka *et al.*), 1007 (c)  
 Myocardial failure, fatal, associated with a propofol infusion in a child (Bray), 94 (c)  
 Myocardial failure, fatal, associated with a propofol infusion in a child (Hawkins & Cohen), 564 (c)  
 Myocardial revascularisation, influence of ketanserin or urapidil on haemodynamics, stress response and kidney function during operations for (Petty, Wulf & Baumgärtel), 312  
 Myocardial revascularisation, ketanserin and urapidil during (Innes), 1100 (c)  
 Myograph 2000, comparison with TOF-Guard neuromuscular monitor (Loan *et al.*), 699
- Naming subspecialties and subspecialists (Diamond), 827  
 Narcotics, do they inhibit stress axis responses? (Gutstein), 665 (c)  
 Nasal cannulae and capnography for all (Reah), 95 (c)  
 Nasal cannulae: performance in postoperative oxygen therapy (McBrien & Sellers), 136  
 Nasal catheter: performance in postoperative oxygen therapy (McBrien & Sellers), 136  
 Nasal cavity, kinking of a tracheal tube in (Stacey & Asai), 917 (c)  
 Nasal oxygen flow and catheter position, effect on accuracy of end-tidal carbon dioxide measurements (Øberg, Waldau & Larsen), 695  
 Nasal surgery, comparison of reinforced laryngeal mask airway and tracheal intubation (Williams, Thompson & Bailey), 987 (f)  
 Nasal tracheal tube movement as a result of changes in head and neck position (Hartrey & Kestin), 682  
 Nasogastric tube as a tracheal tube introducer (Suhasini, Murthy & Rao), 270 (c)  
 Nasogastric tube insertion, a tip to aid (Vincent & McSwiney), 752 (c)  
 Nasopharyngeal airway, fenestrated (Inkster), 567 (c)  
 National Health Service, reformed, intensive care medicine in (Baldock), 671  
 Nausea and vomiting after day case gynaecological laparoscopy: prevention by ondansetron, droperidol or metoclopramide (Paxton, McKay & Mirakhor), 403  
 Nausea and vomiting, postoperative, associated with PCA, a comparison of droperidol and cyclizine in prevention of (Walder & Aitkenhead), 654 (f)  
 Nausea and vomiting, postoperative, associated with PCA, comparison of ondansetron and droperidol in reduction of (Alexander *et al.*), 1086 (f)  
 Nausea and vomiting, postoperative; the importance of power (Yentis: Walder & Aitkenhead), 1007 (c)  
 Near infra-red spectroscopy (Harris), 1015  
 Nebulised adrenaline in adults with upper airway obstruction (Scott), 476 (c)  
 Nebulizer, adrenaline via, in adult patients with upper airway obstruction (MacDonnell, Timmins & Watson), 35  
 Neck manual in-line stabilisation and cricoid pressure, laryngeal mask airway insertion using (Gabbott & Sasada), 674  
 Needle, immobile, technique, peribulbar anaesthesia using (Smith & Driver), 915 (c)  
 Needle, SMART, evaluation of (Day, Parker & Cloote), 478 (c)  
 Needles, pencil point, and peripheral neural blockade (Dempsey & Barrett), 573 (c)  
 Needles, pencil point, are they the answer for peripheral neural blockade? (Lam & Frerk), 1102 (c)  
 Needles, spinal, clinical characteristics of (Carson & Serpell), 523  
 Needles, spinal, commonly used, clinical characteristics of (Parry, Bawa & Fernando: Carson & Serpell), 1095 (c)  
 Needles, spinal, lessons from *in vitro* testing of (Lyons, Lesser & Bembridge), 964  
 Needles, unsheathed, used in lower limb nerve blocks in children (Bösenberg), 206  
 Needles, Whitacre, for Caesarean section, a comparison of 25G and 27G (Maclean & Lyons: Smith *et al.*), 263 (c)  
 Needle-stick injuries reduced by a new device, Safelon (Watters *et al.*), 529  
 Neonatal resuscitation and the laryngeal mask airway (Thomas), 569 (c)  
 Neonatal resuscitation and the laryngeal mask (Brimacombe), 1003 (c)  
 Neonate, unilateral spinal analgesia in (Chabás, Sala & Nalda), 182 (c)  
 Neostigmine resistant curarisation, a new approach; metabolic acidosis (Classic Paper) (Brooks & Feldman), 714  
 Nerve stimulator used in lower nerve blocks in children (Bösenberg), 206  
 Neural blockade, peripheral, and pencil point needles (Dempsey & Barrett), 573 (c)  
 Neural blockade, peripheral, are pencil point needles the answer for? (Lam & Frerk), 1102 (c)  
 Neuroleptic malignant syndrome, postoperative (Shaw & Matthews), 246  
 Neuromuscular block by vecuronium; effect of cardiac output (Iwasaki *et al.*), 361 (f)  
 Neuromuscular block, vecuronium-induced, in the elderly, edrophonium as an antagonist of (Kitajima, Ishii & Ogata), 359 (f)  
 Neuromuscular blockade for tracheal intubation; double burst stimulation for monitoring (Jain, Sharma & Bhattacharya), 23  
 Neuromuscular blocking drugs, four, rate of onset and offset of (Feldman, Wu & England), 510  
 Neuromuscular blocking effects of vecuronium during sevoflurane, halothane and balanced anaesthesia in children (Taivainen & Meretoja), 1046  
 Neurosurgery, cardiac arrest and resuscitation of a 6-month-old achondroplastic baby undergoing (Kelleher & Mackersie), 348  
 Neutrophil function, effect of general anaesthesia and surgery on (Khan *et al.*), 769  
 Nissen fundoplication, laparoscopic, pneumomediastinum during (Stallard), 667 (c)  
 Nitric oxide in the pulmonary circulation during hypoxia (Hampl), 264 (c)  
 Nitrous oxide and occupational exposure (Shirley), 477 (c)  
 Nitrous oxide and occupational exposure (Matta), 477 (c)  
 Nitrous oxide and propofol dosage (Farquhar-Thomson), 835 (c)  
 Nitrous oxide: effect on performance of psychomotor tests (Cheam *et al.*), 764  
 Nitrous oxide, influence on propofol dosage and recovery after total intravenous anaesthesia for day-case surgery (Lindekær *et al.*), 397  
 Nitrous oxide, influence on propofol dosage and recovery after intravenous anaesthesia (Heath *et al.*), 1101 (c)  
 Nitrous oxide-alfentanil anaesthesia, the effect of midazolam premedication on implicit memory activation during (De Roode *et al.*), 191  
 Nitrous oxide-oxygen-isoflurane relaxant anaesthesia, clonidine in (Gabriel *et al.*), 290  
 Nitrous oxide-oxygen-sevoflurane anaesthesia, comparison of vital capacity breath and tidal breathing techniques (Yurino & Kimura), 308  
 Noise and anaesthetic gas pollution (Lack), 1093 (c)  
 Noise, excessive, caused by a jet ventilator (Murphy & Park), 1092 (c)  
 Normothermia maintained during orthotopic liver transplantation by forced-air warming (Müller *et al.*), 229  
 Normothermia maintained during orthotopic liver transplantation by forced-air warming (Lamb & Rogers), 745 (c)

Obesity, maternal, effect on labour and labour pain (Ranta *et al.*), 322

#### Obituaries

- Beech, M.J., 669
- Bonica, J.J., 99
- Bowen Wright, R.M., 99
- Canty, G., 99
- Dolan, P.F., 99
- Goat, V.A., 924
- Hadley, J.L., 924
- Hart, G.A., 99
- Jenkins, M.T., 379
- Lewis, R.B., 669
- Lipton, S., 379
- Lucas, B.G.B., 99
- McEnery, J.J., 99
- MacGillivray, F.A., 379
- MacKenzie, A.I., 99
- Mansfield, R.E., 379
- Marrack, O., 669
- Neal, S.D., 924
- Pitt, G.M., 99
- Pope, R.A., 379
- Salt, R.H., 924
- Sarna, M.C., 379
- Sarna, M.C. (Erratum), 581
- Shafit, C.E., 99
- Sniper, W., 99
- Springer, S.A., 924
- Townsend, D.C., 669
- Watt, O.M., 99
- Wyman, J.B., 99

Objective structured clinical examination, adaptation to a final year medical student course in anaesthesia and intensive care (Critchley *et al.*), 354 (f)

Obstetric anaesthesia, place of 0.375% bupivacaine in (Russell & Reynolds), 475 (c)

Obstetric patients who refuse regional anaesthesia; a survey (Gajraj *et al.*), 740 (f)

Obstetric subdural block (Collier), 475 (c)

Obstruction: another foreign body in the airway (Walsh), 98 (c)

Obstruction, tracheal, intra-operative, by tumour fragments (Tzabar), 249

Obstruction, tracheal, intra-operative, by tumour fragments (Satur, Church & Lau), 1102 (c)

Obstruction, upper airway, adrenaline administered via a nebulizer in adult patients with (MacDonnell, Timmins & Watson), 35

Obstruction, upper airway, adrenaline administered via a nebuliser (Scott), 476 (c)

Obstruction, upper airway; massive lingual swelling following palatoplasty (Chan *et al.*), 30

Occupational exposure to halothane and nitrous oxide (Shirley), 477 (c)

Occupational exposure to halothane and nitrous oxide (Matta), 477 (c)

ODAs and anaesthesia rooms: priceless assets (Morris), 743 (c)

Oesophageal detector device is not useful for the laryngeal mask (Asai), 175 (c)

Oesophageal detector device, use by paramedics (Petroianu, Maleck & Kötter), 570 (c)

Oesophageal stent, cuffed, severe airway management problems during insertion of (Langham & McLaren), 721

Oesophagectomy, paraplegia following segmental ischaemic injury to the spinal cord after (Djurberg & Haddad), 345

Ogilvie's syndrome and spinal anaesthesia (Simini), 1103 (c)

Ohmeda Excel 410 machine, a new source of gas leak from (Skilton & Kumar: Kersley), 266 (c)

Ohmeda Universal PAC drawover apparatus; evaluation of (Lunn & Young), 870

Olympus LF-P intubating fibroscope; fibreoptic laryngoscope for paediatric anaesthesia (Wrigley, Black & Sidhu), 709

Ondansetron and droperidol compared in reducing postoperative nausea and vomiting associated with PCA (Alexander *et al.*), 1086 (f)

Ondansetron compared with droperidol and metoclopramide in prevention of nausea and vomiting after day case gynaecological laparoscopy (Paxton, McKay & Mirakhor), 403

Open inguinal hernia repair; peri-operative outcome (Rudkin & Maddern), 586

Operating Department Assistants and anaesthesia rooms: priceless assets (Morris), 743 (c)

Operating theatre, reading in (Morris), 1089 (c)

Opioid, epidural, induced pruritis in parturients, a new treatment for (Nightingale), 185 (c)

Oral intubation, blind, compared with direct laryngoscopy; stress response to tracheal intubation (Pernerstorfer *et al.*), 17

Oral premedication, hazards of (Forster: Booth & Boyle), 187 (c)

Oral tracheal tube movement as a result of changes in head and neck position (Hartrey & Kestin), 682

Organ donors, brain-dead, cardiovascular and catecholamine response to surgery in (Fitzgerald *et al.*), 388

O-rings, missing, and volatile agents (Nott & Jacklin), 1001 (c)

O-rings, Selectatec, defective (James), 184 (c)

O-rings, Selectatec, defective (Tighe), 668 (c)

Orotracheal intubation and cervical spine injury (Scott & Field), 567 (c)

Orotracheal intubation, eighty-seven days of (Iqbal & Zuleika), 343

Oscillometric finger cuffs, blood pressure measurement using (O'Brien & Atkins: Lyew & Jamieson), 743 (c)

Oto-palato-digital syndrome, unexpected brainstem compression following routine surgery in a child with (Clark *et al.*), 641

Otoplasty in children, postoperative emesis following (Paxton *et al.*), 1083 (f)

Outpatient anaesthesia, recovery from; factors affecting outcome (Korttila), 22 (S)

Outpatient lithotripsy, patient-controlled analgesia with alfentanil for (Mackenzie), 269 (c)

Overdose of morphine during PCA (Kwan: Garner-Patel), 919 (c)

Overinflation of tracheal tube cuffs (Smith), 84 (c)

Oxford Miniature Vaporizers, evaluation for paediatric field anaesthesia (Craig, Berry & Yeats), 789



- Oximetry *see also* Pulse oximetry  
 Oximetry, cerebral, a useful monitor during carotid artery surgery (Duncan, Ruckley & Wildsmith), 1041  
 Oximetry, venous, mixed, in the diagnosis of tension pneumothorax (Baldwin), 181 (c)  
 Oxygen enriched atmosphere, fire risk when using defibrillators in (Safety Notice), 581  
 Oxygen flow, nasal, effect on accuracy of end-tidal carbon dioxide measurements (Øberg, Waldau & Larsen), 695  
 Oxygen, intragastric (Classic Paper) (Cooper), 535  
 Oxygen, intragastric (Classic Paper) (Cooper, Smith & Pask), 536  
 Oxygen saturation following propofol (Serpell), 178 (c)  
 Oxygen therapy, postoperative; comparison of three variable performance devices (McBrien & Sellers), 136  
 Oxygen therapy reduces postoperative tachycardia (Stausholm, Kehlet & Rosenberg), 737 (f)  
 Oxygenation and oxygen transport during haemorrhage, problems of (Classic Paper) (Nunn & Freeman), 794
- PAC drawover apparatus, Ohmeda, evaluation of (Lunn & Young), 870  
 Paediatric *see also* Baby; Children  
 Paediatric anaesthesia (Olsson), 34 (S)  
 Paediatric anaesthesia, a fiberoptic laryngoscope; use of Olympus LF-P (Wrigley, Black & Sidhu), 709  
 Paediatric capnography (Ball), 833 (c)  
 Paediatric day case dental surgery, propofol as sole agent for (Lake), 269 (c)  
 Paediatric field anaesthesia, evaluation of the Universal PAC and Oxford Miniature Vaporizers for (Craig, Berry & Yeats), 789  
 Paediatric patient with Duchenne muscular dystrophy, tracheal occlusion in the prone position (Rittoo & Morris), 719  
 Paediatric resuscitation, an unusual complication of intra-osseous infusion (Erb, Hampl & Frei), 471 (c)  
 Paediatric resuscitation equipment (Mawer), 87 (c)  
 Paediatric resuscitation equipment (Inkster), 567 (c)  
 Paediatric surgery, prolonged starvation in (Veall & Dorman), 458 (f)  
 Pain *see also* Analgesia  
 Pain, acute, endangered opportunities in management of (Bromage), 910 (c)  
 Pain: assessment and control in children (Lloyd-Thomas), 753  
 Pain, chronic; somatosensory evoked potential changes following electro-acupuncture therapy (Kumar *et al.*), 411  
 Pain during injection of propofol (Andrzejewski: Gajraj & Nathanson), 186 (c)  
 Pain during injection of rocuronium bromide (Lockey & Coleman), 474 (c)  
 Pain during injection of rocuronium bromide (Findlay), 918 (c)  
 Pain, labour, effect of maternal obesity on (Ranta *et al.*), 322  
 Pain, labour, intractable, epidural clonidine for relief from (Siegemund *et al.*), 663 (c)  
 Pain management programme in a District General Hospital (Luscombe *et al.*), 114  
 Pain, overwhelming, transporting patients with (Fisher, Roytblat & Greemberg), 746 (c)  
 Pain perception: sedation with intravenous infusions of propofol or thiopentone (Wilder-Smith, Kolletzki & Wilder-Smith), 218  
 Pain relief after knee arthroscopy, comparison of diclofenac with ketorolac (Dennis, Leeson-Payne & Hobbs), 904 (f)  
 Pain relief in labour, current management of inadvertent dural taps during siting of epidurals for (Sajjad & Ryan), 156 (f)  
 Palatoplasty, massive lingual swelling following; upper airway obstruction (Chan *et al.*), 30  
 Paramedics, use of the oesophageal detector device by (Petroianu, Maleck & Kötter), 570 (c)  
 Paraplegia and spinal cord ischaemia (Watts), 745 (c)  
 Paraplegia following segmental ischaemic injury to the spinal cord after oesophagectomy (Djurberg & Haddad), 345  
 Paravertebral analgesia: a thermographic study (Cheema *et al.*), 118  
 Paravertebral bilateral analgesia for major abdominal vascular surgery: a preliminary report (Richardson, Vowden & Sabanathan), 995 (f)  
 Paravertebral blockade. Failure rate and complications (Lönnqvist *et al.*), 813 (f)  
 Parenteral nutrition, manganese toxicity in a patient with cholestasis receiving (Staunton & Phelan), 665 (c)  
 Parents in the anaesthetic room? (Seddon), 368 (c)  
 Parturients, a new treatment for epidural opioid induced pruritis in (Nightingale), 185 (c)  
 Patau's syndrome, anaesthesia in a child with (Martlew & Sharples), 980  
 Patient controlled analgesia, safety of (Heath), 573 (c)  
 Patient controlled analgesia system, Baxter, a problem with (Thompson, Shirley & MacLennan: Rafferty), 572 (c)  
 Patient controlled analgesia system, Baxter; failure to attach patient control module (Kanani & Nair: Leggett), 572 (c)  
 Patient transfer to recovery room staff (Tuckey), 86 (c)  
 Patient-controlled analgesia and emesis (Tuckey & Marjot), 180 (c)  
 Patient-controlled analgesia, comparison of droperidol and cyclizine in prevention of postoperative nausea and vomiting associated with (Walder & Aitkenhead), 654 (f)  
 Patient-controlled analgesia: disposable PCA devices and lockout interval (Smith: Costello), 828 (c)  
 Patient-controlled analgesia machine, Abbott Provider 5500; effect of demand frequency on lockout period (Milner *et al.*), 526  
 Patient-controlled analgesia mixtures, precipitation in (McCoy & O'Callaghan), 919 (c)  
 Patient-controlled analgesia, morphine versus fentanyl (Watt & Soulsby), 470 (c)  
 Patient-controlled analgesia, morphine, the antiemetic effectiveness of droperidol during (Roberts, Millar & Goat), 559 (f)  
 Patient-controlled analgesia, overdose of morphine during (Kwan: Garner-Patel), 919 (c)  
 Patient-controlled analgesia, variable dose (Owen *et al.*), 855  
 Patient-controlled analgesia with alfentanil for outpatient lithotripsy (Mackenzie), 269 (c)  
 Patient-controlled emesis (Tuckey & Marjot), 180 (c)  
 Patients' attitudes to rectal drug administration (Vyvyan & Hanafiah), 983 (f)  
 Patients' knowledge of anaesthetists (Hall & Earlam), 87 (c)  
 Patients' knowledge of anaesthetists (Ross), 577 (c)  
 Patients, lifting and handling of, by anaesthetists (Luntley, Ross & Pearce), 729 (f)  
 Patients, obstetric, who refuse regional anaesthesia; a survey (Gajraj *et al.*), 740 (f)  
 Patients' pre-operative knowledge and concerns about anaesthesia (Eckersall & Riley), 180 (c)  
 PCA device, disposable, Vygon; bench test (Costello & O'Neil), 268 (c)  
 PCE: patient-controlled emesis (Tuckey & Marjot), 180 (c)  
 Pencil point needles and peripheral neural blockade (Dempsey & Barrett), 573 (c)  
 Pencil point needles, are they the answer for peripheral neural blockade? (Lam & Frerk), 1102 (c)  
 Pancuronium: rate of onset and offset (Feldman, Wu & England), 510  
 Percutaneous catheterisation of the internal jugular vein (Classic Paper) (English), 1070



- Percutaneous catheterisation of the internal jugular vein (Classic Paper) (English *et al.*), 1071
- Percutaneous dilatational tracheostomy, use of microlaryngeal tube during (Sun), 660 (c)
- Percutaneous dilatational tracheostomy, fibreoptic tracheal tube placement prior to (Mahon), 92 (c)
- Percutaneous dilatational tracheostomy, Malposition leading to delayed weaning (Rigg & Edmondson), 724
- Percutaneous tracheostomy, a cadaver study appraising accuracy of blind placement of (Dexter), 863
- Percutaneous tracheostomy, intrapleural (Noden & Kirkpatrick), 91 (c)
- Percutaneous tracheostomy kit, new, evaluation of (Caldicott, Oldroyd & Bodenham), 49
- Percutaneous tracheostomy kit, Portex (Sun), 748 (c)
- Percutaneous tracheostomy, laryngotracheal stenosis after (Ciaglia & Marx), 161 (c)
- Percutaneous tracheostomy, skin tethering after (Whittet, Commins & Waldmann), 892
- Peribulbar anaesthesia, evaluation of two concentrations of hyaluronidase for supplementation of (Brydon, Basler & Kerr), 998 (f)
- Peribulbar anaesthesia using the immobile needle technique (Smith & Driver), 915 (c)
- Peribulbar single medial injection anaesthesia (Jackson), 479 (c)
- Peri-operative assessment of glomerular permeability (De Gaudio *et al.*), 810 (f)
- Peri-operative checks, importance of (Ballin), 96 (c)
- Peri-operative outcome for day-case laparoscopic and open inguinal hernia repair (Rudkin & Maddern), 586
- Peripheral neural blockade, and pencil point needles (Dempsey & Barrett), 573 (c)
- Peripheral neural blockade, are pencil point needles the answer for? (Lam & Frerik), 1102 (c)
- Pethidine, effect on postanaesthetic shivering (Alfonsi *et al.*), 214
- Pethidine hydrochloride, intrathecal, for urological surgery; anaesthesia and adverse effects (Grace & Fee), 1036
- Pharmaceutical policy and economic analysis (Rovira), 49 (S)
- Pharmaceutical policy and the economics of the use of desflurane (Eger), 45 (S)
- Pharmacodynamics of desflurane (Eger), 3 (S)
- Pharmacology, clinical, of doxacurium in young adults and in elderly patients (Martlew & Harper), 779
- Pharyngeal catheter, effect of nasal oxygen flow and catheter position on accuracy of end-tidal carbon dioxide measurements by (Øberg, Waldauf & Larsen), 695
- Phosphate-buffered solution used for improved PCO<sub>2</sub> measurement in blood gas analysers (Knichwitz, Mertes & Kuhmann), 532
- Photoplethysmograph, microprocessor based, for use in clinical practice (Wright, Griffiths & Childs), 875
- Physical state classification, ASA, consistency of (Little: Harling), 658 (c)
- Physical status classification, ASA, consistency of (Haynes & Lawler), 195
- Physical status classification, ASA, consistency of (Dixon: Muñoz-Ramon), 826 (c)
- Physicochemical properties and pharmacodynamics of desflurane (Eger E.I.), 3 (S)
- Physostigmine in recovery from anaesthesia (Hamilton-Davies, Bailie & Restall), 456 (f)
- Piroxicam in analgesia following day-case knee arthroscopy (Morrow, Milligan & Murthy), 461 (f)
- Placement, blind, of percutaneous tracheostomy, a cadaver study appraising accuracy of (Dexter), 863
- Placenta praevia, anaesthetic management of Caesarean section for; a questionnaire survey (Bonner, Haynes & Ryall), 992 (f)
- Plasma catecholamine response during total intravenous anaesthesia for laryngomicroscopy; thiopentone compared with propofol (Mustola *et al.*), 108
- Plasma, clinical effect and concentrations of temazepam in (Moffat *et al.*), 3
- Plasma midazolam concentrations, effect of intranasal, rectal and oral routes; premedication with midazolam in children (Malinovsky *et al.*), 351 (f)
- Pneumomediastinum during laparoscopic Nissen fundoplication (Stallard), 667 (c)
- Pneumoperitoneum, tension, causing superior vena cava obstruction (Tuckey), 747 (c)
- Pneumothorax and laparoscopic fundoplication (Hanning & Veitch), 1099 (c)
- Pneumothorax, tension, mixed venous oximetry in diagnosis of (Baldwin), 181 (c)
- Pollution, anaesthetic gas and noise (Lack), 1093 (c)
- Portable carbon dioxide monitors during interhospital transfer; an assessment (Donnelly *et al.*), 703
- Portex minitracheotomy using a Seldinger wire technique; difficulty of insertion (Harling), 567 (c)
- Portex percutaneous tracheostomy kit (Sun), 748 (c)
- Portex plain tracheostomy tube, 5 mm ID (Hazard Notice), 99
- Portex Single Use Tracheal Tube (Chilvers & Jenkins: Padua), 920 (c)
- Positive pressure ventilator, intermittent, combined with a high frequency oscillator (Raphael, Atkinson & Bexton), 611
- Postanaesthetic shivering and propofol (Cheong & Low), 550 (f)
- Postoperative analgesia in children, effect of combination of rectal diclofenac and caudal bupivacaine on (Gadiyar *et al.*), 820 (f)
- Postoperative analgesia with transdermal fentanyl following lower abdominal surgery (Broome *et al.*), 300
- Postoperative analgesic regimens, knowledge of, in house officers (Hatcher & Peacock), 96 (c)
- Postoperative emesis following otoplasty in children (Paxton *et al.*), 1083 (f)
- Postoperative epidural infusion of a mixture of bupivacaine 0.2% with fentanyl for upper abdominal surgery. A comparison of thoracic and lumbar routes (Chisakuta, George & Hawthorne), 72 (f)
- Postoperative laryngeal competence. The laryngeal mask airway and tracheal tube compared (Stanley *et al.*), 985 (f)
- Postoperative nausea and vomiting — the importance of power (Yentis: Walder & Aitkenhead), 1007 (c)
- Postoperative nausea and vomiting associated with PCA, a comparison of droperidol and cyclizine in prevention of (Walder & Aitkenhead), 654 (f)
- Postoperative nausea and vomiting associated with PCA, comparison of ondansetron and droperidol in reduction of (Alexander *et al.*), 1086 (f)
- Postoperative neuroleptic malignant syndrome (Shaw & Matthews), 246
- Postoperative oxygen therapy: a comparison of three variable performance devices (McBrien & Sellers), 136
- Postoperative pain management by newly qualified doctors (Prys-Roberts: Gould, Upton & Collins: Harmer), 259 (c)
- Postoperative recovery rooms; early history (Zuck), 435
- Postoperative shivering, effect of volatile agent and carbon dioxide concentrations on incidence of (Harwood *et al.*), 786
- Postoperative shivering (Smith: Singh & Crossley), 467 (c)
- Postoperative shivering, treatment of (Crossley, Ward & Tighe: Alfonsi & Chauvin), 1010 (c)
- Postoperative tachycardia is reduced by oxygen therapy (Stausholm, Kehlet & Rosenberg), 737 (f)
- Postpneumectomy syndrome, adult, management of (Evans & Clark), 148
- Pouch for use in emergency situations (Avidan), 179 (c)
- Power, importance of; postoperative nausea and vomiting (Yentis: Walder & Aitkenhead), 1007 (c)
- Precipitation in PCA mixtures (McCoy & O'Callaghan), 919 (c)
- Pregnancy: current management of hereditary angioneurotic oedema (Cox & Holdcroft), 547



- Recovery, influence of nitrous oxide on, after intravenous anaesthesia (Heath *et al.*), 1101 (c)
- Recovery room staff, transfer of patients to (Tuckey), 86 (c)
- Recovery rooms, postoperative; early history (Zuck), 435
- Recovery times, discrepancy of, between atracurium and mivacurium (Kim *et al.*), 507
- Rectal diclofenac and caudal bupivacaine in combination, effect on postoperative analgesia in children (Gadiyar *et al.*), 820 (f)
- Rectal diclofenac as an adjunct to spinal morphine in analgesia after Caesarean section (Dennis, Leeson-Payne & Hobbs), 297
- Rectal drug administration, patients' attitudes to (Vyvyan & Hanafiah), 983 (f)
- References in *Anaesthesia*, accuracy of (Asano *et al.*), 1080 (f)
- Reflex sympathetic dystrophy, axillary brachial plexus blockade for (Murray & Atkinson), 633
- Refractometer, portable, used to measure desflurane (Cheam & Lockwood), 607
- Regional anaesthesia refusal by obstetric patients; a survey (Gajraj *et al.*), 740 (f)
- Regurgitation, gastric, during general anaesthesia in different positions with the laryngeal mask airway (El Mikatti *et al.*), 1053
- Re-intubation, an unusual case for (Hambly & Field), 568 (c)
- Relaxants, muscle, sensitivity to, and myasthenia gravis (Mehta & Morris), 574 (c)
- Research in anaesthetic training (Tighe), 367 (c)
- Research, publications and career advancement (Lewis), 366 (c)
- Respiratory alkalosis during pressure-support ventilation: report of a hazard (Chui, Joynt & Oh), 978
- Respiratory distress in the intensive care unit, use of the laryngeal mask airway for (Arosio & Conci), 635
- Respiratory distress syndrome, adult, and toxic epidermal necrolysis (Wallis & McClymont), 801
- Respiratory failure, acute, high frequency oscillation in normal subjects and in patients with (Al-Saady *et al.*), 1031
- Resuscitation and cricoid pressure (Gwinnett: Smurthwaite: Elcock), 912 (c)
- Resuscitation, cardiopulmonary, pulse oximetry during (Griffin & Cooney), 1008 (c)
- Resuscitation, cricoid pressure during (Morch-Siddall & Hall), 568 (c)
- Resuscitation, neonatal, and the laryngeal mask airway (Thomas), 569 (c)
- Resuscitation, neonatal, and the laryngeal mask airway (Brimacombe), 1003 (c)
- Resuscitation, paediatric, an unusual complication of intra-osseous infusion (Erb, Hampl & Frei), 471 (c)
- Resuscitation, paediatric, equipment for (Mawer), 87 (c)
- Resuscitation, paediatric, equipment for (Inkster), 567 (c)
- Resuscitation skills of trainee anaesthetists (Bell, Harrison & Carr), 692
- Resuscitation skills of trainee anaesthetists (Cook: Harrod), 1094 (c)
- Retching, effects of 2% lignocaine gel on incidence of, with the use of the laryngeal mask airway (Chan & Tham), 257 (f)
- Retching, effects of lignocaine gel on incidence of, with the use of the laryngeal mask airway (Edwards: Millett & Allman), 746 (c)
- Revascularisation, myocardial, influence of ketanserin or urapidil on haemodynamics, stress response and kidney function during operations for (Petty, Wulf & Baumgärtel), 312
- Revascularisation, myocardial, ketanserin and urapidil during (Innes), 1100 (c)
- Riyadh Intensive Care Program mortality prediction algorithm assessed in 617 intensive care patients in Glasgow (Hope & Plenderleith), 103
- Robinow syndrome and anaesthesia (Macdonald & Dearlove), 1097 (c)
- Rocuronium and rapid sequence induction (Playfair & Uncles), 663 (c)
- Rocuronium bromide, pain during injection of (Lockey & Coleman), 474 (c)
- Rocuronium bromide, pain during injection of (Findlay), 918 (c)
- Rocuronium in the myasthenic patient (Baraka *et al.*), 1007 (c)
- Rocuronium, time course of action and intubating conditions following (Wierda *et al.*), 393
- Rubinstein-Taybi syndrome, anaesthesia in an infant with (Critchley, Gin & Stuart), 37
- Safelon—a new device to reduce needle-stick injuries during intravenous cannulation (Watters *et al.*), 529
- Safety Action Bulletins, 188
- Safety not speed (Findlay), 918 (c)
- Safety Notices, 581, 924
- Safety of lignocaine test dose to detect intravenous injection (Miline), 830 (c)
- Safety of midwife epidural top ups (Cox *et al.*), 750 (c)
- Safety of patient controlled analgesia (Heath), 573 (c)
- Scientific medical writing (Herrick), 1100 (c)
- Scoring systems for tracheal intubation (Lazarus), 268 (c)
- Scoring systems to evaluate children after general anaesthesia, reliability of (Keegan, Yudkowitz & Bodian), 200
- SCOTI—a new device for identification of tracheal intubation (Murray, Ward & Sear), 1062
- Seal pressures: a new laryngeal mask prototype (Brain *et al.*), 42
- Sedation using combination of propofol and midazolam in the critically ill (Godsiff, Magee & Park), 1004 (c)
- Sedation with intravenous infusions of propofol or thiopentone. Effects on pain perception (Wilder-Smith, Kolletski & Wilder-Smith), 218
- Seldinger wire technique, difficulty in inserting a Portex minitracheotomy using (Harling), 567 (c)
- Selectatec O-rings, defective (James), 184 (c)
- Selectatec O-rings, defective (Tighe), 668 (c)
- Senior registrars, on-call, role of (Bush & Thickett), 262 (c)
- Sensory evoked potentials, facial, during labour; monitor of adequacy of analgesia (Andrews *et al.*), 9
- Sepsis syndrome, Gram-negative bacteraemia in (Brock-Utne), 267 (c)
- Serum triglyceride levels and propofol infusion (Kunst & Böhrer), 1101 (c)
- Sevoflurane (Ball), 95 (c)
- Sevoflurane anaesthesia in children, neuromuscular blocking effects of vecuronium during (Taivainen & Meretoja), 1046
- Sevoflurane low-flow anaesthesia and carbon dioxide removal (Fee, Murray & Luney), 841
- Sevoflurane N<sub>2</sub>O/O<sub>2</sub> anaesthesia, a comparison of vital capacity breath and tidal breathing techniques (Yurino & Kimura), 308
- Sheath, split, a complication during a Hickman line insertion (Brosnan & Filshie), 576 (c)
- Shivering, postanaesthetic, and propofol (Cheong & Low), 550 (f)
- Shivering, postanaesthetic, effects of pethidine, fentanyl and lignocaine (Alfonsi *et al.*), 214
- Shivering, postoperative, effect of volatile agent and carbon dioxide concentrations on incidence of (Harwood *et al.*), 786
- Shivering, postoperative (Smith: Singh & Crossley), 467 (c)
- Shivering, postoperative, treatment of (Crossley, Ward & Tighe: Alfonsi & Chauvin), 1010 (c)
- Shock, diathermy frequency, from faulty pulse oximeter probe (Wakeling), 749 (c)

- Siemens anaesthetic agent vaporizers, 950, 951 and 952 (Safety Action Bulletin), 188
- Skin tethering after dilatational percutaneous tracheostomy (Whittet, Commins & Waldmann), 892
- Skin-epidural distance in children (Bösenberg & Gouws), 895 (f)
- SMART needle, evaluation of (Day, Parker & Cloote), 478 (c)
- Smoking: is it good for you? (Wallbank), 473 (c)
- Society of Anaesthetic Laboratory Technologists (Sterling), 668 (c)
- Somatosensory evoked potential changes following electro-acupuncture therapy in chronic pain patients (Kumar *et al.*), 411
- Somatosensory evoked potentials; clonidine in isoflurane N<sub>2</sub>O/O<sub>2</sub> anaesthesia (Gabriel *et al.*), 290
- Somatostatin and total intravenous anaesthesia. Assessment of analgesic requirements during surgery and the effects on liver enzymes (Kanakoudis *et al.*), 594
- Speaking tracheostomy tube, infant, a problem with (Yahagi *et al.*: Smalley), 91 (c)
- Spinal anaesthesia, continuous, and cauda equina syndrome (Denny), 474 (c)
- Spinal anaesthesia, delayed amniotic fluid embolism following Caesarean section under (Margaron), 804
- Spinal anaesthesia, effect of cerebrospinal fluid dilution of isobaric 0.5% bupivacaine used for (Cherng *et al.*), 906 (f)
- Spinal anaesthesia for Caesarean section, maternal positions during; comparison of right lateral and sitting positions (Inglis, Daniel & McGrady), 363 (f)
- Spinal anaesthesia for Caesarean section, maternal position during (Serpell & Carson), 921 (c)
- Spinal anaesthesia in acute colonic pseudo-obstruction (Simini), 1103 (c)
- Spinal analgesia, unilateral, in a neonate (Chabás, Sala & Nalda), 182 (c)
- Spinal artery syndrome; paraplegia following segmental ischaemic injury to the spinal cord after oesophagectomy (Djurberg & Haddad), 345
- Spinal cord ischaemia and paraplegia (Watts), 745 (c)
- Spinal cord monitoring (Loughnan & Fennelly), 101
- Spinal morphine, use of rectal diclofenac as adjunct to, in analgesia after Caesarean section (Dennis, Leeson-Payne & Hobbs), 297
- Spinal needles, clinical characteristics of (Carson & Serpell), 523
- Spinal needles, commonly used, clinical characteristics of (Parry, Bawa & Fernando: Carson & Serpell), 1095 (c)
- Spinal needles, lessons from *in vitro* testing of (Lyons, Lesser & Bembridge), 964
- Spine, cervical, control during prehospital tracheal intubation of trauma victims (Morley, Haji-Michael & Mahoney), 661 (c)
- Spine, cervical, disease; difficult direct laryngoscopy (Calder, Calder & Crockard), 756
- Spine, cervical, injury, and orotracheal intubation (Scott & Field), 567 (c)
- Spine, cervical, surgery, and intubation via a laryngeal mask airway (Kiyama), 83 (c)
- Spray, local anaesthetic, an incident with (Leng), 181 (c)
- Spray, local anaesthetic, an incident with (Francis), 923 (c)
- Starvation, prolonged, in paediatric surgery (Veall & Dorman), 458 (f)
- Status asthmaticus, propofol-induced bronchodilation in? (Parmar & Sansome), 1003 (c)
- Status epilepticus, drugs in (Dimpel: Walker, Smith & Shorvon), 824 (c)
- Status epilepticus, drugs in (Erratum) (Dimpel), 1103
- Status epilepticus in the UK, intensive care treatment of (Walker, Smith & Shorvon), 130
- Stenosis, laryngotracheal, after percutaneous tracheostomy (Ciaglia & Marx), 261 (c)
- Stenosis, laryngotracheal, following percutaneous tracheostomy (Sun), 182 (c)
- Stenosis, subglottic, congenital, difficult tracheal extubation in a patient with (Asai), 243
- Stenosis, tracheal, severe, and operative delivery (Sutcliffe *et al.*), 26
- Stent, oesophageal, cuffed, severe airway management problems during insertion of (Langham & McLaren), 721
- Stiff-man syndrome associated with continuous sufentanil administration (Gust & Böhrer), 575 (c)
- Stress axis responses, are they inhibited by narcotics? (Gutstein), 665 (c)
- Stress response to laryngoscopy; Macintosh versus McCoy blade (McCoy, Mirakhur & McCloskey), 943
- Stress response during operations for myocardial revascularisation, influence of ketanserin or urapidil on (Petry, Wulf & Baumgärtel), 312
- Stress response to tracheal intubation: direct laryngoscopy compared with blind oral intubation (Pernerstorfer *et al.*), 17
- Subclavian artery haemorrhage, fatal; complication of subclavian vein catheterisation (Mercer-Jones, Wenstone & Hershman), 639
- Subclavian artery haemorrhage, fatal (Hwang), 1012 (c)
- Subcutaneous emphysema, relief using a large bore subcutaneous drain (Kelly, McGuigan & Allen), 1077
- Subdural block, obstetric (Collier), 475 (c)
- Subdural block, variable presentation of (Parke: Foster, Stickle & Griffiths), 177 (c)
- Subdural blocks, spurious? (Collier), 664 (c)
- Subspecialties and subspecialists, naming of (Diamond), 827 (c)
- Sufentanil administration, continuous, and stiff-man syndrome (Gust & Böhrer), 575 (c)
- Superior vena cava obstruction caused by tension pneumoperitoneum (Tuckey), 747 (c)
- Supine hypotensive syndrome (Classic Paper) (Holmes), 972, 973
- Surgery: blood pressure measurement at radial and dorsalis pedis arteries in the horizontal and reverse Trendelenburg positions (Parry, Hirsch & Fauvel), 553 (f)
- Surgery, cardiac, effect of heparin on endothelial-related coagulation in (Boldt *et al.*), 954
- Surgery, cardiac, gastric emptying in patients the day after (Goldhill *et al.*), 122
- Surgery, cardiac, intentional normovolaemic haemodilution in patients with left main coronary artery stenosis (Herregods *et al.*), 950
- Surgery, cardiovascular and catecholamine response to, in brain-dead organ donors (Fitzgerald *et al.*), 388
- Surgery, carotid artery, cerebral oximetry during (Duncan, Ruckley & Wildsmith), 1041
- Surgery, cervical spine, and intubation via a laryngeal mask airway (Kiyama), 83 (c)
- Surgery, dental, day case, paediatric, propofol as sole agent for (Lake), 269 (c)
- Surgery, effect on neutrophil function (Khan *et al.*), 769
- Surgery for severe thoracic lordoscoliosis, cardiopulmonary complications during (Bagshaw & Jardine), 890
- Surgery, longer, implications of chemical and physical properties of desflurane for (Weiskopf), 9 (S)
- Surgery, lower abdominal, postoperative analgesia with transdermal fentanyl following (Broome *et al.*), 300
- Surgery, microlaryngeal, barotrauma during jet ventilation for (Bunting & Allen), 374 (c)
- Surgery, microlaryngeal, barotrauma during jet ventilation is prevented by pressure reducing valve (Janzen, Neasham & Daniel), 831 (c)
- Surgery, microlaryngeal, use of the Hayek Oscillator during (Monks *et al.*), 865
- Surgery, microlaryngeal, without a tracheal tube (MacGillivray & Fernandes), 832 (c)
- Surgery, minor, effect of pre-operative oral fluids on morbidity following anaesthesia for (Gilbert, Easy & Fitch), 79 (f)
- Surgery, nasal, comparison of reinforced laryngeal mask airway and tracheal intubation (Williams, Thompson & Bailey), 987 (f)



- Surgery, paediatric, prolonged starvation in (Veall & Dorman), 458 (f)
- Surgery, transurethral, continuous monitoring of irrigating fluid absorption during (Hahn, Larsson & Ribbe), 327
- Surgery, upper abdominal, postoperative epidural infusion of mixture of bupivacaine 0.2% with fentanyl; comparison of thoracic and lumbar routes (Chisakuta, George & Hawthorne), 72 (f)
- Surgery, urological, anaesthesia and adverse effects after intrathecal pethidine hydrochloride for (Grace & Fee), 1036
- Surgery, vascular, abdominal, major, paravertebral analgesia for; a preliminary report (Richardson, Vowden & Sabanathan), 995 (f)
- Surgical procedures, metabolic gas exchange during (Lind), 304
- Suxamethonium-induced complications during rapid-sequence induction of anaesthesia, effects of magnesium sulphate on (Stacey *et al.*), 933
- Suxamethonium-related hyperkalaemic cardiac arrest in intensive care (Dornan & Royston), 1006 (c)
- Syringe, loss of resistance, faulty (Stableforth), 668 (c)
- Syringe, loss of resistance, faulty (McBeth: Gosnell), 186 (c)
- Syringe pumps: uncontrolled infusion due to siphonage (Safety Action Bulletin), 188
- T piece, Ayre's, and the HME filter (Jerwood & Jones), 915 (c)
- Tachycardia, postoperative, is reduced by oxygen therapy (Stausholm, Kehlet & Rosenberg), 737 (f)
- Tamponade, cardiac, a potentially fatal complication of central venous catheterisation (Dixon), 1101 (c)
- Teaching airway management skills—use of a clear PVC face mask (Carson & Moriarty), 571 (c)
- Tec 3 vaporizer, 'empty', output of (Graham *et al.*), 433
- Teeth: morphine requirement after wisdom tooth extraction under general anaesthesia (Tighe *et al.*), 816 (f)
- Telephones, portable, cordless and cellular; interference with medical devices (Safety Action Bulletin), 188
- Temazepam: clinical effect and concentrations in plasma and cerebrospinal fluid (Moffat *et al.*), 3
- Temperature, body, maintenance, and circle systems (Venn), 664 (c)
- Tension pneumoperitoneum causing superior vena cava obstruction (Tuckey), 747 (c)
- Tension pneumothorax, mixed venous oximetry in diagnosis of (Baldwin), 181 (c)
- Tetanus neonatorum, intermittent positive pressure respiration in (Classic Paper) (Sykes), 333
- Thermo-compensation, automatic, an anaesthetic inhaler with (Classic Paper) (Epstein & Macintosh), 240
- Thermographic study of paravertebral analgesia (Cheema *et al.*), 118
- 'They are not proper doctors are they?' (Hall & Earlam), 87 (c)
- Thiopentone compared with propofol; haemodynamic and plasma catecholamine responses during intravenous anaesthesia for laryngomicroscopy (Mustola *et al.*), 108
- Thiopentone, effect on delayed hypersensitivity reactions (Devlin *et al.*), 496
- Thiopentone, sedation with intravenous infusions of; effects on pain perception (Wilder-Smith, Kolletzki & Wilder-Smith), 218
- Thoracic and lumbar routes compared; postoperative epidural infusion of a mixture of bupivacaine 0.2% with fentanyl for upper abdominal surgery (Chisakuta, George & Hawthorne), 72 (f)
- Thoracic lordoscoliosis, severe, cardiopulmonary complications during surgery for (Bagshaw & Jardine), 890
- Thoracic trauma, difficult intubation in a patient with (King, Huntington & Khan: Groves, Edwards & Hood), 371 (c)
- Thumb and great toe, differential effects of vecuronium on, as measured by accelerography and electromyography (Kitajima *et al.*), 76 (f)
- Thymol and hepatitis (Hutter), 1098 (c)
- Thyroid function tests, admission, relationship to outcome in critical illness (Ray *et al.*), 1022
- Tidal breathing and vital capacity breath techniques compared (Yurino & Kimura), 308
- Tidal flow measurement using a transit-time ultrasonic breath analyser (Williams, Burrough & McPeak), 427
- Tidal volume of anaesthetised adult patients, effect of cervical collar on (Dodd *et al.*), 961
- Time course of action and intubating conditions following vecuronium, rocuronium and mivacurium (Wierda *et al.*), 393
- TOF-Guard neuromuscular monitor; comparison with Myograph 2000 (Loan *et al.*), 699
- Tonometry, gastric; improved  $PCO_2$  measurement in blood gas analysers using a phosphate-buffered solution (Knichwitz, Mertes & Kuhmann), 532
- Tonsillectomy, haemorrhage following, and diclofenac (Purday *et al.*), 827 (c)
- Tonsillectomy, quinsy, anaesthesia for (Fagan & James), 783
- Toxic epidermal necrolysis with adult respiratory distress syndrome (Wallis & McClymont), 801
- T-piece connector, defective (van Hamel & Williams), 479 (c)
- Tracheal intubation *see* Intubation
- Tracheal cartilage fracture and dislodgement during percutaneous tracheostomy (Sun), 370 (c)
- Tracheal cuff failure (Patel & Smith: Oakland), 568 (c)
- Tracheal extubation, difficult, in a patient with unsuspected congenital subglottic stenosis (Asai), 243
- Tracheal extubation in a child, fentanyl-induced laryngospasm following (Baraka), 375 (c)
- Tracheal extubation, use of the laryngeal mask for airway maintenance following (Nair & Bailey), 174 (c)
- Tracheal injury, intra-operative, high frequency jet ventilation in management of (Hodgson & Mostafa), 637
- Tracheal obstruction, intra-operative, by tumour fragments (Tzabar), 249
- Tracheal obstruction, intra-operative, by tumour fragments (Satur, Church & Lau), 1102 (c)
- Tracheal occlusion in the prone position in an intubated patient with Duchenne muscular dystrophy (Rittou & Morris), 719
- Tracheal stenosis, severe, and operative delivery (Sutcliffe *et al.*), 26
- Tracheal tube and laryngeal mask airway compared; postoperative laryngeal competence (Stanley *et al.*), 985 (f)
- Tracheal tube, armoured, a small child can bite through (Kong: Walsh), 263 (c)
- Tracheal tube cuff overinflation (Smith), 84 (c)
- Tracheal tube introducer, nasogastric tube as (Suhasini, Murthy & Rao), 270 (c)
- Tracheal tube kinking in the nasal cavity (Stacey & Asai), 917 (c)
- Tracheal tube length in children, new method for determination of (Freeman, Fredricks & Best), 1050
- Tracheal tube, microlaryngeal surgery without (MacGillivray & Fernandes), 832 (c)
- Tracheal tube placement prior to percutaneous dilational tracheostomy (Mahon), 92 (c)
- Tracheal tube, Portex; a hidden leak (Chilvers & Jenkins: Padua), 920 (c)
- Tracheal tube, positive pressure ventilation through; changes in intra-ocular pressure during general anaesthesia (Myint *et al.*), 126
- Tracheal tubes, oral and nasal, movement of, as a result of changes in head and neck position (Hartrey & Kestin), 682
- Tracheally administered adrenaline, haemodynamic effects of, in anaesthetised patients (Kestin & McCrerrick), 514
- Tracheobronchomegaly, anaesthesia for a patient with (Bourne, Raphael & Tordoff), 545
- Tracheomalacia, secondary, prolonged tracheal intubation in an infant with (Reah & Entress), 341
- Tracheostomy, dilatational, percutaneous, tracheal tube placement during (Sun), 660 (c)
- Tracheostomy, dilatational, percutaneous, fiberoptic tracheal tube placement prior to (Mahon), 92 (c)



- Tracheostomy, dilational, percutaneous; malposition leading to delayed weaning (Rigg & Edmondson), 724
- Tracheostomy, dilational, percutaneous, tracheal tube placement during (Mahon), 1011 (c)
- Tracheostomy, percutaneous, a cadaver study appraising accuracy of blind placement of (Dexter), 863
- Tracheostomy, percutaneous, an unusual complication (Hill), 469 (c)
- Tracheostomy, percutaneous; evaluation of a new kit (Caldicott, Oldroyd & Bodenham), 49
- Tracheostomy, percutaneous, fracture and dislodgement of tracheal cartilage during (Sun), 370 (c)
- Tracheostomy, percutaneous, intrapleural (Noden & Kirkpatrick), 91 (c)
- Tracheostomy, percutaneous, laryngotracheal stenosis after (Ciaglia & Marx), 261 (c)
- Tracheostomy, percutaneous, laryngotracheal stenosis following (Sun), 182 (c)
- Tracheostomy, percutaneous, Portex; evaluation of a new kit (Sun), 748 (c)
- Tracheostomy, percutaneous, skin tethering after (Whittet, Commins & Waldmann), 892
- Tracheostomy tube, plain, Portex, 5 mm ID (Hazard Notice), 99
- Tracheostomy tube, speaking, infant, a problem with (Yahagi *et al.*: Smalley), 91 (c)
- Tracheostomy tubes, plain, long-term ventilation with (Watt & Devine), 688
- Trainee anaesthetists, resuscitation skills of (Cook: Harrod), 1094 (c)
- Trainer for fiberoptic intubation (Nott), 570 (c)
- Trainer for identification of the epidural space (Paw), 914 (c)
- Training: an adaptation of the objective structured clinical examination to a final year medical student course in anaesthesia and intensive care (Critchley *et al.*), 354 (f)
- Training, anaesthetic, and research (Tighe), 367 (c)
- Training: anaesthetic assistants during electroconvulsive therapy (Dunkley), 1009 (c)
- Training: application of back-to-basics approach to teaching medical students (Short, Critchley & Oh), 260 (c)
- Training, contribution by anaesthetists to medical education and (Macdonald), 742 (c)
- Training: resuscitation skills of trainee anaesthetists (Bell, Harrison & Carr), 692
- Tramadol hydrochloride, extradural, ineffective analgesia after, in patients undergoing total knee replacement (Grace & Fee), 555 (f)
- Transcervical endometrial resection syndrome (McSwiney, Myatt & Hargreaves), 254 (f)
- Transfer, interhospital, assessment of portable carbon dioxide monitors during (Donnelly *et al.*), 703
- Transfer, interhospital, international, standards for (Toff), 262 (c)
- Transfer of patients to recovery room staff (Tuckey), 86 (c)
- Transit-time ultrasonic breath analyser, measurement of tidal flow using (Williams, Burrough & McPeak), 427
- Transplantation, liver, forced-air warming maintains normothermia during (Müller *et al.*), 229
- Transplantation, liver, forced-air warming maintains normothermia during (Lamb & Rogers), 745 (c)
- Transplantation, liver, with venovenous bypass, cardiac function during (Cheema *et al.*), 776
- Transport, interhospital, of critically ill patients (Ip-Yam), 93 (c)
- Transporting patients with overwhelming pain (Fisher, Roytblat & Greemberg), 746 (c)
- Transporting volatile agents in hot climates (Fenton), 835
- Transurethral resection of the prostate, irrigation fluid absorption in (Drage & Jones), 745 (c)
- Transurethral surgery, continuous monitoring of irrigating fluid absorption during (Hahn, Larsson & Ribbe), 327
- Trauma, abdominal, femoral venous cannula misplacement in (Veall & Smith), 183 (c)
- Trauma, thoracic, difficult intubation in a patient with (King, Huntington & Khan: Groves, Edwards & Hood), 371 (c)
- Trauma victims: cervical spine control during prehospital tracheal intubation (Morley, Haji-Michael & Mahoney), 661 (c)
- Trendelenburg position, reverse, blood pressure measurement at radial and dorsalis pedis arteries during surgery in (Parry, Hirsch & Fauvel), 553 (f)
- Triglyceride levels, serum, and propofol infusion (Kunst & Böhrrer), 1101 (c)
- Trimeprazine tartrate and convulsions (Harling), 97 (c)
- T-tube, Montgomery, insertion (Uchiyama & Yoshino), 476 (c)
- Tube, chest, low dose propofol for removal of (McMurray, Bhanumurthy & Groogan), 566 (c)
- Tube, endobronchial, double-lumen, Mallinckrodt; are the two long prongs necessary? (Inada, Uesugi & Kawachii), 834
- Tube, microlaryngeal, use during percutaneous dilatational tracheostomy (Sun), 660 (c)
- Tube, microlaryngeal, use during percutaneous dilatational tracheostomy (Mahon), 1011 (c)
- Tube, nasogastric, a tip to aid insertion (Vincent & McSwiney), 752 (c)
- Tube, nasogastric, as a tracheal tube introducer (Suhasini, Murthy & Rao), 270 (c)
- Tube, 'railroaded': always successful? (Erb & Frei), 659 (c)
- Tube, tracheostomy, plain, Portex, 5 mm ID (Hazard Notice), 99
- Tube, tracheostomy, speaking, infant, a problem with (Yahagi *et al.*: Smalley), 91 (c)
- Tubes *see also* Tracheal tubes
- Tubes, tracheostomy, plain, long-term ventilation with (Watt & Devine), 688
- Tubing, disposable, caution in use of (Pateman & Lavies), 478 (c)
- Tumour fragments, intra-operative tracheal obstruction by (Tzabar), 249
- Tumour fragments, intra-operative tracheal obstruction by (Satur, Church & Lau), 1102 (c)
- Ultrasonic breath analyser, measurement of tidal flow (Williams, Burrough & McPeak), 427
- Universal PAC, evaluation for paediatric field anaesthesia (Craig, Berry & Yeats), 789
- Upper airway *see* Airway
- Uptake of enflurane during anaesthesia (Devchand, Chakrabarti & Lockwood), 491
- Urapidil and ketanserin during myocardial revascularisation (Innes), 1100 (c)
- Urapidil: influence on haemodynamics, stress response and kidney function during operations for myocardial revascularisation (Petty, Wulf & Baumgärtel), 312
- Valve, pressure reducing, prevents barotrauma during jet ventilation for microlaryngeal surgery (Janzen, Neasham & Daniel), 831
- Valve versus coronary artery surgery, comparison of propofol and fentanyl anaesthesia in (Bell *et al.*), 644 (f)
- Valves, unidirectional; resistance, reverse flow and opening pressure (Leibundgut & Zbinden), 1065
- Vaporizer, desflurane, a problem with (Lockey & Purcell-Jones: Smith), 574 (c)
- Vaporizer, faulty; failed inhalational induction (Green, Bugg & Holt), 85 (c)
- Vaporizer, Ohmeda Universal PAC, evaluation of (Lunn & Young), 870
- Vaporizer, Tec 3, 'empty', the output of (Graham *et al.*), 433
- Vaporizers, Siemens, 950, 951 and 952 (Safety Action Bulletin), 188
- Vaporizers, Universal and OMV 50, evaluation for paediatric field anaesthesia (Craig, Berry & Yeats), 789

Vapours, v  
Vascular ri  
Vascular su  
Vecuronium  
Vecuronium  
Vecuronium  
Vecuronium  
Meret  
Vecuronium  
Vecuronium  
Vecuronium  
Vein, subcl  
Vena cava,  
(Litma  
Venepunct  
Venous car  
Venous ca  
Venous ca  
Venous ca  
Venovenou  
Venovenou  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Ventilation  
Visceral v  
Vital capa  
Volatile a  
Volatile a  
Volatile a  
Vomiting  
McK  
Vomiting  
Aitke  
Vomiting  
1086  
Vomiting  
Vomiting  
Vomiting  
Vygon di  
Warming  
Warming  
Waveform  
Webster  
(Safe  
Whitacre  
Woolley  
Woolley  
Writing,  
Key  
Acid-bas  
Acupunc  
Age facto  
Airway,  
Airway,  
Airway,  
Airway,  
Airway,

- Vapours, visceral (Pollock), 472 (c)
- Vascular ring, prolonged tracheal intubation in an infant with tracheomalacia secondary to (Reah & Entress), 341
- Vascular surgery, abdominal, major, paravertebral analgesia for; a preliminary report (Richardson, Vowden & Sabanathan), 995 (f)
- Vecuronium block in young and older adult patients, dose-responses for edrophonium during antagonism of (McCarthy *et al.*), 503
- Vecuronium: differential effects on thumb and great toe as measured by accelerography and electromyography (Kitajima *et al.*), 76 (f)
- Vecuronium neuromuscular block, effect of cardiac output on the onset of (Iwasaki *et al.*), 361 (f)
- Vecuronium, neuromuscular blocking effects of, during sevoflurane, halothane and balanced anaesthesia in children (Taivainen & Meretoja), 1046
- Vecuronium: rate of onset and offset (Feldman, Wu & England), 510
- Vecuronium, time course of action and intubating conditions following (Wierda *et al.*), 393
- Vecuronium-induced neuromuscular block in the elderly, edrophonium as an antagonist of (Kitajima, Ishii & Ogata), 359 (f)
- Vein, subclavian, catheterisation; fatal subclavian artery haemorrhage complication (Mercer-Jones, Wenstone & Hershman), 639
- Vena cava, intrathoracic and intra-abdominal, comparison of central venous pressure measurements in, in critically ill children (Litmanovitch *et al.*), 407
- Venepuncture, difficult, a helpful technique for cases of (Okoro & Mahon), 94 (c)
- Venous cannula, femoral, misplacement in abdominal trauma (Veall & Smith), 183 (c)
- Venous cannulation and local anaesthesia (O'Connor & Caldicott: Paton), 1005 (c)
- Venous cannulation, asanguineous (Bremner), 576 (c)
- Venous catheter blockade; a cause for immediate concern (Bhanumurthy, McMurray & Bannon), 473 (c)
- Venovenous bypass, cardiac function during liver transplantation with (Cheema *et al.*), 776
- Venovenous haemofiltration, continuous; interference with drug administration (Digby & Armstrong), 93 (c)
- Ventilation: a combined high frequency oscillator and intermittent positive pressure ventilator (Raphael, Atkinson & Bexton), 611
- Ventilation, dead space, does it always alleviate hypocapnia? (Watt & Devine), 688
- Ventilation, difficult, caused by a gown tie (Ballin), 96 (c)
- Ventilation, high frequency jet, for severe haemoptysis during extracorporeal circulation (De Jongh *et al.*), 146
- Ventilation, high frequency jet, in management of intra-operative tracheal injury (Hodgson & Mostafa), 637
- Ventilation, jet, for microlaryngeal surgery, barotrauma during (Bunting & Allen), 374 (c)
- Ventilation, jet, for microlaryngeal surgery; barotrauma is prevented by pressure reducing valve (Janzen, Neasham & Daniel), 831 (c)
- Ventilation, jet, prolonged interval, for patients with problematic cardiopulmonary pathophysiology (Conacher), 518
- Ventilation, laryngeal mask and facemask, the quality of breathing and capnography during (Ivens *et al.*), 858
- Ventilation, lung, differential, using a partial occlusion technique (Hutchison & Millar), 270 (c)
- Ventilation, mechanical, role of CPAP during weaning from, in cardiac surgical patients (Bailey, Jones & Kelleher), 677
- Ventilation, pressure support, during isoflurane anaesthesia (Bhatt *et al.*), 1026
- Ventilation, pressure-support, severe hyperventilation and respiratory alkalosis during; hazard report (Chui, Joynt & Oh), 978
- Ventilation: the Hayek Oscillator (Petros *et al.*), 601
- Ventilation, transtracheal, yet another simple connector for (Williams), 833 (c)
- Ventilator, an asthmatic weaned from, using a laryngeal mask (Taylor & Bell), 454
- Ventilator, jet, excessive noise caused by (Murphy & Park), 1092 (c)
- Ventilator, mechanical, new (Classic Paper) (Manley), 65
- Visceral vapours (Pollock), 472 (c)
- Vital capacity breath and tidal breathing techniques compared (Yurino & Kimura), 308
- Volatile agent concentrations, effect on the incidence of postoperative shivering (Harwood *et al.*), 786
- Volatile agents and missing O-rings (Nott & Jacklin), 1001 (c)
- Volatile agents, transportation in hot climates (Fenton), 835 (c)
- Vomiting and nausea after day case gynaecological laparoscopy; prevention by ondansetron, droperidol or metoclopramide (Paxton, McKay & Mirakhur), 403
- Vomiting and nausea, postoperative, associated with PCA, a comparison of droperidol and cyclizine in prevention of (Walder & Aitkenhead), 654 (f)
- Vomiting and nausea, postoperative, associated with PCA, comparison of ondansetron and droperidol in reduction of (Alexander *et al.*), 1086 (f)
- Vomiting and nausea, postoperative; the importance of power (Yentis: Walder & Aitkenhead), 1007 (c)
- Vomiting, postoperative, following otolasty in children (Paxton *et al.*), 1083 (f)
- Vygon disposable PCA device; bench test (Costello & O'Neil), 268 (c)
- Warming, forced-air, maintains normothermia during orthotopic liver transplantation (Müller *et al.*), 229
- Warming, forced-air, maintains normothermia during orthotopic liver transplantation (Lamb & Rogers), 745 (c)
- Waveform, dampened, due to faulty pulmonary artery catheter (Kiyama), 566 (c)
- Webster braided tip deflectable electrode catheters, codes D7-270X-YYY-ZZ and D88-XX-YYY-ZZ. All lots withdraw from use (Safety Action Bulletin), 188
- Whitacre needles for Caesarean section, a comparison of 25G and 27G (Maclean & Lyons: Smith *et al.*), 263 (c)
- Woolley and Roe case (Classic Paper) (Morgan), 162
- Woolley and Roe case. Woolley and Roe versus Ministry of Health and Others (Classic Paper) (Cope), 163
- Writing, scientific, medical (Herrick), 1100 (c)

## Key word Index, Volume 50, (1995)

- Acid-base equilibrium, buffers, 532
- Acupuncture, 411
- Age factors, 779
- Airway, 49
- Airway, congenital subglottic stenosis, 243
- Airway, laryngeal mask, 257 (f)
- Airway, obstruction, 30, 35, 148, 243, 249, 719, 721, 724, 961

- Alcohol, 327
- Anaesthesia, 354 (f), 614
- Anaesthesia, audit, 114, 195, 200, 383
- Anaesthesia, circulatory effects, 18 (S)
- Anaesthesia, cost, 56
- Anaesthesia, day care, 937
- Anaesthesia, dental, 816 (f)
- Anaesthesia, depth, 733 (f)
- Anaesthesia, general, 39, 79 (f), 545, 870, 1053
- Anaesthesia, gynaecological, laparoscopy, 403
- Anaesthesia, heart rate, 18 (S)
- Anaesthesia, induction, 248
- Anaesthesia, inhalational, 37 (S)
- Anaesthesia, inhalational, geriatric, 29 (S)
- Anaesthesia, inhalational, ideal agent, 1 (S)
- Anaesthesia, inhalational, paediatric, 34 (S)
- Anaesthesia, intravenous, ketamine, 456 (f)
- Anaesthesia, liver transplantation, 776
- Anaesthesia, obstetric, 9, 14, 26, 156 (f), 211, 322, 363 (f), 415, 420, 740 (f), 804, 992 (f)
- Anaesthesia, ophthalmic, 126
- Anaesthesia, otorhinolaryngological, 987 (f)
- Anaesthesia, outpatient, 22 (S), 586
- Anaesthesia, paediatric, 30, 206, 351 (f), 407, 458 (f), 709, 719, 789, 813 (F), 820 (f), 895 (f), 980, 1046, 1050
- Anaesthesia, paediatric, scoring systems, audit, 200
- Anaesthesia, publications, documentation, 1080 (f)
- Anaesthesia, regional, caudal, 820 (f)
- Anaesthesia, regional, paravertebral block, 995 (f)
- Anaesthetic technique, regional, extradural, 555 (f)
- Anaesthetic techniques, 992 (f)
- Anaesthetic techniques, low-flow system, 706
- Anaesthetic techniques, rapid sequence induction, 933
- Anaesthetic techniques, regional, brachial plexus, 633
- Anaesthetic techniques, regional, caudal, 37
- Anaesthetic techniques, regional, epidural, 14, 72 (f), 151 (f), 156 (f), 211, 345, 415, 420, 547, 547, 740 (f), 895 (f)
- Anaesthetic techniques, regional, femoral nerve block, 206
- Anaesthetic techniques, regional, infiltration, 338
- Anaesthetic techniques, regional, intercostal, 345
- Anaesthetic techniques, regional, paravertebral block, 118, 813 (f)
- Anaesthetic techniques, regional, peribulbar block, 998 (f)
- Anaesthetic techniques, regional, sciatic nerve block, 206
- Anaesthetic techniques, regional, spinal, 297, 363 (f), 740 (f), 804, 807, 906 (f), 964, 1036
- Anaesthetic techniques, topical, 257 (f)
- Anaesthetic techniques, total intravenous anaesthesia, 108
- Anaesthetic, volatile, nitrous oxide, 34 (S)
- Anaesthetics, gaseous, nitrous oxide, 397
- Anaesthetics, gases, nitrous oxide, 764
- Anaesthetics, injected, propofol, 45 (S)
- Anaesthetics, intravenous, ketamine, 223
- Anaesthetics, intravenous, propofol, 108, 218, 317, 397, 464 (f), 496, 550 (f), 594, 644 (f), 947, 990 (f), 1056
- Anaesthetics, intravenous, thiopentone, 108, 218, 496
- Anaesthetics, local, bupivacaine, 72 (f), 345, 415, 420, 461 (f), 906 (f), 1036
- Anaesthetics, local, ethyl alcohol, 345
- Anaesthetics, local, lignocaine, 211, 214, 400, 464 (f), 850 (c)
- Anaesthetics, local, lignocaine gel, 257 (f)
- Anaesthetics, rectal, 983 (f)
- Anaesthetics volatile, enflurane, 769
- Anaesthetics, volatile, desflurane, 1 (S), 3 (S), 18 (S), 29 (S), 34 (S), 45 (S), 607
- Anaesthetics, volatile, desflurane, cardiovascular effects, 9 (S), 14 (S)
- Anaesthetics, volatile, desflurane, recovery from, 9 (S)
- Anaesthetics, volatile, desflurane, toxicity, 9 (S)
- Anaesthetics, volatile, economics, 45 (S)
- Anaesthetics, volatile, enflurane, 34 (S), 491, 786
- Anaesthetics, volatile, halothane, 34 (S), 769, 1046
- Anaesthetics, volatile, isoflurane, 1 (S), 18 (S), 34 (S), 45 (S), 706, 947, 1026, 1056
- Anaesthetics, volatile, nitrous oxide, 34 (S)
- Anaesthetics, volatile, sevoflurane, 9 (S), 34 (S), 45 (S), 308, 359 (f), 841, 1046
- Anaesthetists, risk, prevention, 726 (f)
- Analgesia, obstetric, 151 (f)
- Analgesia, patient-controlled, 526, 1086 (f)
- Analgesics, alfentanil, 108, 415
- Analgesics, diamorphine, 14, 415, 420
- Analgesics, diclofenac, 297, 820 (f), 904 (f), 983 (f)
- Analgesics, fentanyl, 72 (f), 214, 300, 644 (f)
- Analgesics, ketorolac, 904 (f)
- Analgesics, morphine, 297, 555 (f), 816 (f)
- Analgesics, pethidine, 214, 1036
- Analgesics, piroxicam, 461 (f)
- Analgesics, tramadol, 555 (f)

- Analysis, economic, 49 (S)
- Antagonists, miscellaneous, ketanserin, 312
- Antagonists, miscellaneous, physostigmine, 456 (f)
- Antagonists, miscellaneous, urapidil, 312
- Antagonists, neuromuscular relaxants, edrophonium, 359 (f), 503
- Anticoagulation, heparin, 954
- Arteries, subclavian, 639
- Audit, 740 (f)
  
- Biotransformation, drug, 850 (c)
- Blood, anticoagulants, heparin, 146
- Blood, haemodilution, 950
- Blood, leucocytes, neutrophils, 769
- Blood, osmolality, 79 (f)
- Brain, 590
- Brain, brain stem death, 388
- Brain, cerebral blood flow velocity, 223
- Brain, evoked potentials, auditory, somatosensory, EEG, 290
  
- Carbon dioxide absorption, molecular sieves, 841
- Carbon dioxide absorption, soda lime, 841
- Carbon dioxide, arterial to end-tidal difference, 858
- Carbon dioxide, elimination, 304
- Carbon dioxide, end-tidal, 786
- Carbon dioxide, tension, end-tidal, 286
- Cell-mediated immunity, 1056
- Coagulation, thrombomodulin, 954
- Complications, 846, 892
- Complications, achondroplasia, 348
- Complications, amniotic fluid embolism, 804
- Complications, atrial septal defect, 39
- Complications, bronchial intubation, vocal cord paralysis, 682
- Complications, bronchospasm, 454
- Complications, burns, 343
- Complications, cardiopulmonary, 890
- Complications, cryptophthalmos syndrome, 39
- Complications, cystic fibrosis, 614
- Complications, dural puncture, 895 (f)
- Complications, dural tap, 156 (f)
- Complications, epilepsy, 130
- Complications, Fraser syndrome, 39
- Complications, haemoptysis, 146
- Complications, haemorrhage, death, 639
- Complications, hereditary angioneurotic oedema (HAE), 547
- Complications, hyperkalaemia, 933
- Complications, hyperventilation, 978
- Complications, hypocapnia, 688
- Complications, hyponatraemia, 254 (f)
- Complications, hypoxaemia, 249, 737 (f)
- Complications, hypoxia, 151 (f)
- Complications, Klippel-Feil syndrome, 807
- Complications, macroglossia, 30
- Complications, morbidity, 79 (f)
- Complications, mortality, 103
- Complications, muscle fasciculations, 933
- Complications, muscular dystrophy, 719
- Complications, myalgia, 933
- Complications, myocardial ischaemia, 338
- Complications, nausea, 1086 (f)
- Complications, needle-stick injury, 529
- Complications, neuroleptic malignant syndrome, 246
- Complications, obesity, 322
- Complications, oto-palato-digital syndrome, brainstem compression, 641
- Complications, paraplegia, 345
- Complications, paravertebral blockade, 813 (f)
- Complications, Patau's syndrome, trisomy 13, 980
- Complications, placenta praevia, 992 (f)
- Complications, pneumothorax, subcutaneous emphysema, 1077
- Complications, postpneumectomy syndrome, 148
- Complications, protein S deficiency, 251
- Complications, pulmonary aspiration, 985 (f)
- Complications, pulmonary oedema, 338
- Complications, quinsy, 783
- Complications, Raynaud's vasospasm, 248
- Complications, regurgitation, 1053
- Complications, respiratory alkalosis, 978
- Complications, Rubinstein-Taybi syndrome, 37
- Complications, shivering, 214, 550 (f), 786

- Complications, status epilepticus, 130
- Complications, Stevens-Johnson syndrome, 801
- Complications, tachycardia, 737 (f)
- Complications, thrombosis, 251
- Complications, toxic epidermal necrolysis, 801
- Complications, tracheal injury, 637
- Complications, tracheal intubation, 943
- Complications, tracheal stenosis, 26
- Complications, tracheobronchomegaly, 545
- Complications, tracheo-oesophageal fistula, 721
- Complications, transurethral syndrome, 327
- Complications, trauma, tongue, 144
- Complications, vomiting, 1086 (f)
  
- Day surgery, recovery, 22 (S)
  
- Education, medical students, 354 (f)
- Education, trainees, 692
- Embolism, air, 338
- Equipment, anaesthetic, low-flow, closed circuit, 841
- Equipment, analysers, blood gas, 532
- Equipment, bite block, 144
- Equipment, breathing systems, low flow, 706
- Equipment, bronchoscope, fiberoptic, 735 (f)
- Equipment, carbon dioxide monitors, 703
- Equipment, central venous catheter, 52
- Equipment, central venous catheter, chest drain, 1077
- Equipment, computer-controlled anaesthesia, 491
- Equipment, double lumen tracheal tubes, 518
- Equipment, facemask, 858
- Equipment, forced-air warmer, 229
- Equipment, Hayek Oscillator, 865, 1031
- Equipment, Hayek Oscillator, nomograms, 601
- Equipment, Hudson mask, 136
- Equipment, infusion pump, 52
- Equipment, jet ventilation, 518
- Equipment, laryngeal mask, 42, 464 (f), 985 (f)
- Equipment, laryngeal mask airway, 126, 454, 635, 674, 818 (f), 858, 898 (f), 987 (f), 1053
- Equipment, laryngoscope, 943
- Equipment, laryngoscope, fiberoptic, 709
- Equipment, laryngoscope, transducer, 139
- Equipment, Myograph 2000, 699
- Equipment, nasal cannulae, 136
- Equipment, nasal catheter, 136
- Equipment, needles, 964
- Equipment, Ohmeda Universal PAC vaporizer, 870
- Equipment, oximetry, 151 (f)
- Equipment, patient-controlled analgesia machine, 526
- Equipment, peripheral nerve stimulator, 206
- Equipment, pulmonary artery catheter, 52
- Equipment, pulse oximeters, 423
- Equipment, pulse photoplethysmograph, 875
- Equipment, Safelon intravenous cannula, 529
- Equipment, sonomatic confirmation of tracheal intubation, 1062
- Equipment, spinal needles, flow characteristics, 523
- Equipment, stent, oesophageal, 721
- Equipment, thermal imaging, 118
- Equipment, TOF-Guard, 699
- Equipment, tracheal tube, 985 (f)
- Equipment, tracheal tubes, 1050
- Equipment, tracheostomy, percutaneous, dilational, 724
- Equipment, tracheostomy tube, 688
- Equipment, transcranial Doppler ultrasonography, 223
- Equipment, tubes, endobronchial, 721
- Equipment, tubes, tracheal, 243
- Equipment, tubes, tracheostomy, percutaneous, 49
- Equipment, ultrasonic, flow meter, 427
- Equipment, valves, breathing systems, 1065
- Equipment, vaporizers, 433, 789
- Equipment, ventilators, 978
- Equipment, ventilators, cuirass, 26
- Eyes, intra-ocular pressure, 126
  
- Force measurement, laryngoscopy, strain gauge, 139
  
- Gastrointestinal tract, stomach emptying, 122
- Gastrointestinal tract, stomach, intramucosal pH, 532



- Heart, cardiac arrest, 348
- Heart, cardiac output, 361 (f), 776
- Heart, congenital defects, double aortic arch, 341
- Heart, coronary occlusion, 950
- Heart, ischaemia, 737 (f)
- Heart, resuscitation, 692
- History, 233
- History, anaesthesia, 435
- History, anaesthetic rooms, 435
- History, cardiac massage, 969
- History, postoperative recovery rooms, 435
- Hormones, adrenocorticotrophic, 17
- Hormones, catecholamines, 17
- Hormones, growth, 17
- Hormones, leukotriene, 590
- Hormones, prolactin, 17
- Hormones, prostaglandin, 317
- Hormones, somatostatin, 594
- Hormones, thyroid, 1022
- Hormones, thyrotropin, 1022
- Hormones, thyroxine, 1022
- Hormones, triiodothyronine, 1022
- Hypnotics, benzodiazepines, midazolam, 191, 223, 351 (f)
- Hypnotics, benzodiazepines, temazepam, 3
- Immune response, 317
- Immune response, T lymphocytes, delayed hypersensitivity, 496
- Induction, anaesthesia, 308
- Infection, hepatitis B virus, 726 (f)
- Infection, human immunodeficiency virus, 726 (f)
- Intensive care, 130, 203, 354 (f)
- Intensive care, audit, 103, 901 (f)
- Intensive care, high dependency, 383
- Intensive care, mortality, 1022
- Intensive care, outcome, quality of life, 1017
- Intensive care, patient outcome assessment, 1022
- Interleukin-6, 1056
- Intravenous agents, magnesium, 933
- Intravenous agents, suxamethonium, 933
- Intubation, tracheal, 17, 23, 499, 709, 1050, 1062
- Intubation, tracheal, complications, 243, 343, 943
- Intubation, tracheal, difficult, 756
- Intubation, tracheal, prolonged, 341, 343
- Intubation, tracheal, technique, 682, 735 (f)
- Intubation, tracheal, technique, retrograde, 39
- Ions, magnesium, 203, 933
- Kidney, filtration, glomerular, 810 (f)
- Larynx, cricoid, 674
- Liver, function, 594, 850 (c)
- Low-flow anaesthesia, rebreathing systems, gas monitoring, trace-gas accumulation, 37 (S)
- Lung, compliance, 286
- Lung, gas exchange, 677
- Lung, high frequency oscillation, 1031
- Lung injury score, 928
- Lung, respiratory distress syndrome, 801
- Lung, trachea, 514
- Lung, trachea, carcinoma, 249
- Lung, trachea, tracheomalacia, 341
- Lung, transplantation, bullae, emphysema, 518
- Manpower, 729 (f)
- Measurement techniques, blood pressure, 553 (f)
- Measurement techniques, oximeter, cerebral, 1041
- Measurement techniques, refractometer, infrared absorption, 607
- Measurement techniques, skin blood flow, 875
- Measurement techniques, somatosensory evoked potential, 411
- Medicolegal, 983 (f)
- Memory, awareness, 733 (f)
- Memory, implicit, 191
- Metabolism, anaesthetic, 3 (S)
- Metabolism, fasting, 79 (f)
- Metabolism, starvation, 458 (f)
- Monitoring, 327, 590, 649 (f)
- Monitoring, accelography, 359 (f)
- Monitoring, electrocardiography, 488
- Monitoring, end-tidal carbon dioxide, 695

- Monitoring evoked potentials, 9
- Monitoring, incident, 846
- Monitoring, neuromuscular, double burst stimuli, 23
- Monitoring, neuromuscular function, accelerography, 699
- Monitoring, neuromuscular function, mechanomyography, 699
- Monitoring, pulse oximetry, 423
- Monitoring techniques, accelerography, 76 (f)
- Monitoring techniques, capnography, 695
- Monitoring techniques, electromyography, 76 (f)
- Monitoring, tidal volume, peak flow rate, 427
  
- Nerve, facial, 9
- Neuromuscular relaxants, 51W89 besylate, 499
- Neuromuscular relaxants, atracurium, 499, 507
- Neuromuscular relaxants, doxacurium, 510, 779
- Neuromuscular relaxants, mivacurium, 393, 507, 510, 947
- Neuromuscular relaxants, pancuronium, 510
- Neuromuscular relaxants, rocuronium, 393
- Neuromuscular relaxants, suxamethonium, 933
- Neuromuscular relaxants, vecuronium, 23, 76 (f), 359 (f), 361 (f), 393, 503, 510, 598, 1046
  
- Operating theatres, personnel, 729 (f)
- Organisations, Association of Anaesthetists of Great Britain and Ireland, 649 (f)
- Oxygen, blood levels, 136
- Oxygen, consumption, 304
- Oxygen, monitoring, 737 (f)
- Oxygen, therapy, 737 (f)
  
- Pain, chronic, 411
- Pain, chronic, pain management programme, 114
- Pain, chronic, reflex sympathetic dystrophy, 633
- Pain, postoperative, 297, 300, 461 (f), 555 (f), 559 (f), 816 (f), 820 (f), 855, 904 (f), 995 (f)
- Pain, thresholds, 218
- Patient-controlled analgesia, 855
- Pharmacodynamics, desflurane, 3 (S)
- Pharmacodynamics, elderly, 503
- Pharmacokinetics, 351 (f)
- Pharmacokinetics, desflurane, 3 (S)
- Pharmacokinetics, onset, 510
- Pharmacokinetics, recovery, 507, 510
- Pharmacokinetics, uptake, 491
- Pharmacology, 779
- Pharmacology, adrenaline, 514
- Pharmacology, antiemetics, droperidol, 1086 (f)
- Pharmacology, antiemetics, ondansetron, 1086 (f)
- Pharmacology, C<sub>1</sub> esterase inhibitor, 547
- Pharmacology, clonidine, 290
- Pharmacology, cyclizine, 654 (f)
- Pharmacology, droperidol, 654 (f), 1083 (f)
- Pharmacology, hyaluronidase, 998 (f)
- Pharmacology, ondansetron, 1083 (f)
- Pharmacology, stomach, 122
- Phospholipases A<sub>2</sub>, 1056
- Policy, pharmaceutical, 49 (S)
- Position, reverse Trendelenburg, 553 (f)
- Position, supine, 553 (f)
- Positioning, prone, 719
- Pregnancy, 322, 547
- Psychological responses, 764
  
- Records, anaesthesia, 846
- Recovery, 456 (f), 764, 937
- Reflexes, cardiovascular, 388
  
- Standards, CEN, 1065
- Surgery, 304, 810 (f)
- Surgery, abdominal, vascular, 995 (f)
- Surgery, arthroscopy, 461 (f)
- Surgery, Caesarean section, 363 (f)
- Surgery, cardiac, 312, 644 (f), 950
- Surgery, cardiac, cardiopulmonary bypass, 954
- Surgery, cardiovascular, 677, 980
- Surgery, cardiovascular, extracorporeal circulation, 146
- Surgery, cholecystectomy, 901 (f)
- Surgery, cleft palate, 30
- Surgery, craniotomy, 338
- Surgery, day case, 397
- Surgery, day case, arthroscopy, 461 (f)

- Surgery, endoscopy, 721
- Surgery, herniorrhaphy, 586
- Surgery, knee arthroscopy, 904 (f)
- Surgery, laparoscopic cholecystectomy, 286
- Surgery, laryngeal, 865
- Surgery, oesophagectomy, 637
- Surgery, ophthalmological, 998 (f)
- Surgery, organ donation, 388
- Surgery, orthopaedic, 937
- Surgery, otoplasty, 1083 (f)
- Surgery, otorhinolaryngological, 898 (f)
- Surgery, otorhinolaryngology, tonsillectomy, 783
- Surgery, spine, cervical, 756
- Surgery, thoracic, 345
- Surgery, thoracic lordoscoliosis, 890
- Surgery, tracheostomy, 724, 892
- Surgery, transcervical endometrial resection, 254 (f)
- Surgery, transplantation, liver, 229
- Surgery, vascular, 995 (f)
- Surgery, vascular, carotid, 1041
- Surgery, video-assisted thoracoscopy, 518
- Sympathetic nervous system, adrenaline, 388
- Sympathetic nervous system, beta-adrenergic receptor agonists, esmolol, 223
- Sympathetic nervous system, catecholamines, 108, 943
- Sympathetic nervous system, nor-adrenaline, 388
- Sympathetic nervous system, pharmacology, adrenaline, 35, 514
- Sympathetic nervous system, pharmacology, clonidine, 290
- Therapeutic techniques, ventilator weaning, 454
- Trace-gas accumulation, 37 (S)
- Tracheostomy, percutaneous, placement, 863
- Trauma, 674
- Trauma, cervical spine, 961
- Veins, cannulation, 400
- Veins, subclavian, cannulation, 639
- Ventilation, assisted, 635
- Ventilation, continuous positive airway pressure, 677
- Ventilation, dead space, 858
- Ventilation, high frequency, 611
- Ventilation, high frequency, jet, 146
- Ventilation, high frequency jet, 637
- Ventilation, high frequency oscillation, 865
- Ventilation, intermittent positive pressure, 42
- Ventilation, intermittent positive pressure breathing, 688
- Ventilation, lungs, high frequency oscillation, 1031
- Ventilation, pressure support, 1026
- Ventilation, pressure-support, 978
- Ventilation, spontaneous, 695
- Vomiting, antiemetics, droperidol, 403, 559 (f)
- Vomiting, antiemetics, metoclopramide, 403
- Vomiting, anti-emetics, metoclopramide, 990 (f)
- Vomiting, antiemetics, nausea, 654 (f)
- Vomiting, antiemetics, ondansetron, 403
- Vomiting, anti-emetics, prochlorperazine, 990 (f)
- Vomiting, incidence, antiemetics, 1083 (f)